

DEPARTMENT OF PUBLIC WORKS

NO. 1177

03 NOVEMBER 2017

AGRÉMENT SOUTH AFRICA
(Approval of innovative construction products and systems)

Notice is hereby given that Agrément South Africa has, with effect from 07 December 2016, issued an Agrément certificate, details of which appear in the schedule hereto.

SCHEDULE
Agrément Certificate 2016/527

Subject: RogaPlas Black Undertile Membrane

Certificate holder: Roga Plastics cc t/a JemPlas, GeoPlas & RogaPlas

Description: The RogaPlas Black Undertile Membrane is manufactured from a blow-extrusion process, recycled low density polyethylene (LDPE) film. The membrane thickness varies between 0.192 mm to 0.218 mm with a weight of 202 g/m². It is supplied in rolls of 30 m long and 1.5 m wide.

RogaPlas Black Undertile Membrane is suitable for installation in all conventional and Agrément approved buildings. It is used in conjunction with timber (pitches equal or greater than 10°) or steel roof construction with light- or heavy weight cladding. It can be used in all regions of South Africa for all types of occupancy classification (**SANS 10400: Table 1 of regulation A 20 (1)**). When used as stated in the certificate it can:

- reduce air leakage
- reduce ingress to the roof space of wind-driven rain and dust.

The Agrément certificate contains detailed information on the product and can be accessed at <http://www.agrement.co.za>

Copies are obtainable from: Chief Executive Officer (CEO)
Agrément South Africa, P O Box 395, **PRETORIA**, 0001