

## DEPARTMENT OF PUBLIC WORKS

NO. 1178

03 NOVEMBER 2017

AGRÉMENT SOUTH AFRICA  
(Approval of innovative construction products and systems)

Notice is hereby given that Agrément South Africa has, with effect from 07 December 2016, issued an Agrément certificate, details of which appear in the schedule hereto.

**SCHEDULE**  
Agrément Certificate 2016/528

**Subject:** RotoTank™ Plynth

**Certificate holder:** RotoTank™KZN (Pty) Ltd

**Description:** The certificate covers the use of the RotoTank™ Plynth when used as support for vertical 2500 litre water and liquid storage tanks as approved in Agrément certificate 2013/433. The plinth can be used in all regions of South Africa in all types of occupancy classification (**SANS 10400**: Table 1 of regulation A (20) (1)).

The RotoTank™ Plynth is prefabricated polyethylene and rotary moulded plinth with a thickness of  $\pm 7$  mm and diameter of 1410 mm. The plinth is filled with compacted soil up to 400 mm on site and 50 mm thick concrete mix up to the top of the plinth. The overall height of the plinth is 450 mm.

The Agrément certificate contains detailed information on the product and can be accessed at <http://www.agrement.co.za>

Copies are obtainable from: Chief Executive Officer (CEO)  
Agrément South Africa, P O Box 395, **PRETORIA**, 0001