

GOVERNMENT NOTICE

DEPARTMENT OF MINERALS AND ENERGY

No. R. 989

5 October 2006

MINE HEALTH AND SAFETY ACT, 1996 (ACT No. 29 OF1996)

AMENDMENT TO THE REGULATIONS IN RESPECT OF OCCUPATIONAL HYGIENE

Under section 98 of the Mine Health and Safety Act, 1996 (Act No. 29 of 1996), I BP Sonjica, Minister of Minerals and Energy, after consultation with the Council, hereby amend the regulations published under Government Notice No. R 904 appearing in Government Gazette 23583 of 2 July 2002, as set out in the Schedule

BP SONJICA (MP)
MINISTER OF MINERALS AND ENERGY

SCHEDULE

Definitions

1. In these regulations "the Regulations" means the regulations published under Government Notice No. R 904 in Government Gazette No 23583 of 2 July 2002.

Substitution of regulation 22.9(2) (a)

2. The table on "Occupational Exposure Limits for Airborne Pollutants" under regulation 22.9(2) (a) of the Regulations is hereby substituted by the following table-





2006 OCCUPATIONAL EXPOSURE LIMITS FOR AIRBORNE POLLUTANTS

$\textbf{Tabulation shows} \ inhalable \ particulates \ unless \ indicated \ to \ be \ respirable$

SUBSTANCE	POLLUTANT	FORMULA	CAS	0	EL.	OEL-STE	Notes	
SUBSTANCE	CODE	FORMULA	Numbers	ppm	mg/m³	ppm	mg/m³	110100
Acetaldehyde	1	CH₃CHO	75-07-0	25	45	50	90	[06]
Acetic acid	2	CH₃COOH	64-19-7	10	25	15	37	
Acetic anhydride	3	(CH ₃ CO) ₂ O	108-24-7	-	-	5	20	
Acetone	4	(CH ₃) ₂ CO	67-64-1	500	1185	1000	2375	[06]
Acetonitrile	5	CH₃CN	75-05-8	40	70	60	105	
Acetylsalicylic acid [Asprin]	6	CH₃COOC₅H₄COOH	50-78-2		5			
Acrolein	7	CH2≈CHCHO	107-02-8	0,1	0,25	0,3	0,8	
				0,1		see Acroleir		
Acrylaidehyde	7	CH₂=CHCHO	107-02-8			T ACIOIGII		Sk
*Acrylamide	B	CH₂=CHCONH₂	79-06-1		0,3		<u> </u>	
Acrylic acid	9	CH ₂ =CHCOOH	79-10-7	2	6	15	45	[06]
*Acrylonitrile	10	CH ₂ =CHCN	107-13-1	2	4			Sk
Aldrin	11	C ₁₂ H ₆ Cl ₆	309-00-2		0,25	<u> </u>	0,75	Sk
Allyl alcohol	12	CH₂=CHCH₂OH	107-18-6	2	5	4	10	Sk
Allyl chloride	13	CH₂=CHCH₂CI	107-05-1	1	3	2	6	
Allyl-2,3-epoxypropyl ether	14	C ₆ H ₁₀ O ₂	106-92-3	· -	see A	Aliyi giycidyl	ether	
Allyl glycidyl ether [AGE]	14	C ₆ H ₁₀ O ₂	106-92-3	5	22	10	44	
Aluminium alkyl compounds	15		-	-	2		-	
Aluminium metal								
inhalable particulate	16		1	T -	10	· ·		
respirable particulate	17	Ai	7429-90-5		5	<u> </u>	· ·	
Aluminium oxides	 		<u> </u>	L		L		L
inhalable particulate	18	T	7	T	10	· ·		
		Al ₂ O ₃ , Al(OH) ₃ and AlOOH	1344-28-1	<u> </u>		<u> </u>		[c]
respirable particulate	19				5	<u> </u>		7000
Aluminium pyro powders	19A	ļ ·	7429-90-5		5	<u> </u>	<u> </u>	[06*]
Aluminium salts, soluble	20	-	ļ	<u> </u>	2	-	-	
Aluminium welding fumes	20A	<u> </u>	7429-90-5	-	5	<u> </u>		[06*]
Aminodimethylbenzene	21	(CH ₃) ₂ C ₆ H ₃ NH ₂	1300-73-8			see Xylidine		
2-Aminoethanol	22	NH₂CH₂CH₂OH	141-43-5		see	Ethanolam	ine	
2-Aminopyridine	23	NH ₂ C ₅ H ₄ N	504-29-0	0,5	2	2	8	
Ammonia	24	NH ₃	7664-41-7	25	17	35	24	
Ammonium chloride, fume	25	NH₄CI	12125-02-9	-	10	-	20	
Ammonium sulphamate	26	NH ₂ SO ₃ NH ₄	7773-06-0	-	10		20	
n-Amyl acetate	27	CH ₃ COO(CH ₂₎₄ CH ₃	628-63-7	100	530	150	800	
sec-Amyl acetate	28	CH ₃ COOCH(CH ₃)C ₃ H ₇	626-38-0	125	666	- 150		[06]
Aniline	29	C ₆ H ₅ NH ₂	62-53-3	2	10	5	20	Sk
	 		90-04-0					
Anisidines, o- and p-isomers	30	NH ₂ C ₆ H ₄ OCH ₃	104-94-9	0,1	0,5	-	- 1	Sk
Antimony & compounds [as Sb] except antimony trisulphide and antimony trioxide	31	Sb	7440-36-0	-	0,5	-	-	
*Arsenic & compounds, except arsine	32	Λο.	7440.00.0		0.01			[00]
[as As]	32	As	7440-38-2		0,01			[06]
Arsine	33	AsH ₃	7784-42-1	0,05	0,2	-	-	
*Asbestos, all forms	34	-	1332-21-4	-	0,2 f/ml	-	-	[06]
Asphalt, petroleum fumes	35	-	8052-42-4	-	5	-	10	
Atrazine	36	C ₈ H ₁₄ CIN ₅	1912-24-9	-	5			[06]
Azinphos-methyl	37	C10H12O3PS2N3	86-50-0	·	0,2	-	0,6	Sk
Aziridine	38	CH ₂ NHCH ₂	151-56-4			Ethyleneim		
gamma-BHC	39	C ₆ H ₆ Cl ₆	58-89-9			see Lindane		
Barium compounds, soluble (as Ba)	40	-	7440-39-3	- :	0,5	JCO EMGENTO		
Barium sulphate, respirable particulate	41	BaSO ₄	7727-43-7					
Benomy!					2	· · ·		
*Benzene	42	C ₁₄ H ₁₈ N ₄ O ₃	17804-35-2		10	<u> </u>	15	To
	43	C ₆ H ₆	71-43-2	1	3			[06]
Benzenethiol Benzene-1,2,4,-tricarboxylic acid 1,2- anhydride	44 45	C ₆ H ₅ SH C ₉ H ₄ O ₅	108-98-5 552-30-7	0,5	2 see Tri	imellitic anh	ydride	
p-Benzoquinone	46	C ₆ H ₄ O ₂	106-51-4			oo Owinar		
Benzoyl peroxide	47					ee Quinone		
		(C ₆ H ₅ CO) ₂ O ₂	94-36-0		5	لـــــــا	لسنبيا	
Benzyl butyl phthalate	48	C ₁₉ H ₂₀ O ₄	85-68-7			yl benzyl ph	thalate	
Benzyl chloride	49	C ₆ H ₅ CH ₂ Cl	100-44-7	1	5			
*Beryllium and beryllium compounds [as Be]	50	Be	7440-41-7		0,002			
iga ugi		1	(metal)		.,	1		





				CAS		OEL		OEL-STE			otes
	POLLUTANT		FORMULA	Numbers	ррп	1 1	ng/m³	ppm	mg/n	1"	
SUBSTANCE	CODE		21101	542-88-1	0,00	1 (0,005				
Bis(chloromethyl) ether [BCME]	52	CICH₂O		2238-07-5			see D	iglycidyl e	ther		
is(2,3-epoxypropyl) ether	53		CHCH ₂) ₂ O	117-81-7		s	ee Di-(2-e			е	
is(2-ethylhexyl) phthalate	54		OOC ₈ H ₁₇) ₂	72-43-5			see l	Methoxycl	nlor		
2-Bis(p-Methoxyphenyl)-1,1,1-	55	(C ₆ H₄O	CH ₃) ₂ CHCCl ₃	72-40 0							
richloroethane (DMDT)				1001.00.1			10		20		
Bismuth telluride [as Bi ₂ Te ₃]	56	Bi ₂ Te ₃		1304-82-1	-		5	-	10		
Undoped	57	Bi21 63									
Selenium-doped Borates, tetra, sodium salts				1330-43-4	T -		1				
	58	Na₂B₄C		1303-96-4	-		5				
Anhydrous Decahydrate	59		O ₇ .10H ₂ O	12179-04-3	 		1		نبل		
Pentahydrate	60		O ₇ .5H ₂ O	76-22-2	1		see Ca	amphor, s			
Bornan-2-one	61	C10H16	;O	1303-86-2	1	- [10			0	[06]
Boron oxide	62	B ₂ O ₃		10294-33-4		- [C1		10	[06]
Boron tribromide	63	BBr ₃		7637-07-2	1	-	-	C1		3	[OO]
Boron trifluoride	64	BF ₃	2410	314-40-9		1	10	2		20	
Bromacil	65		BrN ₂ O ₂	7726-95-6	1 0),1	0,7	0,3		2	
Bromine	66	Br ₂		7789-30-2		0,1	0,7	0,3		2	
Bromine pentafluoride	67	BrF₅	rCl	74-97-5				nlorobrom		ie .	
Bromochloromethane	68	CH₂B	CH₂Br	74-96-4				e Ethyl bro			
Bromoethane	69			593-60-2				e Vinyl br	omide		Sk
Bromoethylene	70		-CHBr	75-25-2		0,5	5	1			Jr.
Bromoform	71	CHB		74-83-9			see	e Methyl b	romide		
Bromomethane	72	CH₃E		75-63-8				fluorobror	nometha	une	[06]
Bromotrifluoromethane	73	CF ₃ E	3r =CHCH=CH₂	106-99-0		2	4	 		790	[00]
*Buta-1,3-diene	74		CH2CH2CH3	106-97-8		600	1430	750		780	
n-Butane	75		CH ₂ CH ₂ CH ₂ OH	71-36-3			se	e n-Butyl	alconol		
Butan-1-ol	76	CH ₃	CH(OH)CH ₂ CH ₃	78-92-2	\top			sec-Buty			
Butan-2-ol	77		COCH ₂ CH ₃	78-93-3				Methyl et			
Butan-2-one	78		CH=CHCHO	4170-30-3	3			e Crotona	idenyde		Sk
trans-But-2-enal	79		l ₉ OCH₂CH₂OH	111-76-2		25	120			950	1
*2-Butoxyethanol [EGBE]	80		3COO(CH ₂) ₃ CH ₃	123-86-4		150	710	200			
n-Butyl acetate	81	CH	3COO(CH2)3CH3 3COOCH(CH3)CH2CH3	105-46-4		200	950	250		1190	+
sec-Butyl acetate	82		3COOC(CH ₃) ₃	540-88-5	5	200	950	25		1190	106
tert-Butyl acetate	83		₂ =CHCOOC ₄ H ₉	141-32-2	2	2	11			150	SI
Butyl acrylate	84		l ₃ CH ₂ CH ₂ CH ₂ OH	71-36-3			<u> </u>	50		450	+
n-Butyl alcohol	76	CH	I ₃ CH(OH)CH ₂ CH ₃	78-92-2	2	100	300	15		450	+
sec-Butyl alcohol	77		H ₃) ₃ COH	75-65-0		100	300	15		C 15	Sk [
tert-Butyl alcohol	85		H ₃ CH ₂ CH ₂ CH ₂ NH ₂	109-73-	9	_		С		- 13	- UNI
n-Butylamine	86		₉ H ₂₀ O ₄	85-68-7	7		5				+
Butyl benzyl phthalate	88		CO ₂ C ₄ H ₁₀	592-34-	7	1	5,6		-		-
n-Butyl chloroformate	89		H ₉ OCH ₂ CHCH ₂ O	2426-08	-6	25	135				+
n-Butyl glycidyl ether [BGE]			H ₃ CH(OH)COOC ₄ H ₉	138-22	-7	5	25				- s
n-Butyl lactate	90		2H ₅ (CH ₃)CHC ₆ H₄OH	89-72-	5	5	30				+-
2-sec-Butylphenol *Cadmium & cadmium compounds, except cadmium oxide fume, cadmiur		0		7440-43 (meta		-	0,01	,	-	-	lc
sulphide and cadmium sulphide	1 ~						0,0	. -		0,050	[0
pigments (as Cd)	93	C	dO	1306-1	9-0		0,0				1
*Cadmium oxide fume [as Cd] *Cadmium sulphide and cadmium sulphide pigments respirable particul	ate 94	C	cdS	1306-2	3-6	-	0,0		-		-
[as Cd]	95		CsOH	21351-	79-1		2				
Caesium hydroxide							10		- 1		\top
Calcium carbonate	96		2-00	1317-6	55-3		5		-	-	$\neg \vdash$
inhalable particula e	97	(CaCO ₃				0,			1	
respirable particulate	98		CaNC∝N	156-6			0,0	ogen cyar	ide and		salts
Calcium cyanamide	335		Ca(CN) ₂	592-0						- , -	$\neg \top$
Calcium cyanide	99		Ca(OH) ₂	1305-			5				
Calcium hydroxide	100		CaO	1305-	78-8						
Calcium oxide								0 1		-	$\neg \tau$
Calcium silicate	10	1 T	0-0:0	1344-	95-2			0	<u> </u>	-	
inhalable particulate	10		CaSiO ₃			-		5	3	18	_
respirable particulate	6		C ₁₀ H ₁₆ O	76-2	2-2	2	11	2	<u> </u>	1 10	
Camphor, synthetic										3	
Caprolactam	10)4	AUL/011 \ CC	105-	60-2	-		1	10	40	
inhalable particulate	10		NH(CH₂)₅CO			5		20	-10	 	
vapour		06	C ₁₀ H ₉ Cl ₄ NO ₂ S	2425	-06-1	-	1 0),1		1	



Polity	org.za
---------------	--------

		the state of the s	CAS	Ol			STEL/ OF	7-3	Notes
	OLLUTANT	FORMULA	Numbers	ppm	mg/m³	ppn		g/m³	
SUBSTANCE	CODE	- 1 0 NO C	133-06-2		5	↓		15	
aptan	107	C ₉ H ₈ Cl ₃ NO ₂ S CH ₃ NHCOOC ₁₀ H ₇	63-25-2		5	 		'	
Carbaryl	108		1563-66-2		0,1	 		7	
Carbofuran	109	C ₁₂ H ₁₅ NO ₃	1333-86-4		3,5	+		c	
Carbon black	110	С	124-38-9	5000	9000	300		4000	
	111	CO ₂		10	30	1			Sk
Carbon dioxide	112	CS ₂	75-15-0 630-08-0	30	35	C1	00 (115	[06]
Carbon disulphide	113	CO		0,1	1,4	0	,3	4	
Carbon monoxide	114	CBr ₄	558-13-4	2	12,6				Sk
Carbon tetrabromide	115	CCl ₄	56-23-5 75-44-5			see Ph	osgene		
Carbon tetrachloride	116	COCl ₂		5	20		-	1	
Carbonyl chloride	117	C ₆ H ₄ (OH) ₂	120-80-9						
Catechol				Τ -	10	T		20	
Cellulose	118	(C ₆ H ₁₀ O ₅) _n	9004-34-6		5		-		L
inhalable particulate	119	(C61 110 C5/n							
respirable particulate				T .	10		- 1		
Cement	120		-		5	$\neg \vdash$	-		
inhalable particulate	121	T	======	 	0,5			2	Sk
respirable particulate	122	C ₁₀ H ₆ Cl ₈	57-74-9	0,5	1,5		1	3	<u> </u>
Chlordane	123	Cl ₂	7782-50-5						
Chlorine			7 3.5 27 27 2		1 1		-	2	Sk
Chlorodiphenyl (PCBs)	124	C ₆ H ₄ ClC ₆ H ₃ Cl ₂ (Approx)	53469-21-9		0,5		-	1	Sk
Chlorodiphenyl (42% chlorine)	125	C ₆ H ₃ Cl ₂ C ₆ H ₂ Cl ₃ (Approx)	11097-69-1		0,3		0,3	0,9	
Chlorodiphenyl (54% chlorine)	126	CIO ₂	10049-04-4				C 0.1	C 0,4	[06]
Chlorine dioxide	127	CIF ₃	7790-91-2	<u> </u>			C1	С3	[06]
Chlorine trifluoride	128	CICH₂CHO	107-20-0				`		
Chloroacetaldehyde		C ₆ H ₅ COCH ₂ CI	532-27-4	0,05					
2-Chloroacetophenone	129	CICH ₂ COCI	79-04-9	0,0					[06]
Chloroacetyl chloride	130	C ₆ H ₅ Cl	108-90-7	10			250	1300	1
Chlorobenzene	131	CH ₂ BrCl	74-97-5	200) 10	50	2-Chlorop		
Chlorobromomethane	68	CH ₂ =CCICH=CH ₂	126-99-8				2-Ciliotop	-	T
2-Chlorobuta-1,3-diene	133	CHCIF ₂	75-45-6	100	0 35		1 11	rdrin.	
Chlorodifluoromethane	134		106-89-8				pichlorohy		
*1-Chloro-2,3-epoxy propane	135	C₃H₅OCl	75-00-3			see E	thyl chlor	de	
Chloroethane	136	CH₃CH₂CI	107-07-	3			ene chlor		
2-Chloroethanol	137	CH ₂ CICH ₂ OH	75-01-4	-		see *	Vinyl chlo	ride	Sk
*Chloroethylene (VCM)	138	H₂C=CHCl	67-66-3		2 9	9,8		با	
Chloroform	139	CHCl₃	74-87-3			see M	lethyl chlo		Sk [06
Chloromethane	140	CH₃Cl	100-00-		- [0,1		2	- SK [UU
1-Chloro-4-nitrobenzene	141	CIC ₆ H ₄ NO ₂	76-15-		000 6	320		1	
Chloropentafluoroethane	142	CCIF₂CF ₃	76-06-		1,1	0,7	0,3	2	
	143	CCI ₃ NO ₂	126-99		10	36			Sk
Chloropicrin	133	CH ₂ =CCICH=CH ₂	107-05			see	Allyl chło	ride	
beta-Chloroprene	13	CH ₂ ≠CHCH ₂ Cl	7790-9		.	1			L
3-Chloropropylene	144	HSO₃Cl	100-44			see	Benzyl chi	oride	
Chlorosulphonic acid	49	C ₆ H ₅ CH ₂ Cl	95-49		50	250	-		
alpha-Chlorotoluene	145	CIC ₆ H ₄ CH ₃	1929-8		·	S	ee Nitrapy	rin	
2-Chlorotoluene 2-Chloro-6-(trichloromethyl) pyridine	146	CIC₅H₃NCCI₃	2921-8		- T	0,2	-	0,6	Sk Sk
	147	C ₉ H ₁₁ Cl ₃ NO ₃ PS	7440-4						
Chlorpyrifos Chromium, metal and inorganic			7440-4 (meta						-+-
Chromium, metal and inorganic compounds [as Cr]			-			0,5			
Cr [II] compounds	148	Cr			-]	0,5			
Metal and Cr [III] compounds	149		ļ		- 1	0,05	<u> </u>	 -	Int fi
*Cr [VI] compounds	150				- [2	<u> </u>		[g] [
Cool dust (respirable particulate)	151		65996	93-2	_	0,14	-	-	
Coal tar pitch volatiles [as cyclohexar	ne 152	-					+		. [0
a clubial	153		7440-	48-4		0,05			
*Cobalt & cobalt compounds [as Co]						0.0	Τ .		- 1
Copper	154		1317-	38-0		0,2	+		2
fume		Uu	7440	50-8		1	+-:	_+	- [d]
Dusts & mists [as Cu]	155		-			0,2	+	-+	- 103
Cotton dust	156		1319	77-3	5	22	0:::-:	vetalline	
Cresols, all isomers	151		14464	-46-1			Silica, cr		18
Cristobalite	52		4170	-30-3	2	6	6		
Crotonaldehyde	79		76-	14-2			Dichlorote		nane
Cryofluorane [INN]	15	- 11 011(011)		82-8	25	120	75	- - 	370
	15	u i Laffel-Fill-Fi3/2		-04-2		2		l l	- 1





SUBSTANCE	POLLUTANT	FORMULA	CAS Numbers	OE ppm	mg/m³	OEL-STEL	mg/m ³	Notes
			57-12-5		Hydrogen o	yanide and	cyanide sal	ts
Cyanides, except hydrogen cyanide, cyanogen & cyanogen chloride	335-337	^		10	20	- 1		
Cyanogen	161	(CN) ₂	460-19-5 506-77-4	- 10		C 0,3	C 0,6	[06]
Cyanogen chloride	162	CICN	110-82-7	100	340	300	1030	
Cychlohexane	163	C ₆ H ₁₂	108-93-0	50	200		-	
Cyclohexanol	164	C ₆ H ₁₁ OH	108-94-1	25	100	50	200	[06]
Cyclohexanone	165	C ₆ H ₁₀ O C ₆ H ₁₀	110-83-8	300	1015	-	-	
Cyclohexene	166	C ₆ H ₁₁ NH ₂	108-91-8	10	40	-	-	
Cyclohexylamine	167	C ₃ H ₆ N ₆ O ₆	121-82-4	-	1,5	-	3	Sk
Cyclonite [RDX]	169	(C ₆ H ₁₁) ₃ SnOH	13121-70-5	-	5	-	10	
Cyhexatin	170	C ₆ H ₃ Cl ₂ OCH ₂ COOH	94-75-7		10	-	20	
2,4-D	171	(C ₆ H ₄ Cl) ₂ CHCCl ₃	50-29-3	-	1	-	3	
DDT	172	(CH ₃ O) ₂ POOCH≖CCl ₂	62-73-7			ee Dichlorvo		
DDVP	173	C ₈ H ₇ Cl ₂ NaO ₅ S	136-78-7	see S		lichtoropheno		phate
2,4-DES DMDT	55	(C ₆ H ₄ OCH ₃) ₂ CHCCl ₃	72-43-5			e Methoxych		
Derris, commercial	175	C ₂₃ H ₂₂ O ₆	83-79-4			ee Rotenone		1
Diacetone alcohol	176	CH ₃ COCH ₂ C(CH ₃) ₂ OH	123-42-2	50	240	75	360	
Dialkyl 79 phthalate	177	C ₆ H ₄ (COOC _{7.6} H ₁₅₋₁₉) ₂		<u> </u>	5			
Diallyl phthalate	178	C ₆ H ₄ (COOCH ₂ CHCH ₂) ₂	131-17-9	<u> </u>	5		L	
2,2'-Diaminodiethylamine	179	(NH ₂ CH ₂ CH ₂) ₂ NH	111-40-0			iethylene tri		
*4,4'-Diaminodiphenylmethane [DADPM, DDM]	180	CH ₂ (C ₆ H ₄ NH ₂) ₂	101-77-9			l'-Methylene		
1,2-Diaminoethane	181	NH ₂ CH ₂ CH ₂ NH ₂	107-15-3		see	Ethylene dia	mine	Т
Diammonium peroxodisulphate [as S_2O_8]	182	(NH ₄) ₂ S ₂ O ₈	7727-54-0	-	1	-	-	-
Diatomaceous earth, natural [respirable particulate]	183	SiO ₂	68855-54-9	-	1,5	<u> </u>	-	Ci
Diazinon	184	C ₁₂ H ₂₁ N ₂ O ₃ PS	333-41-5	<u> </u>	0,1	<u> </u>	0,3	Sk
Diazomethane	185	CH ₂ N ₂	334-88-3	0,2	0,4			
Dibenzoyl peroxide	47	(C ₆ H ₅ CO) ₂ O ₂	94-36-0			Benzoyl per		
Dibismuth tritelluride	56-57	Bi ₂ Te ₃	1304-82-1			Bismuth tell	unde	т —
Diborane	186	B ₂ H ₆	19287-45-7	0,1	0,1	ee Boron ox	ide	
Diboron trioxide	62	B ₂ O ₃	1303-86-2		S	see Naled		
Dibrom	137	C ₄ H ₇ Br ₂ Cl ₂ O ₄ P	300-76-5					
1,2-Dibromo-2,2-dichloroethyl dimethyl phosphate	187	C ₄ H ₇ Br ₂ Cl ₂ O ₄ P	300-76-5		1 000	see Naled	1290	
Dibromodifluoromethane	188	CBr ₂ F ₂	75-61-6	100	860	150 Ethylene dib		
*1,2-Dibromoethane	189	BrCH₂CH₂Br	106-93-4			Dibutyl phos		
Dibutyl hydrogen phosphate	190	(C ₄ H ₉ O) ₂ (OH)PO	107-66-4	+		2	10	1
Dibutyl phosphate	190	(C ₄ H ₉ O) ₂ (OH)PO	107-66-4	1 1	5		10	+
Dibutyl phthalate	191	C ₆ H ₄ (CO ₂ C ₄ H ₉) ₂	84-74-2	 	5	C 0,1	C 0,4	[06]
Dichloroacetylene	192	CIC=CCI	7572-29-4	20	120	50	300	[06]
1,2-Dichlorobenzene	193	C ₆ H ₄ Cl ₂	95-50-1	25	150	50	300	100,
1,4-Dichlorobenzene	194	C ₆ H ₄ Cl ₂	106-46-7 75-71-8	1000	4950	1250	6200	1
Dichlorodifluoromethane	195	CCl ₂ F ₂		1000	0,2	1200	0,4	+
1,3-Dichloro-5,5-dimethyl hydantoin	196	C ₅ H ₆ Cl ₂ N ₂ O ₂	118-52-5 50-29-3	+	J,2	see DDT		
Dichlorodiphenyltrichloroethane	171	(C ₆ H ₄ Cl) ₂ CHCCl ₃	75-34-3	100	405	200	810	[06
1,1-Dichloroethane	197	CH ₃ CHCl ₂ CICH ₂ CH ₂ Cl	107-06-2	1		*Ethylene di		
*1,2-Dichloroethane	198	CH ₂ =CCl ₂	75-35-4			*Vinylidene		
*1,1-Dichloroethylene 1,2 Dichloroethylene, cis & trans	199	CICH=CHCI	540-59-0	200	790	250	1000	
isomers Dichlorofluoromethane	201	CHCl₂F	75-43-4	10	40	-		
*Dichloromethane	202	CH ₂ Cl ₂	75-09-2		see	*Methylene	chloride	
*2,2'-Dichloro-4,4'-methylene dianiline	203	CH ₂ (C ₆ H ₃ CINH ₂) ₂	101-14-4		see *4,4'-M	ethylenebis(2-chloroani	ine)
2,4-Dichlorophenoxyacetic acid	170	C ₆ H ₃ Cl ₂ OCH ₂ COOH	94-75-7			see 2,4-E)	
1,3-Dichloroprepene, cis & trans	204	CIHC=CHCH₂CI	542-75-6	1	5	10	50	Sk
1,2-Dichlorotetrafluoroethane	158	CCIF ₂ CCIF ₂	76-14-2	1000	7000	1250	8750	
Dichlorvos	172	(CH ₃ O) ₂ POOCH=CCl ₂	62-73-7	0,1	1	0,3	3	Sk
Dicyclohexyl phthalate	206	C ₆ H ₄ (COOC ₆ H ₁₁) ₂	84-61-7	-	5		-	
Dicyclopentadiene	207	C ₁₀ H ₁₂	77-73-6	5	30	-	-	
Dicyclopentadienyl iron	208	(C ₅ H ₅) ₂ Fe	102-54-5		10	-	20	
Dieldrin	209	C ₁₂ H ₈ Cl ₆ O	60-57-1	-	0,25	-	0,75	S
Diethanolamine	210	(CH₂CH₂OH)₂NH	111-42-2	3	15	-	-	
Diethylamine	211	(C ₂ H ₅) ₂ NH	109-89-7	10	30	25	75	
2-Diethylaminoethanol	212	(C ₂ H ₅) ₂ NCH ₂ CH ₂ OH	100-37-8	10	50	-	-	SI
Diethylene glycol	213	(CH ₂ CH ₂ OH) ₂ O	111-46-6	23	100	T .		1



SUBSTANCE	POLLUTANT	FORMULA	CAS	0	EL	OEL-STE	L/ OEL-C	Notes
SUBSTANCE	CODE	FORMULA	Numbers	ppm	mg/m ³	ppm	mg/m³	Hotes
Diethylene triamine	179	(NH ₂ CH ₂ CH ₂) ₂ NH	111-40-0	1	4		-	Sk
Diethyl ether	214	C ₂ H ₅ OC ₂ H ₅	60-29-7		S	ee Ethyl ethe		
Di-(2-ethylhexyl) phthalate [DEHP]	54	C ₆ H ₄ (COOC ₈ H ₁₇) ₂	117-81-7	-	5	-	10	
Diethyl ketone	216	CH₃CH₂COCH₂CH₃	96-22-0	200	700	250	875	
Diethyl phthalate	217	C ₆ H ₄ (COOC ₂ H ₅) ₂	84-66-2	-	5		10	
Diflurochloromethane	134	CHCIF ₂	75-45-6		see Chl	orodifluoron	nethane	
Diglycidyl ether [DGE]	53	(OCH₂CHCH₂)₂O	2238-07-5	0,1	0,6	<u> </u>		<u></u>
o-Dihydroxybenzene	117	C ₆ H ₄ (OH) ₂	120-80-9			see Catecho		
m-Dihydroxybenzene	219	C ₆ H ₄ (OH) ₂	108-46-3			ee Resorcin		
p-Dihydroxybenzene	220	C ₆ H ₄ (OH) ₂	123-31-9			Hydroquino		
1,2 Dihydroxyethane	283-284	HOCH₂CH₂OH	107-21-1			Ethylene gl	ycol	
Diisobutyl ketone	221	[(CH ₃) ₂ CHCH ₂] ₂ CO	108-83-8	25	150	-	-	
Diisobutyl phthalate	222	C ₆ H ₄ [COOCH ₂ CH(CH ₃) ₂] ₂	84-69-5	<u> </u>	5		<u> </u>	
Diisodecyl phthalate	223	(C ₁₀ H ₂₁ CO ₂) ₂ C ₆ H ₄	26761-40-0	<u> </u>	5	-		
Diisononyl phthalate	224	C ₆ H ₄ (COOC ₉ H ₁₉) ₂	28553-12-0	-	5	-	<u> </u>	
Diisooctyl phthalate	225	C ₆ H ₄ (CO ₂ C ₈ H ₁₇) ₂	27554-26-3	-	5	· -	· -	
Diisopropylamine	226	(CH ₃) ₂ CHNHCH(CH ₃) ₂	108-18-9	5	20	<u> </u>		L
Diisopropyl ether	227	(CH ₃) ₂ CHOCH(CH ₃) ₂	108-20-3			Isopropyl e		
Di-linear 79 phthalate	177	C ₆ H ₄ (COOC ₇₋₀ H ₁₅₋₁₉) ₂	-	ļ		ialkyl 79 pht		
Dimethoxymethane	228	CH ₂ (OCH ₃) ₂	109-87-5			see Methyla		1 ~:
N,N-Dimethylacetamide	229	CH₃CON(CH₃)₂	127-19-5	10	36	20	71	Sk
Dimethylamine	230	(CH ₃)₂NH	124-40-3	10	18			
N,N-Dimethylaniline	231	C ₆ H ₅ N(CH ₃) ₂	121-69-7	5	25	10	50	Sk
1,3-Dimethylbutyl acetate	232	C ₈ H ₁₆ O ₂	108-84-9			ec-Hexyl ac		
Dimethyl ether	233	CH₃OCH₃	115-10-6	400	750	500	940	
N,N-Dimethylethylamine [DMEA]	234	C ₂ H ₅ (CH ₃) ₂ N	598-56-1	10	30	15	45	
Dimethylformamide	235	HCON(CH ₃) ₂	68-12-2	10	30	20	60	Sk
2,6-Dimethylheptan-4-one	221	[(CH ₃) ₂ CHCH ₂] ₂ CO	108-83-8			Diisobutyl ke		
Dimethyl phthalate	236	C ₆ H ₄ (COOCH ₃) ₂	131-11-3	-	5	-	10	
Dimethyl sulphate	237	(CH ₃) ₂ SO ₄	77-78-1	0,1	0,5	0,1	0,5	Sk
Dinitrobenzene, all isomers	238	C ₆ H ₄ (NO ₂) ₂	25154-54-5	0,15	1	0,5	3	Sk
Dinitro-o-cresol	239	CH ₃ C ₆ H ₂ (OH)(NO ₂) ₂	534-52-1	<u> </u>	0,2	-	0,6	Sk
Dinitrotoluene	240	CH ₃ C ₆ H ₃ (NO ₂) ₂	25321-14-6	<u> </u>	0,2	-	5	Sk [06]
Dinonyl phthalate	241	C ₆ H ₄ (COOC ₉ H ₁₉) ₂	84-76-4	-	5	l <u>-</u> _		
Di-sec-octyl phthalate	54	C ₆ H ₄ (COOC ₈ H ₁₇) ₂	117-81-7			-ethylhexyl)		T 01 10 01
1,4-Dioxane, tech grade	242	OCH₂CH₂OCH₂CH₂	123-91-1	25	90	50	180	Sk [06]
Dioxathion	243	C ₁₂ H ₂₆ O ₆ P ₂ S ₂	78-34-2		0,2		<u> </u>	Sk
Diphenyl	51	(C ₆ H ₅) ₂	92-52-4			see Bipheny		
Diphenylamine	244	(C ₆ H ₅) ₂ NH	122-39-4	-	10	L	20	<u> </u>
Diphenyl ether [vapour]	245	C ₆ H ₅ OC ₆ H ₅	101-84-8			enyl ether,	<u> </u>	
Diphosphorus pentasulphide	246	P ₂ S ₅ / P ₄ S ₁₀	1314-80-3			phorus pent		(0.0)
Diphosphorus pentoxide	247	P ₂ O ₅ / P ₄ O ₁₀	1314-56-3		1		2	[06]
Dipotassium peroxodisulphate [as S_2O_{θ}]	248	K₂S₂O ₈	7727-21-1	-	1	-	-	
Diquat dibromide	249	C ₁₂ H ₁₂ Br ₂ N ₂	85-00-7	-	0,5	-	1	
Disodium disulphite	250	Na ₂ S ₂ O ₅	7681-57-4			ium metabis	ulphate	
Disodium peroxodisulphate [as S ₂ O ₈]	251	Na ₂ S ₂ O ₈	7775-27-1	<u> </u>	1		-	L
Disodium tetraborate	58	Na ₂ B ₄ O ₇	1330-43-4			es, tetra, soc		
Disulfoton	252	(C ₂ H ₅ O) ₂ PSCH ₂ CH ₂ SC ₂ H ₅	298-04-4	-	0,1	-	0,3	L
Disulphur decafluoride	253	S ₂ F ₁₀	5714-22-7			lphur pentaf		
Disulphur dichloride	254	S ₂ Cl ₂	10025-67-9			phur monoc	nloride	
2,6-Di-tert-butyl-p-cresol	255	(C₄H ₉) ₂ CH ₃ C ₆ H ₂ OH	128-37-0	-	10			
6,6-Di-tert-butyl-4,4-thiodi-m-cresol	256	[CH ₃ (OH)C ₆ H ₂ C(CH ₃) ₃] ₂ S	96-69-5	_	ee 4,4'-Thio	bis(6-tert-bu	tyi-m-cresol)
Diuron	257	C ₀ H ₁₀ Cl ₂ N ₂ O	330-54-1		10		-	L
Divanadium pentoxide	592-593	V ₂ O ₅	1314-62-1			nadium pen	toxide	
Divinyl benzene [DVB]	258	C ₆ H ₄ (HC=CH ₂) ₂	1321-74-0	10	50	-	-	
Emery	252							
inhalable particulate	259	Al ₂ O ₃	1302-74-5	-	10	-	-	
respirable particulate	260	0110100	115.00.5		5		-	
Endosulfan	261	C ₉ H ₆ Cl ₆ O ₃ S	115-29-7		0,1		0,3	Sk
Endrin	262	C ₁₂ H ₈ Cl ₆ O	72-20-8		0,1	-	0,3	Sk
Enflurane *Eniphleropydria	263	CHFCICF ₂ OCHF ₂	13838-16-9	50	380	<u> </u>		
*Epichlorohydrin	135	C₃H₅OCI	106-89-8	0,5	2	1,5	6	Sk
1,2-Epoxy-4-epoxyethyl-cyclo-hexane	265	C ₈ H ₁₂ O ₂	106-87-6			cyclohexen		
2,3-Epoxypropyl isopropyl ether	266	C ₆ H ₁₂ O ₂	4016-14-2			ropyl glycidy		
Ethane-1,2-diol	283-284	HOCH₂CH₂OH	107-21-1		see	Ethylene gly	col	
Ethanethiol	267	CH₃CH₂SH	75-08-1		see E	thyl mercap	tan	





SUBSTANCE	POLLUTANT	FORMULA	CAS	0	EL	OEL-ST	EL/ OEL-C	Notes
	CODE	TOTIMOLA	Numbers	ppm	mg/m³	ppm	mg/m³	Notes
Ethanol	268	CH₃CH₂OH	64-17-5	1000	1900	-	-	
Ethanolamine	22	NH₂CH₂CH₂OH	141-43-5	3	8	6	15	
Ether	214	C ₂ H ₅ OC ₂ H ₅	60-29-7			see Ethyl eth	er	
*2-Ethoxyethanol [EGEE]	270	CH₃CH₂OCH₂CH₂OH	110-80-5	5	18		-	Sk [06
*2-Ethoxyethyl acetate [EGEEA]	271	C ₂ H ₅ OCH ₂ CH ₂ OOCCH ₃	111-15-9	5	27		-	Sk [06
Ethyl acetate	272	CH₃COOC₂H₅	141-78-6	200	700	-	-	[06]
Ethyl acrylate	273	CH ₂ =CHCOOC ₂ H ₅	140-88-5	5	20	15	60	
Ethyl alcohol	268	CH₃CH₂OH	64-17-5			see Ethano	<u> </u>	
Ethylamine	274	CH₃CH₂NH₂	75-04-7	5	9	-	-	[06]
Ethyl amyl ketone	275	C ₈ H ₁₆ O	541-85-5	25	130	· ·	-	
Ethyl benzene	276	CH₃CH₂C ₆ H ₅	100-41-4	100	435	125	545	
Ethyl bromide	69	CH₃CH₂Br	74-96-4	5	22	<u> </u>	-	[06]
Ethyl butyl ketone Ethyl chloride	278	CH ₃ CH ₂ CO(CH ₂) ₃ CH ₃	106-35-4	50	240	75	345	
Ethyl chloroformate	136	CH₃CH₂CI	75-00-3	100	260	-	· -	[06]
Ethylene chlorohydrin	280	CICO ₂ C ₂ H ₅	541-41-3	1	4,4			
Ethylene diamine	137	CH₂CICH₂OH	107-07-3	-		1	3	Sk
*Ethylene dibromide	181	NH ₂ CH ₂ CH ₂ NH ₂	107-15-3	10	25	<u> </u>		
*Ethylene dichloride		BrCH₂CH₂Br	106-93-4	0,5	4	 		Sk
Ethylene dichionde	198	CICH2CH2CI	107-06-2	5	20	1 -	لـــــا	Sk
Ethylene glycol	283-284	O ₂ NOCH ₂ CH ₂ ONO ₂ HOCH ₂ CH ₂ OH	628-96-6		see Eth	ylene glycol	anitrate	
Ethylene glycol dinitrate [EGDN]	283-284		107-21-1	20		40		[06]
*Ethylene glycol monobutyl ether		O ₂ NOCH ₂ CH ₂ ONO ₂	628-96-6	0,05	0,3	0,2	1,2	Sk [06]
[EGBE] *Ethylene glycol monoethyl ether	80	C ₄ H ₉ OCH ₂ CH ₂ OH	111-76-2		see	*2-Butoxyeth	anoi	
[EGEE] *Ethylene glycol monoethyl ether	270	CH₃CH₂OCH₂CH₂OH	110-80-5		See	*2-Ethoxyeth	anol	
acetate [EGEEA]	271	C ₂ H ₅ OCH ₂ CH ₂ OOCCH ₃	111-15-9		see *2-	Ethoxyethyl	acetate	
*Ethylene glycol monomethyl ether [EGME]	285	CH₃OCH₂CH₂OH	109-86-4		see *	2-Methoxyeti	hanol	
*Ethylene glycol monomethyl ether acetate [EGMEA]	286	CH₃COOCH₂CH₂OCH₃	110-49-6		see *2-1	Methoxyethyl	acetate	
Ethyleneimine	38	CH₂NHCH₂	151-56-4	0,5	1	-	-	Sk
*Ethylene oxide	288	CH ₂ CH ₂ O	75-21-8	1	2	-	-	[06]
Ethyl ether	214	C ₂ H ₅ OC ₂ H ₅	60-29-7	400	1200	500	1500	
Ethyl formate	289	CH₃CH₂OCHO	109-94-4	100	300	150	450	
2-Ethylhexyl chloroformate	290	CICO ₂ CH ₂ CH (CH ₂) ₃ CH ₃	24468-13-1	1	7,9		-	
Ethylidene dichloride	197	CH₃CHCl₂	75-34-3		see 1	,1-Dichloroet	hane	
Ethyl mercaptan	267	CH₃CH₂SH	75-08-1	0,5	1	2	3	
4-Ethylmorpholine	291	C ₄ H ₈ ONCH ₂ CH ₃	100-74-3	5	23	20	95	Sk
Ethyl silicate	292	Si(OC ₂ H ₅) ₄	78-10-4	10	85	30	255	
Fenchlorphos Ferbam	293	(CH ₃ O)₂PSOC ₆ H ₂ Cl ₃	299-84-3			see Ronnel		
Ferrocene	294	[(CH ₃) ₂ NCSS] ₃ Fe	14484-64-1		10		20	
Ferrovanadium dust	208	(C₅H₅)₂Fe	102-54-5			clopentadie		
Flammable gas (methane/hydrogen)	295	FeV	12604-58-9		1		3	
Flour dust	296 296A	-	 			C 1,4%		[e]
Fluorides [as F]	297 297	<u>.</u> F	10004 40.0		3		-	[06*]
Fluorine	298	F ₂	16984-48-8 7782-41-4		2,5			too
Fluorodichloromethane	201	CHCl ₂ F	75-43-4	1	1,5	2	3	[06]
Fluorotrichloromethane	299	CCI ₃ F	75-69-4			hlorofluorome		
*Formaldehyde	300	HCHO	50-00-0	1				(ne)
Formamide	301	HCONH ₂	75-12-7	10	1,2	30	2,5	[06]
Formic acid	302	HCOOH	64-18-6	5	9	30	45	[06]
2-Furaldehyde	303	C ₅ H ₄ O ₂	98-01-1			ee Furfural		
Furfural	303	C ₅ H ₄ O ₂	98-01-1	2	8	10	40	Sk
Furfuryl alcohol	304	OCH=CHCH=CCH2OH	98-00-0	5	20	15	60	Sk
Gasoline	305		8006-61-9	300		500		- Jr
Germane	306	GeH₄	7782-65-2		see Germ	nanium tetrah	ydride	
Germanium tetrahydride	306	GeH ₄	7782-65-2	0,2	0,6	0,6	1,8	
Glutaraldehyde	307	OCH(CH₂)₃CHO	111-30-8			C 0,1	C 0,35	[06]
Glycerol, mist	308	HOCH₂CH(OH)CH₂OH	56-81-5		10		2 5,50	[00]
Glycerol trinitrate	309	CH₂NO₃CHNO₃ CH₂NO₃	55-63-0			Nitroglycerin	e	
Glycol monoethyl ether	270	CH₃CH₂OCH₂CH₂OH	110-80-5			2-Ethoxyetha		
Graphite, natural & synthetic						- Jong Cond		
inhalable particulate	310	С	7440-44-0	- 1	10	- T	- 1	
	211	U	7782-42-5					
respirable particulate	311		1102-42-3	- }	5	-	-	





SUBSTANCE	POLLUTANT CODE	FORMULA	CAS Numbers		EL		EL/ OEL-C	Notes
0.41				ppm	mg/m ³	ppm	mg/m³	
Guthion Gypsum	37	C ₁₀ H ₁₂ O ₃ PS ₂ N ₃	86-50-0		see	Azinphos-n	nethyl	
• •	040		T					
inhalable particulate	313	CaSO₄.2H₂O	13397-24-5	-	10	<u> </u>	<u> </u>	
respirable particulate gamma-HCH	314	0.11.01		· ·	5			
Hafnium	39	C ₆ H ₆ Cl ₆	58-89-9			see Lindan		
Halothane	316	Hf OF OLIOPS	7440-58-6	 	0,5	· -	1,5	ļ
Heptachlor	317	CF₃CHClBr	151-67-7	10	80	<u> </u>	<u> </u>	
n-Heptane	318 319	C ₁₀ H ₅ Cl ₇	76-44-8	<u> </u>	0,5	<u> </u>	2	Sk
Heptan-2-one	320	CH ₃ (CH ₂) ₅ CH ₃	142-82-5	400	1600	500	2000	
Heptan-3-one	278	CH ₃ CO(CH ₂) ₄ CH ₃	110-43-0			ethyl n-amy		
gamma-Hexachlorocyclohexane	39	CH ₃ CH ₂ CO(CH ₂) ₃ CH ₃	106-35-4		see	Ethyl butyl k		
Hexachloroethane	39	C ₆ H ₆ Cl ₆	58-89-9	L		see Lindan		
vapour	321	1			10			
inhalable particulate	322	CCI3CCI3	67-72-1	1	10	 -	<u> </u>	[06]
respirable particulate	323	00130013	07-72-1	<u> </u>	10	 	<u> </u>	
Hexahydro-1,3,5-trinitro-1,3,5-triazine	168	C ₃ H ₆ N ₆ O ₆	101.00.4	<u> </u>	5	1	<u> </u>	
Hexane, all isomers except n-Hexane	324	C ₆ H ₁₄	121-82-4	F00		see Cyclonit	T-	
n-Hexane	325	CH ₃ (CH ₂) ₄ CH ₃	110.54.0	500	1800	1000	3600	
1,6-Hexanolactam	104-105	NH(CH ₂) ₅ CO	110-54-3	20	70	1		
Hexan-2-one	326	CH ₃ CO(CH ₂) ₃ CH ₃				e Caprolact		
Hexone	327		591-78-6			ethyl-n-butyl		
sec-Hexyl acetate	232	CH ₃ COCH ₂ CH(CH ₃) ₂ C ₈ H ₁₈ O ₂	108-10-1			ethyl isobuty		
Hexylene glycol	328	(CH ₃) ₂ COHCH ₂ CHOHCH ₃	108-84-9	50	300	100	600	
Hydrazine	329		107-41-5	-	<u> </u>	C 25	C 125	[06]
Hydrazoic acid [as vapour]	330	H ₂ NNH ₂ HN ₃	302-01-2	0,02	0,02	<u> </u>	-	Sk [06]
Hydrogen	331	H ₂	7782-79-8	-	-	0,1		
Hydrogen bromide	332	HBr	1333-74-0	-	<u> </u>	C 1,4 %		[f]
Hydrogen chloride	333	HCI	10035-10-6			2	7	[06]
Hydrogen cyanide and cyanide salts (as	333	nu	7647-01-0	-	<u> </u>	C 5	C7	[06]
CN]		•	-			1		
*Hydrogen cyanide	334	HCN	74-90-8	-	-	C 10	C 10	Sk
Calcium cyanide	335	Ca(CN) ₂	592-01-8	-			C5	Sk
Potassium cyanide	336	KCN	151-50-8	-	-	-	C5	Sk
Sodium cyanide	337	NaCN	143-33-9	-	-	-	C5	Sk
Hydrogen fluoride [as F]	338	HF	7664-39-3	-	-	3	2,5	
Hydrogen peroxide	339	H ₂ O ₂	7722-84-1	1	1,5	2	3	
Hydrogen selenide [as Se]	340	H₂Se	7783-07-5	0,05	0,2	-		
Hydrogen sulphide	341	H₂S	7783-06-4	10	14	15	21	
Hydroquinone	220	C ₆ H ₄ (OH) ₂	123-31-9	-	2	-	4	
4-Hydroxy-4-methyl-pentan-2-one	176	CH₃COCH₂C(CH₃)₂OH	123-42-2		see [Diacetone ale	cohol	
2-Hydroxypropyl acrylate	342	C ₆ H ₁₀ O ₃	999-61-1	0,5	3	-	-	Sk
2,2'-Iminodiethanol	210	(CH₂CH₂OH)₂NH	111-42-2		see	Diethanolan	nine	
2,2'-Iminodi(ethylamine)	179	(NH ₂ CH ₂ CH ₂)₂NH	111-40-0		see D	iethylene tria	mine	
Indene	343	C ₉ H ₈	95-13-6	10	45	15	70	
Indium & compounds [as In]	344	łn	7440-74-6	-	0,1	-	0,3	
lodine	345	l ₂	7553-56-2	-		0,1	1	
lodoform	346	CHl₃	75-47-8	0,6	10	1	20	
lodomethane	347	CH₃I	74-88-4		see	Methyl iodi	de	
Iron oxide, dust & fume [as Fe]	348	Fe₂O₃	1309-37-1	-	5	- 1	10	
Iron pentacarbonyl	349	Fe(CO) ₅	13463-40-6	0,1	0,8	0,2	1,6	[06]
Iron salts [as Fe]	350		-	-	1	-	2	
isoamyi acetate	351	CH3COOCH2CH2CH(CH3)2	123-92-2	50	262	100	525	[06]
Isoamyl alcohol	352	(CH ₃) ₂ CHCH ₂ CH ₂ OH	123-51-3	100	360	125	450	
soamyl methyl ketone	353	CH₃COCH₂CH₂CH(CH₃)2	110-12-3		see Met	hyl isoamyl	ketone	
sobutyl acetate	354	CH ₃ COOCH ₂ CH(CH ₃) ₂	110-19-0	150	700	187	875	
sobutyl alcohol	355	(CH ₃) ₂ CHCH ₂ OH	78-83-1	50	150	75	225	
sobutyl methyl ketone	327	CH ₃ COCH ₂ CH(CH ₃) ₂	108-10-1		see Met	hyl isobutyl	ketone	
slsocyanates, all [as -NCO]	356	-	_	0,005	. 1	0.02	. 1	Sen
soflurane	357	CE-CHCIOCHE	20075 40 7			0.02		[06]
sooctyl alcohol [mixed isomers]	358	CF₃CHCIOCHF₂	26675-46-7	50	380	-		
sopentyl acetate	358	CH COOCH CH CH(CH)	26952-21-6	50	270			
sophorone	359	CH ₃ COOCH ₂ CH ₂ CH(CH ₃) ₂	123-92-2			soamyl acet		
sophorone diisocyanate [IPDI]	360	C ₉ H ₁₄ O	78-59-1			C5	C 25	[06]
sopropyl acetate	360	C ₁₂ H ₁₈ N ₂ O ₂	4098-71-9	-	see	*Isocyanate		
sopropyl alcohol		CH₃COOCH(CH₃)₂	108-21-4			200	840	
oopiopyi alconol	362	(CH ₃) ₂ CHOH	67-63-0	400	980	500	1225	





Isopropyl benzene Isopropyl chloroformate Isopropyl ether Isopropyl glycidyl ether [IGE] Kaolin, respirable particulate Ketene *Lead, elemental, and inorganic compounds [as Pb] *Lead tetra-ethyl [as Pb]	15 36 22	59 53	FORMULA C ₆ H ₅ CH(CH ₃) ₂		Numbe		OEL ppm	mg/m ³		EL-STEL/		1
Isopropyl ether Isopropyl glycidyl ether [IGE] Kaolin, respirable particulate Ketene *Lead, elemental, and inorganic compounds [as Ph]	36		C ₆ H ₅ CH(CH ₃) ₂		The real Property lies, the last of the la							-IN
Isopropyl glycidyl ether [IGE] Kaolin, respirable particulate Ketene *Lead, elemental, and inorganic compounds [as Ph]					98-82-	8					ng/m³	
Kaolin, respirable particulate Ketene *Lead, elemental, and inorganic compounds (as Ph)		7	CICO ₂ CH(CH ₃) ₂		108-23	-6	1		See C	umene		
Ketene *Lead, elemental, and inorganic compounds (as Ph)	26		(CH ₃) ₂ CHOCH(CH ₃) ₂		108-20-		250	5				
*Lead, elemental, and inorganic compounds (as Ph)	36		C ₆ H ₁₂ O ₂		4016-14		50	1050			1320	Π
L SOMPOUNDS IAS Phi	36		Al ₄ Si ₄ O ₁₀ (OH) ₈		1332-58		-	240	 7	75	360	Π
*Lead tetra-ethyl (20 Db)			CH ₂ =CO		463-51-		0,5	2,5				
	366	6	Pb		7439-92		7,5	0,9		,5	3	
Lead tetra-methyl [as Pb]	367	7	Pb(C₂H₅)₄		(metal)		.	0,1		.	_	IC
Limestone	368	3	Pb(CH ₃) ₄		78-00-2		-	0,10	+			
Lindane	96-9	7	CaCO ₃		75-74-1		-	0,15	+			S
	39		C ₆ H ₆ Cl ₆		1317-65-	3			Calcium	carbonate		Sk
Liquified petroleum gas [LPG]			Mixture:		58-89-9		- 1	0,1	T	carbonate	<u>. </u>	
Lithium hydride	369		C ₃ H ₆ ; C ₃ H ₈ ; C ₄ H ₈ ; C ₄	T	68476-85-	7 10			 -		1	S
Lithium hydroxide	370		LiH	4H ₁₀			00	1800	125	50 2	250	
*MBOCA	371		LIOH		7580-67-8	3 -		0.025	 -			
*MDA	203	-	CH ₂ (C ₆ H ₄ CINH ₂) ₂		1310-65-2	2			 		\rightarrow	
*MDI	180		CH ₂ (C ₆ H ₄ NH ₂) ₂		101-14-4		See *4	4'-Meti	T -	is-(2-chlore	1	
	360A		CH ₂ (C ₆ H ₄ NH ₂) ₂		101-77-9	\top		1 N* 00	'Manate d	s-(2-chlore	oaniline)	<u> </u>
Magnesite	1 3337		CH ₂ (C ₆ H ₄ NCO) ₂		101-68-8	_ 1			wetnyle	ene dianilii	16	
inhalable particulate	372							se	e *Isocy	anates		
respirable particulate	373		MgCO ₃			T -		10				
Magnesium oxide [as Mg]				- 1	546-93-0	<u> </u>		10				
inhalable particulate								5				
fume and respirable particulate	374		MgO									
Malathion	375			1	1309-48-4	<u> </u>		10	-	7	$\neg \tau$	
Maleic anhydride	376		C ₁₀ H ₁₉ O ₆ PS ₂		104 75 -			5	-	10	, 	
Manganese elemental	377		C ₄ H ₂ O ₃		121-75-5			10	-	T		Sk
	378		/In		108-31-6	0,25		1		 -		
Manganese, fume [as Mn]	270				439-96-5 (metal)	1 .		1			-+	
Manganese cyclopentadienyl	379	^	/In		439-96-5	+				_ -	- 1	06
	380	l c	SH ₅ Mn(CO) ₃			+	1			3		_
Manganese tetroxide	381			12	079-65-1	-	О,	1 1		100	_	
Man made mineral fibres [Glass, slag and rock wool fibres]		— IM	In ₃ O ₄	13	317-35-7	+				0,3		Sk
Marble	382	-				 	- - 		<u> </u>			
Mequinol [INN]	96-97		aCO ₃		-	} -	2 f/s	mi	-			
fercaptoacetic acid	383		H ₃ OC ₆ H ₄ OH	13	317-65-3			See Cal	oium a-	rbonate		
lerous all lesses acid	384		SCH₂COOH	15	50-76-5	 	5		Jum ca	roonate		
lercury alkyls [as Hg]	385	1 113	SCH2COOH	6	8-11-1	 			 .	<u> </u>		
ercury and compounds, except ercury alkyls, [as Hg]					-	 - -	7 00	see in	iogłycoli	ic acid		
esityl oxide	386	Hg	1	74	20.07.0	 	0,0	' 		0,03		Sk
ethacrylic acid	387	(C)	H₃)₂C=CHCOCH₃	/40	39-97-6	-	0,02	5	-			
ethacrylonitrile	388	T CH	l₂=C(CH₃)COOH	14	1-79-7	15	60	-+-	25	+		
ethane	389	 	-C(CH3)COOH	79	9-41-4	20	70			100	\bot	
ethanethiol	390	CH.	₂ =C(CH ₃)CN	120	6-98-7	1	3		40	140		
thanol	391	CH ₃	011	74	-82-8	 -	+	┿-	-			Sk
	392			74	-93-1			0	1,4 %	<u></u>		[f]
thomyl	393	CH ₃			-56-1	200	see Me	inyl me			T	
thoxychlor		C ₅ H	₁₀ N ₂ O ₂ S		2-77-5	200	260		250	310	1 5	3k
Methoxyethanol [EGME]	55	(C _e l-	H₄OCH₃)₂CHCCl₃		43-5	<u> </u>	2,5		-	-	7	
Methoxyethyl acetate (EGMEA)	285	CH ₃	OCH2CH2OH		-86-4		10	\perp		-	1	
ethoxypropan-2-ol	286	CH₃(COOCH2CH2OCH2			5	16	\Box	-	<u> </u>	1 6	Sk
hyl acetate	394	CH₃(CHOHCH, OCH,		-49-6	5	24	T	-		+	
nyl acrylate	395	CH₃(COOCH ₃		-98-2	Se	e Propyle	ne gly	ol mon	omethyl et	her S	·n
rylal	396	CH ₂ =	ECHCOOCH₃		20-9	200	610		250	760	T	
nyl alcohol	228	CH ₂ (OCH ₃) ₂		33-3	10	35	\top	-	7,50	+	
ylamine	392	CH ₃ C			87-5	1000	3100	1	250	3880	+	
yl n-amyl ketone	397	CH₃N		67-5					ethanoi		┸—	
ethylaniline	320	CH.C	CO(CH ₂) ₄ CH ₃	74-8		10	12	T				
yl bromide	398	C-H	NHCH ₃	110-4	43-0	50	240	+	-		—	
thylbutan-1-ol	72			100-6	31-8	0,5	2	+	00	480	Sk	
hybutan-1-of	352	CH ₃ B ₁		74-8		5		+	<u>:</u>		Sk	
hylbutyl acetate	28	(UH3)2	₂CHCH₂CH₂OH	123-5			20		5	60	Sk	
d-n-butyl ketone		CH3C(OOCH(CH ₃)C ₃ H ₇	626-3			se	₃ Isoam	yl alcoh	ol		
chloride	326	CH3C	O(CH ₂) ₃ CH ₃	591-7				sec-An	nyl acet	ate		_
yl chloroform	140	CH₃CI				5	20	L^{-}		-	Sk	\dashv
2-cyanoacrylate	401	CH₃CC		74-87		50	105	10	00	210		
	402		(CN)COOCH ₃	71-55		100	542	20	0	1085	Inet	-
cyclohexane	403	CH₃C ₆ I	Hu	137-05		2	8	4			[06]	-4
cyclohexane cyclohexanol										12 1		
cyclohexane cyclohexanoi ylcyclohexanone		CH₃C _e l	HwOH	108-87 25639-4		400	1600	50		16 2000		





SUBSTANCE	POLLUTANT	FORMULA	CAS	0	EL	OEL-STE	Notes			
SUBSTANCE	CODE	FUHMULA	Numbers	ppm	mg/m³	ppm	mg/m³	Notes		
Methylcyclopentadienyl manganese tricarbonyl [as Mn]	406	CH ₃ C ₅ H ₄ Mn(CO) ₃	12108-13-3		0,2		0,6	Sk		
2-Methyl-4,6-dinitrophenol	239	CH ₃ C ₆ H ₂ (OH)(NO ₂) ₂	534-52-1		see	Dinitro-o-cr	esol			
*4,4'-Methylenebis(2-chloroaniline) [MBOCA]	203	CH ₂ (C ₆ H ₄ CINH ₂) ₂	101-14-4	-	0,005	-	-	Sk		
*Methylene chloride	202	CH ₂ Cl ₂	75-09-2	50	175	250	780	[06]		
*4,4'-Methylene dianiline [MDA]	180	CH ₂ (C ₆ H ₄ NH ₂) ₂	101-77-9	0,01	0,08	-				
*4,4'-Methylene-diphenyl diisocyanate	360A	CH ₂ (C ₆ H ₄ NCO) ₂	101-68-8		se	e *Isocyana	tes			
[MDI] Methyl ethyl ketone [MEK]	78	CH ₃ COCH ₂ CH ₃	78-93-3	200	600	300	900	Sk		
Methyl ethyl ketone peroxides [MEKP]	408	C ₈ H ₁₆ O ₄ or C ₆ H ₁₈ O ₆	1338-23-4	- 200		C 0,2	C 1,5	[06]		
Methyl formate	409	HCOOCH ₃	107-31-3	100	250	150	375	100,		
5-Methylheptan-3-one	275	C ₈ H ₁₆ O	541-85-5			thyl amyl ke				
5-Methylhexan-2-one	353	CH ₃ COCH ₂ CH ₂ CH(CH ₃) ₂	110-12-3			thyl isoamyl				
Methyl iodide	347	CH ₃ I	74-88-4	2	11	5	28	Sk [06]		
Methyl isoamyl ketone	353	CH3COCH2CH2CH(CH3)2	110-12-3	50	240	75	360	Sk		
Methyl isobutyl carbinol	410	(CH ₃) ₂ CHCH ₂ CH(OH)CH ₃	108-11-2	25	100	40	160	Sk		
Methyl isobutyl ketone [MIBK]	327	CH ₃ COCH ₂ CH(CH ₃) ₂	108-10-1	20	82	50	205	Sk [06]		
*Methyl isocyanate	360B	CH₃NCO	624-83-9			e *Isocyana	tes	,		
Methyl mercaptan	391	CH₃SH	74-93-1	0,5	1					
Methyl methacrylate	411	CH ₂ =C(CH ₃)COOCH ₃	80-62-6	50	205	100	410	<u> </u>		
Methyl parathion	412 328	C ₈ H ₁₀ NO ₅ PS	298-00-0	 	0,2	-	0,6	Sk		
2-Methylpentane-2,4-diol		(CH ₃) ₂ COHCH ₂ CHOHCH ₃	107-41-5			Hexylene gl				
4-Methylpentan-2-ol 4-Methylpentan-2-one	410 327	(CH ₃) ₂ CHCH ₂ CH(OH)CH ₃ CH ₃ COCH ₂ CH(CH ₃) ₂	108-11-2	 		hyl isobutyl thyl isobutyl				
4-Methyl-3-penten-2-one	387	(CH ₃) ₂ C=CHCOCH ₃	141-79-7	ļ		e Mesityl oxi				
*4-Methyl-m-phenylene diisocyanate	360C	CH ₃ C ₆ H ₃ (NCO) ₂	584-84-9	 		e *Isocyanal				
2-Methylpropan-1-ol	355	(CH ₃) ₂ CHCH ₂ OH	78-83-1			Isobutyl alc				
2-Methylpropan-2-ol	85	(CH ₃) ₃ COH	75-65-0			tert-Butyl alc				
Methyl propyl ketone	413	CH ₃ COCH ₂ CH ₂ CH ₃	107-87-9	200	700	250	875	T		
1-Methyl-2-pyrrolidone	414	CH ₃ N(CH ₂) ₃ CO	872-50-4	25	100		-	[06]		
Methyl silicate	415	(CH ₃ O) ₄ Si	681-84-5	1	6	5	30	1001		
alpha-Methyl styrene	416	C ₆ H ₅ C(CH ₃)=CH ₂	98-83-9	50	240	100	480			
Methylstyrenes	417	CH ₂ =CHC ₆ H ₄ CH ₃	25013-15-4		see Vinyl toluenes, all isomers					
N-Methyl-N-2,4,6-tetranitroaniline	418	(NO ₂) ₃ C ₆ H ₂ N(NO ₂)CH ₃	479-45-8			see Tetryl				
Mevinphos	419	C ₇ H ₁₃ PO ₆	7786-34-7	0,01	0,1	0,03	0,3	Sk		
Mica										
inhalable particulate	420		12001-26-2		10	-	-			
respirable particulate	421				1	<u> </u>				
Molybdenum compounds [as Mo]					,		,			
soluble compounds	422	Мо	7439-98-7	· .	5	<u> </u>	10	L		
insoluble compounds Monochloroacetic acid	423 425	00011 00 11	(metal)	-	10	<u> </u>	20			
Morpholine Acro	425	CICH ₂ CO ₂ H C ₄ H ₉ NO	79-11-8	0,3	70	- 20	- 105	Sk		
Naled	187	C ₄ H ₇ Br ₂ Cl ₂ O ₄ P	300-76-5	- 20	3	30	105	Sk		
Naphthalene	427	C ₁₀ H ₈	91-20-3	10	50	15	75			
1,5-Naphthalene diisocyanate	428	C ₁₀ H ₆ (NCO) ₂	3173-72-6			*Isocyanat				
*Nickel	429	Ni	7440-02-0			- 1000 year leat				
			(metal)		0,5	-	-			
Nickel carbonyl [as Ni]	430	Ni(CO) ₄	13463-39-3	-	-	0,1	0,24			
Nickel, organic compounds [as Ni]	431	Ni	<u> </u>	-	1		3	L		
*Nickel, inorganic compounds [as Ni]	400						1			
soluble compounds	432	Ni	-		0,1	<u> </u>				
insoluble compounds Nickel, subsulfide	433 433A		10005 70.0		0,5		<u> </u>	taca		
Nicotine	433A 434	C ₁₀ H ₁₄ N ₂	12035-72-2	-	0,1	-	1.5	[06*]		
Nitrapyrin	146	CIC ₅ H ₃ NCCl ₃	54-11-5 1929-82-4	-	0,5 10		1,5 20	Sk		
Nitric acid	436	HNO ₃	7697-37-2	2	5	4	10			
Nitric oxide	437	NO NO	10102-43-9	25	30	35	45			
4-Nitroaniline	438	NO ₂ C ₆ H ₄ NH ₂	100-01-6	-	6	-	- 43	Sk		
Nitrobenzene	439	C ₆ H ₅ NO ₂	98-95-3	1	5	2	10	Sk		
Nitroethane	440	C ₂ H ₅ NO ₂	79-24-3	100	310					
Nitrogen dioxide	441	NO ₂	10102-44-0	3	5	5	9			
Nitrogen monoxide	437	NO	10102-43-9			e Nitric oxid				
Nitrogen trifluoride	442	NF ₃	7783-54-2	10	30	15	45			
Nitroglycerine [NG]	309	CH ₂ NO ₃ CHNO ₃ CH ₂ NO ₃	55-63-0	0,05	0,5	0,2	2	Sk [06]		
Nitromethane	443	CH₃NO₂	75-52-5	-20	50	-	-	[06]		
1-Nitropropane	444	C ₃ H ₇ NO ₂	108-03-2	25	90		-			





SUBSTANCE	POLLUTANT	FORMULA	CAS	0	EL	OEL-ST	L/ OEL-C	Notes
SUBSTANCE	CODE	FORMULA	Numbers	ppm	mg/m³	ppm	mg/m³	Notes
*2-Nitropropane	445	(CH ₃) ₂ CH(NO ₂)	79-46-9	5	18	-	-	
Nitrotoluene, all isomers	446	CH ₃ C ₆ H ₄ NO ₂	88-72-2	2	12	10	60	Sk [06]
Nitrous oxide	447	N₂O	10024-97-2	50	90	<u> </u>	-	[06]
Octachloronaphtalene	448	C ₁₀ Cl ₈	2234-13-1	<u> </u>	0,1	<u> </u>	0,3	Sk
n-Octane	449	CH ₃ (CH ₂) ₆ CH ₃	111-65-9	300	1450	375	1800	
Oil mist, mineral	450	-		<u> </u>	1	<u></u> _	10	[06]
Orthophosphoric acid	451	H₃PO₄	7664-38-2			Phosphoric	-	
Osmium tetroxide [as Os]	452	0804	20816-12-0	0,0002	0,002	0,0006	0,006	
Oxalic acid Oxalonitrile	453 161	COOHCOOH.2H ₂ O	144-62-7		11		2	
Oxygen	101	(CN) ₂	460-19-5	<u> </u>		see Cyanoge		
2,2'-Oxydiethanol	213	(CH ₂ CH ₂ OH) ₂ O	7782-44-7	 		ot less than 1		
Ozone	454	O ₃	111-46-6	-	T -	Diethylene g	0,4	
Paraffin wax, fume	455	-	8002-74-2	-	2	0,2	6	
Paraquate dichloride respirable				 	 			
particulate	456	CH₃(C₅H₄N)₂CH₃ .2CI	1910-42-5		0,1			
Parathion	457	(C ₂ H ₅ O) ₂ PSOC ₆ H ₄ NO ₂	56-38-2		0,1	-	0,3	Sk
Parathion-methyl	412	C ₈ H ₁₀ NO ₅ PS	298-00-0		see	Methyl para	thion	
Particles not otherwise classified	l							
inhalable particulate	458	1	T		10	T -	T -	
respirable particulate	459	1-			3	 		[g] [06]
PCBs	124-125				<u> </u>	Chlordiphe	rvis	
Pentacarbonyliron [as Fe]	349	Fe(CO) ₅	13463-40-6			ron pentacar		
Pentachlorophenol	460	C ₆ Cl ₅ OH	87-86-5	_	0,5	-	1,5	Sk
Pentaerythritol								
inhalable particulate	461		T	-	10	T -	20	
respirable particulate	462	C(CH₂OH)₄	115-77-5	-	5	-	-	
Pentane, all isomers	463	C ₅ H ₁₂		600	1800	750	2250	
Pentan-2-one	413	CH₃COCH₂CH₂CH₃	107-87-9		see M	ethyl propyl i	ketone	
Pentan-3-one	216	CH₃CH₂COCH₂CH₃	96-22-0		see	Diethyl keto	ne	
Pentyl acetate	27	CH ₃ COO(CH ₂) ₄ CH ₃	628-63-7		see	n-Amyl ace	ate	
Perchloroethylene	464	Cl ₂ C=CCl ₂	127-18-4	25	170	100	678	[06]
Perchloryl fluoride	465	CIO₃F	7616-94-6	3	14	6	28	
Phenacyl chloride	129	C ₆ H ₅ COCH ₂ CI	532-27-4		see 2-C	Chloroacetop	henone	
Phenol	466	C ₆ H ₅ OH	108-95-2	5	19	10	38	Sk
p-Phenylenediamine	467	C ₆ H ₄ (NH ₂) ₂	106-50-3	-	0,1		-	
Phenyl-2,3-epoxypropyl ether	468	C ₆ H ₅ OCH ₂ CHCH ₂	122-60-1	1	6	-	-	
Phenyl ether, vapour	245	C ₆ H ₅ OC ₆ H ₅	101-84-8	1	7	-	- 1	
*Phenylethylene	469	C ₆ H ₅ CH=CH ₂	100-42-5			Styrene, mon	omer	
Phenylhydrazine	470	C ₆ H ₅ NHNH ₂	100-63-0	0,1	0,4		-	Sk [06]
2-Phenylpropene Phorate	416	C ₆ H ₅ C(CH ₆)=CH ₂	98-83-9			oha-Methyl s	<u> </u>	
Phosdrin	471 419	C ₇ H ₁₇ O₂PS ₃	298-02-2		0,05	<u></u>	0,2	Sk
Phosgene	116	C ₇ H ₁₃ PO ₆	7786-34-7	0.00		ee Mevinpho		
Phosphine	473	COCI ₂ PH ₃	75-44-5	0,02	0,08	0,06		
Phosphoric acid	473	H ₃ PO ₄	7803-51-2 7664-38-2		1	0,3	0,4 3	
Phosphorus, yellow	475	P ₄	7723-14-0		0,1		0,3	
Phosphorus pentachloride	476	PCl ₅	10026-13-8	0,1	1		0,3	
Phosphorus pentasulphide	246	P ₂ S ₅ / P ₄ S ₁₀	1314-80-3		1	<u> </u>	3	
Phosphorus trichloride	477	PCl ₃	7719-12-2	0,2	1,5	0,5	3	
Phosphoryl trichloride	478	POCl ₃	10025-87-3	0,2	1,2	0,6	3,6	
Phthalic anhydride	479	C ₆ H ₄ (CO) ₂ O	85-44-9	1	6	4	24	Sen
Picloram	480	C ₆ H ₃ Cl ₃ N ₂ O ₂	1918-02-1		10	-	20	
Picric acid	481	(NO ₂) ₃ C ₆ H ₂ OH	88-89-1		0,1	-	0,3	
Piperazine dihydrochloride	482	C ₄ H ₁₀ N ₂ .2HCl	142-64-3		5			
Piperidine	483	C ₅ H ₁₁ N	110-89-4	1	3,5	-		Sk
Plaster of Paris								
inhalable particulate	484	(CaSO4)3 H3O	26400 05 0	- 1	10	- 1	- 1	
respirable particulate	485	(CaSO4)2.H2O	26499-65-0	-	5	-	- 1	
Platinum metal	486	Pt	7440-06-4		5	-	-	
Platinum mine dust respirable	487	-	T 1		3			[06]
particulate Platinum salts, soluble [as Pt]								
Polychlorinated biphenyls [PCBs]	488	-		-	0,002	- 1	لــنــل	Sen
Polydnormated dipnenyls [PCBs]	124-125		4		see (Chlorodipher	yls	
inhalable particulate	489							
respirable particulate	490		1 9002-86-2		10			
ioobiianio hai nonigia	450		T 2225 20-5	-	5	-]	- #	





SUBSTANCE	POLLUTANT	FORMULA	CAS	0	EL	OEL-ST	EL/ OEL-C	Notes
	CODE	,	Numbers	ppm	mg/m³	ppm	mg/m³	Notes
Portland cement								
inhalable particulate	491		65997-15-1	<u> </u>	10			
respirable particulate	492		00337-10-1	-	5		T -	
Potassium cyanide	336	KCN	151-50-8	se	e Hydrogen	cyanide an	d cyanide sa	ilts
Potassium hydroxide	493	КОН	1310-58-3	-	-	T -	2	
Propane-1,2-diol	502-503	CH₃CHOHCH₂OH	57-55-6		see	Propylene o	iycol	
n-Propanol	494	CH₃CH₂CH₂OH	71-23-8	200	500	250	625	Sk
Propan-1-ol	494	CH ₃ CH ₂ CH ₂ OH	71-23-8		s	ee n-Propar	nol	
Propan-2-ol	362	(CH ₃)₂CHOH	67-63-0			Isopropyl al		
Propane	495	CH ₃ CH ₂ CH ₃	74-98-6	1000	1800	-	T :	
Propargyl alcohol	496	HC=CCH₂OH	107-19-7	1	2	3	6	Sk
Propionic acid	497	CH₃CH₂COOH	79-09-4	10	30	15	45	- OK
Propoxur	498	C ₁₁ H ₁₅ NO ₃	114-26-1		0,5	 '	2	
Propranolol	499	C ₁₆ H ₂₁ NO ₂	525-66-6		2	 	6	
n-Propyl acetate	500	CH ₃ COOC ₃ H ₇	109-60-4	200	840	250	1050	
Propylene dinitrate	501	CH ₃ CNO ₂ OHCHNO ₂ OH	6423-43-4	200				
Propylene glycol	301	O 13CNO2OTICTINO2OTI	0423-43-4	L	see Prop	ylene glyco	dinitrate	
total (particulate & vapour)	502	T	-T	450	1 470			
particulate	503	СН₃СНОНСН₂ОН	57-55-6	150	470	<u> </u>	<u> </u>	
Propylene glycol dinitrate [PGDN]	503	CH CNO OFICIALO OLI	0402 12 1		10	 	<u> </u>	
		CH₃CNO₂OHCHNO₂OH	6423-43-4	0,05	0,3	0,2	1,2	Sk
Propylene glycol monomethyl ether	394	CH₃CHOHCH₂OCH₃	107-98-2	100	370	150	550	Sk [0
2-Propyn-1-ol	496	HC∞CCH₂OH	107-19-7		see	Propargyl al	cohol	
Pulverised fuel ash					,			
inhalable particulate	504	١.			10	-		
respirable particulate	505			-	5	-	-	
Pyrethrins	506	-	8003-34-7	-	5	-	10	
Pyridine	507	C ₅ H ₅ N	110-86-1	5	15	10	30	
2-Pyridylamine	508	NH ₂ C ₅ H ₄ N	502-29-0	0,5	2	2	8	
Pyrocatechol	117	C ₆ H ₄ (OH) ₂	120-80-9		8	see Catecho	i	
Quartz, crystalline	522	SiO ₂	14808-60-7		see S	ilica - Cryst	alline	
Quinone	46	C ₆ H ₄ O ₂	106-51-4	0,1	0,4	0,3	1,2	
RDX	168	C₃H ₆ N ₆ O ₆	121-82-4		S	ee Cyclonit	8	
Resorcinol	219	C ₆ H ₄ (OH) ₂	108-46-3	10	45	20	90	
Rhodium [as Rh]								
metal fume & dust	510	Die	7440-16-6	-	0,1	-	0,3	
soluble salts	511	Rh	(metal)	-	0,001	-	0,003	
Ronnel	293	(CH ₃ O) ₂ P(S)OC ₆ H ₂ Cl ₃	299-84-3	-	10	-		
Rosin core solder pyrolysis	512							
products [as formaldehyde]				-	0,1		0,3	Sen
Rotenone	175	C ₂₃ H ₂₂ O ₆	83-79-4	•	5	-	10	
Rouge								
inhalable particulate	513	Fe ₂ O ₃	1309-37-1	-	10	-	-	
respirable particulate	514	1 0203	1303-37-1	-	5		-	
*Rubber fume	515		-	-	0,6	-	-	
*Rubber process dust	516	-	-		6	-		
Selenium & compounds, except	517	Se	7782-49-2		0,1			
hydrogen selenide [as Se]						-		
Silane	518	SiH₄	7803-62-5		see Si	licon tetrahy	dride	
Silica, amorphous								
inhalable particulate	519	SiO ₂	7631-86-9	-	6	-	-	
respirable particulate	520		1.55.00.0	-	3	-	-	
* Silica, crystalline [respirable			14808-60-7					
particulate] Cristobalite	501							
Quartz	521	SiO ₂	14464-46-1	<u> </u>	0,1	· ·	-	
	522		14808-60-7		0,1	-	-	
Tridymite	523		15468-32-3		0,1		-	
Tripoli	524		1317-95-9	-	0,1	-	-	
Silica fume [respirable particulate]	ļ <u>-</u> l	SiO ₂	69012-64-2	·	2	-	-	
Silica, fused [respirable particulate]	525	SiO ₂	60676-86-0	-	0,1		-	
Silicon								
inhalable particulate	526	Si	7440-21-3	-	10	- 1	-	
respirable particulate	527		/	-	5		-	
Silicon carbide								
inhalable particulate	528	SiC	400 01 0	- 1	10	- 1	- 1	
respirable particulate	529	SiC	409-21-2		5			
Silicon tetrahydride	518	SiH ₄	7803-62-5	0,5	0,7	1	1,5	
Silver			7440-22-4				.,5	
0.1101	530	Ag	(metal)	- 1	0,1	- 1	- 1	





SUBSTANCE	POLLUTANT	FORMULA	CAS Numbers	0	EL	OEL-STEL/ OEL-C		Notes	
	CODE			ppm	mg/m ³	ppm	mg/m³	110103	
Silver compounds [as Ag]	531		-		0,01	-	-		
Sodium azide	532	NaN ₃	26628-22-8	-			0,3		
Sodium cyanide	337	NaCN	143-33-9	se	e Hydrogen	cyanide and	d cyanide sa	lts	
Sodium 2,4-dichlorophenoxy ethyl	173	C ₈ H ₇ Cl₂NaO ₅ S	136-78-7		10		20		
sulphate	1,0		130-70-7						
Sodium fluoroacetate	533	CH₂FCOONa	62-74-8		0,05	<u> </u>	0,15	Sk	
Sodium hydrogen suiphite	534	NaHSO ₃	7631-90-5		5				
Sodium hydroxide	535	NaOH	1310-73-2		<u> </u>	<u> </u>	C2	[06]	
Sodium metabisulphate	250	Na ₂ S ₂ O ₅	7681-57-4	<u> </u>	5				
Starch							·		
inhalable particulate	536	(C ₆ H ₁₀ O ₅) _n	9005-25-8		10	<u> </u>			
respirable particulate	537		+		5		1		
Stibine	538	SbH ₃	7803-52-3	0,1	0,5	0,3	1,5		
Strychnine	539	C ₂₁ H ₂₂ N ₂ O ₂	57-24-9	-	0,15		0,45	1001	
*Styrene, monomer	469	C ₆ H ₅ CH=CH ₂	100-42-5	50	210	100	420 C	[06]	
Subtilisins [Proteolytic enzymes as 100% pure crystalline enzyme]	540	-	1395-21-7 9014-01-1	-	-		0.00006	[06]	
Sucrose	541	C ₁₂ H ₂₂ O ₁₁	57-50-1	-	10	-	20		
Sulfotep	542	[(CH ₃ CH ₂ O) ₂ PS] ₂ O	3689-24-5	-	0,2	-	-	Sk	
Sulphur dioxide	543	SO ₂	7446-09-5	2	5	5	13		
Sulphur hexafluoride	544	SF ₆	2551-62-4	1000	6000	1250	7500		
Sulphuric acid	545	H₂SO₄	7664-93-9	-	1	-	3		
Sulphur monochloride	254	S ₂ Cl ₂	10025-67-9	-	-	1	6		
Sulphur pentafluoride	253	S ₂ F ₁₀	5714-22-7	0,025	0,25	0,075	0,75		
Sulphur tetrafluoride	546	SF ₄	7783-60-0	0,1	0,4	0,3	1		
Sulphuryl difluoride	547	SO ₂ F ₂	2699-79-8	5	20	10	40		
2,4,5-T	548	Cl ₃ C ₆ H ₂ OCH ₂ COOH	93-76-5	S	ee 2,4,5-Tric	chloropheno	xyacetic acid	1	
*TDI	360C	CH ₃ C ₆ H ₃ (NCO) ₂	584-84-9		se	e *Isocyana	tes		
TEDP	542	[(CH ₃ CH ₂ O) ₂ PS] ₂ O	3689-24-5			see Sulfoter)		
TEPP	549	[(CH ₃ CH ₂ O) ₂ PO] ₂ O	107-49-3	0,004	0,05	0,01	0,2	Sk	
TNT	550	CH ₃ C ₆ H ₂ (NO ₂) ₃	118-96-7		see 2,	4,6-Trinitrot	oluene		
Talc									
inhalable particulate	551	M- 6: 0 (01)	14007.00.0	-	10	-	-		
respirable particulate	552	Mg ₃ Si ₄ O ₁₀ (OH) ₂	14807-96-6	-	1		-		
Tantalum metal and oxide dusts [as Ta]	553	Ta	7440-25-7		5		10		
Tellurium & compounds, except			1314-61-0						
hydrogen telluride [as Te]	554	Те	13494-80-9	-	0,1	-	-		
Terphenyls, all isomers	555	C ₁₈ H ₁₄	26140-60-3	-	-	0,5	5		
1,1,2,2-Tetrabromoethane	556	CHBr ₂ CHBr ₂	79-27-6	0,5	7		-	Sk	
Tetrabromomethane	114	CBr ₄	558-13-4		see Ca	arbon tetrab	romide		
Tetracarbonyl nickel	430	Ni(CO) ₄	13463-39-3	see Nickel carbonyl					
1,1,1,2-Tetrachloro-1,2-difluoroethane	557	CCI ₂ FCCI ₂ F	76-12-0	100	834	100	834		
1,1,1,2-Tetrachloro-2,2-difluoroethane	558	CCI ₃ CCIF ₂	76-11-9	100	834	100	834		
Tetrachloroethylene	464	Cl ₂ C=CCl ₂	127-18-4	see Perchloroethylene					
Tetrachloromethane	115	CCl ₄ ·	56-23-5		see Ca	arbon tetrac	hloride		
Tetrachloronaphthalenes, all isomers	559	C10H4Cl4	1335-88-2	-	2		4		
Tetraethyl dithiopyrophosphate	542	[(CH ₃ CH ₂ O) ₂ PS] ₂ O	3689-24-5			see Sulfoter)		
Tetraethyl orthosilicate	292	Si(OC ₂ H ₅) ₄	78-10-4		se	e Ethyl silica	ate		
Tetraethyl pyrophosphate	549	[(CH ₃ CH ₂ O) ₂ PO] ₂ O	107-49-3			see TEPP			
Tetrafluorodichloroethane	158	CCIF2CCIF2	76-14-2	see 1,2-Dichlorotetrafluoroethane					
1,1,1,2-Tetrafluoroethane [HFC 134a]	560	CF₃CH₂F	811-97-2	1000	4200	-	-		
Tetrahydrofuran	561	C ₄ H ₈ O	109-99-9	50	148	100	295	Sk [06]	
Tetramethyl orthosilicate	415	(CH₃O)₄Si	681-84-5		see	Methyl silic	ate		
Tetramethyl succinonitrile	562	C ₈ H ₁₂ N ₂	3333-52-6	0,5	3	2	9	Sk	
Tetrasodium pyrophosphate	563	Na ₄ P ₂ O ₇	7722-88-5	-	5		-		
Tetryl	418	(NO ₂) ₃ C ₆ H ₂ N(NO ₂)CH ₃	479-45-8	-	1,5	-	3		
Thallium, soluble compounds [as Ti]	564	π	-	-	0,1	-	-	Sk	
4,4'-Thiobis(6-tert-butyl-m-cresol)	256	[CH ₃ (OH)C ₆ H ₂ C(CH ₃) ₃ j ₂ S	96-69-5	-	10	-	20		
Thioglycolic acid	384	HSCH₂COOH	68-11-1	1	5	-			
Thionyl chloride	565	SOCl₂	7719-09-7		-	C 1	C 5	[06]	
Thiram	566	(CH ₃) ₂ NCS ₂ CS ₂ N(CH ₃) ₂	137-26-8	-	1	-	-	[06]	
Tin compounds, inorganic except SnH.,	567	-		-	2		4		
[as Sn] Tin compounds, organic except			 				ļ		
cyhexatin [as Sn]	568	•	- 1	-	0,1	-	0,2	Sk	
Titanium dioxide			1						
ritatiigiii aloxide									
inhalable particulate	569	TiO ₂	13463-67-7		10		-		





SUBSTANCE	POLLUTANT	FORMULA	CAS	0	EL	OEL-ST	EL/ OEL-C	Nese	
CODSTANCE	CODE	FORMULA	Numbers	ppm	mg/m³	ppm	mg/m³	Notes	
Toluene	571	C ₆ H ₅ CH ₃	108-88-3	50	188	150	560	Sk	
*2,4-Toluene diisocyanate [TDI]	360C	CH ₃ C ₆ H ₃ (NCO) ₂	584-84-9		se	e *Isocyana	ites		
p-Toluenesulphonyl chloride	572	CH₃C ₆ H₄SO₂CI	98-59-9	5					
Tribromomethane	.71	CHBr ₃	75-25-2		s	ee Bromofo	rm		
Tributyl phosphate, all isomers	573	(C ₄ H ₉) ₃ PO ₄	126-73-8	0,2	<u> </u>	-	-	[06]	
Tricarbonyl(eta-cyclopenta dienyl) manganese	380	C ₅ H ₅ Mn(CO) ₃	12079-65-1	see	Manganese	cyclopenta	dienyl tricarb	onyi	
Tricarbonyl(methylcyclopentadienyl)		011 0 11 11 100							
manganese	406	CH ₃ C ₅ H ₄ Mn(CO) ₃	12108-13-3	see Methylcyclopentadienyl manganese tricarbonyl					
Trichloroacetic acid	574	CCl₃COOH	76-03-9	1	5				
1,2,4-Trichlorobenzene	575	C ₆ H ₃ Cl ₃	120-82-1	2	16	5	40	[06]	
1,1,1-Trichlorobis-2,2-bis(p- chlorophenyl)ethane	171	(C ₆ H ₄ Cl) ₂ CHCCl ₃	50-29-3			see DDT			
*1,1,1-Trichloroethane	401	CH ₃ CCl ₃	71-55-6	see *Methyl chloroform					
1,1,2-Trichloroethane	576	CHCl ₂ CH ₂ Cl	79-00-5	10	45	20	90	Sk	
*Trichloroethylene	577	CCI ₂ =CHCI	79-01-6	50	268	100	535	Sk [06]	
Trichlorofluoromethane	299	CCI ₃ F	75-69-4	1000	5600	1250	7000	OK [OO]	
Trichloromethane	139	CHCl ₃	67-66-3	1000		ee Chlorofor		L	
Trichloronitromethane	143	CCl ₃ NO ₂	76-06-2			e Chioropio			
2,4,5-Trichlorophenoxyacetic acid	548	Cl ₃ C ₆ H ₂ OCH ₂ COOH	93-76-5		10	-	20		
1,2,3-Trichloropropane	578	CH₂CICHCICH₂CI	96-18-4	10	60	· ·		Sk [06]	
1,1,2-Trichlorotrifluoroethane	579	CCI ₂ FCCIF ₂	76-13-1	1000	7600	1250	9500	5 (0.0)	
Tri-o-cresyl phosphate	580	(CH ₃ C ₆ H ₄ O) ₃ P=O	78-30-8		0,1		0,3		
Tricyclohexyltin hydroxide	169	(C ₆ H ₁₁) ₃ SnOH	13121-70-5	see Cyhexatin					
Tridymite	523	SiO ₂	14808-60-7	see Silica - Crystalline					
Triethylamine	581	(C ₂ H ₅) ₃ N	121-44-8	2	8	3	12	[06]	
Trifluorobromomethane	73	CF₃Br	75-63-8	1000	6100	1200	7300		
Trimanganese tetraoxide	381	Mn ₃ O ₄	1317-35-7		see Ma	anganese te	troxide		
Trimellitic anhydride	45	C ₉ H ₄ O ₅	552-30-7	-	0,04	-	-	Sen	
Trimethylamine	584	(CH₃)₃N	75-50-3	10	24	15	36		
Trimethylbenzene, all isomers or mixtures	585	C ₆ H ₃ (CH ₃) ₃	25551-13-7	25	123				
3,5,5-Trimethylcyclohex-2-enone	359	C ₉ H ₁₄ O	78-59-1			L			
Trimethyl phosphite	586	(CH₃O)₃P	121-45-9	see Isophorone					
2,4,6-Trinitrophenol	481	(NO ₂) ₃ C ₆ H ₂ OH	88-89-1			ee Picric aci	id		
2,4,6-Trinitrotoluene	550	CH ₃ C ₆ H ₂ (NO ₂) ₃	118-96-7	-	0,5	l rone ac	1	Sk	
Triphenyl phosphate	587	(C ₆ H ₅ O) ₃ PO ₄	115-86-6		3		6	- OK	
Tripoli	524	SiO ₂	14808-60-7			ilica – Crvst			
Tri-o-tolyl phosphate	580	(CH ₃ C ₆ H ₄ O) ₃ P=O	78-30-8	see Silica – Crystalline see Tri-o-cresyl phosphate					
Tungsten & compounds [as W]									
soluble	588		7440-33-7		1	-	3		
insoluble	589	•	(metal)	-	5	-	10		
Turpentine	590	C ₁₀ H ₁₆ (approx)	8006-64-2	100	560	150	840		
Uranium (natural). Soluble and insoluble compounds [as U]	591		7440-61-1		0,2	_	0,6	[06]	
Vanadium pentoxide			(metal)				0,0	[00]	
inhalable particulate	592				0.5				
fume & respirable particulate	593	V ₂ O ₅	1314-62-1		0,5	-			
Vegetable oil mist	593A				0,05 10	-		[004]	
Vinyl acetate	594	CH ₂ =CHOOCCH ₃	108-05-4	10				[06*]	
*Vinyl benzene	469	C ₆ H ₅ CH=CH ₂	100-42-5	10	30 See *S	20 tyrene, mon	60		
Vinyl bromide	70	CH ₂ =CHBr	593-60-2	5	20	Lyrene, mor	- I		
*Vinyl chloride	138	H ₂ C=CHCl	75-01-4	3	- 20	-			
4-Vinyl cyclohexene dioxide	265	C ₈ H ₁₂ O ₂	106-87-6	10	60				
*Vinylidene chloride	199	CH ₂ =CCl ₂	75-35-4	5	20			[06]	
Viriyilderie Chioride						100		[OO]	
Vinyl toluenes, all isomers	417	CH ₂ =CHC ₆ H ₄ CH ₃	25013-15-4	י טכ	240		1 480 i		
		CH ₂ =CHC ₆ H ₄ CH ₃ C ₁₉ H ₁₆ O ₄	25013-15-4 81-81-2	50	0,1	-	0.3		
Vinyl toluenes, all isomers	417				0,1		0,3	Note [h]	
Vinyl toluenes, all isomers Warfarin	417 597	C ₁₉ H ₁₆ O ₄				-	0,3	Note [h]	
Vinyl toluenes, all isomers Warfarin Welding fumes	417 597 598	C ₁₉ H ₁₆ O ₄	81-81-2	-	0,1 5	-	0,3	Note [h]	
Vinyl toluenes, all isomers Warfarin Welding fumes White spirit [Stoddard Solvent] Wood dust	417 597 598 599	C ₁₉ H ₁₆ O ₄	81-81-2 - 8052-41-3	-	0,1 5 575	-	0,3	Note [h]	
Vinyl toluenes, all isomers Warfarin Welding furnes White spirit [Stoddard Solvent] Wood dust Hard wood	417 597 598 599 600	C ₁₉ H ₁₆ O ₄	81-81-2	100	0,1 5 575	-	0,3 - 720		
Vinyl toluenes, all isomers Warfarin Welding furnes White spirit [Stoddard Solvent] Wood dust Hard wood Soft wood	417 597 598 599 600 601	C ₁₉ H ₁₆ O ₄ -	81-81-2 - 8052-41-3	- 100	0,1 5 575 1 5	125	0,3 - 720 - 10	Sen [06]	
Vinyl toluenes, all isomers Warfarin Welding furnes White spirit [Stoddard Solvent] Wood dust Hard wood Soft wood Xylene, o-, m-, p- or mixed isomers	417 597 598 599 600 601 602	C ₁₉ H ₁₆ O ₄	81-81-2 - 8052-41-3	- 100	0,1 5 575 1 5 218	- 125 - - 100	0,3 - 720 - 10 435	Sen [06] Sk [06]	
Vinyl toluenes, all isomers Warfarin Welding furnes White spirit [Stoddard Solvent] Wood dust Hard wood Soft wood Xylene, o-, m-, p- or mixed isomers Xylidine, all isomers	417 597 598 599 600 601 602 21	C ₁₉ H ₁₆ O ₄	81-81-2 - - 8052-41-3 - - - 1330-20-7 1300-73-8	- 100	0,1 5 575 1 5 218 2,5	- 125 - - - 100 10	- 10 435 50	Sen [06]	
Vinyl toluenes, all isomers Warfarin Welding furnes White spirit [Stoddard Solvent] Wood dust Hard wood Soft wood Xylene, o-, m-, p- or mixed isomers Xylidine, all isomers Yttrium	417 597 598 599 600 601 602 21 604	C ₁₉ H ₁₆ O ₄	81-81-2 - - 8052-41-3 - - - 1330-20-7 1300-73-8 7440-65-5	- 100	0,1 5 575 1 5 218 2,5	- 125 - - 100 10	0,3 - 720 - 10 435 50 3	Sen [06] Sk [06]	
Vinyl toluenes, all isomers Warfarin Welding furnes White spirit [Stoddard Solvent] Wood dust Hard wood Soft wood Xylene, o-, m-, p- or mixed isomers Xylidine, all isomers Yttrium Zinc chloride, furne	417 597 598 599 600 601 602 21 604 605	C ₁₉ H ₁₆ O ₄	81-81-2 - - 8052-41-3 - - 1330-20-7 1300-73-8 7440-65-5 7646-85-7	- 100	0,1 5 575 1 5 218 2,5 1	- 125 - - 100 10	0,3 - 720 - 10 435 50 3 2	Sen [06] Sk [06]	
Vinyl toluenes, all isomers Warfarin Welding furnes White spirit [Stoddard Solvent] Wood dust Hard wood Soft wood Xylene, o-, m-, p- or mixed isomers Xylidine, all isomers Yttrium	417 597 598 599 600 601 602 21 604	C ₁₉ H ₁₆ O ₄	81-81-2 - - 8052-41-3 - - - 1330-20-7 1300-73-8 7440-65-5	- 100	0,1 5 575 1 5 218 2,5 1	- 125 - - 100 10	0,3 - 720 - 10 435 50 3 2	Sen [06] Sk [06]	





SUBSTANCE	POLLUTANT	FORMULA	CAS Numbers	OEL		OEL-STEL/ OEL-C		Notes
		PONINGLA		ppm	mg/m³	ppm	mg/m³	140165
Zinc stearate								
inhalable particulate	607	Zn(C ₁₈ H ₃₅ O ₂) ₂	557-05-1	-	10		20	
respirable particulate	608			-	5	-	-	
Zirconium compounds [as Zr]	609	Zr	7440-67-7		5		10	

NOTES

- [a] The concentration of "respirable particulate" shall be determined from the fraction passing a size selector with an efficiency that will allow:
 - [i] 100% particles of 0 μm aerodynamic diameter;
 - [ii] 50% particles of 4 µm aerodynamic diameter;
 - [iii] 30% particles of 5 µm aerodynamic diameter;
 - [iv] 1% particles of 10 µm aerodynamic diameter.
- [b] Exposure to a substance with an OEL demarcated with an asterix must be kept as far below the OEL as is reasonably practicable.
- [c] The OEL for Aluminium does not include exposure to aluminium coated with mineral oil, or to fume arising from aluminium welding processes.
- [d] The 8 hour OEL for cotton dust is based on static air sampling rather than personal sampling.
- [e] Explosion hazard.
- [f] Simple asphyxiant. See also Note [e] for Flammable gas.
- [g] Ensure that due regard is given to crystalline silica content of the dust.
- [h] The OEL for welding fume is without prejudice to any occupational exposure limits for individual components in the fume. Some welding processes generate fume that contains components, which have specific OELs, these limits should be applied to control exposure if these substances are present in the fume.
- [i] For practical reasons in monitoring OEL-STEL may be used as OEL C for use underground.
- Sen Sensitiser.
- Sk Danger of cutaneous absorption.
- [06] Revised in 2006.
- [06*] New addition in 2006.

