

DEPARTMENT OF TRANSPORT

NO. 375

30 MARCH 2016

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**


Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD N4 SECTION 13

AMENDMENT OF DECLARATION No. 755 OF 2007

By virtue of Section 40 (1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 755 of 2007 by substituting it in its entirety, with the subjoined sheets 1 to 22 of Plan No. P831/14.

(National Road N4 Section 13: Elandsdrift – Rietvly)




MINISTER OF TRANSPORT


DEPARTEMENT VAN VERVOER

NO. 375

30 MAART 2016





Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N4 of National Route
Vel Sheet 1 of 22	13	Plan P831/14	Section




Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N4 Sekse of National Route Section	13	Vel Sheet	2 of 22	Plan P831/14
--	---------------------------------------	---	--	----	--------------	---------	-----------------










Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited


Die figuur getoon
The figure shown



stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N4 Sektie
of National Route Section


13

Vel
Sheet 6 of 22
Plan P831/14



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited


Die figuur getoon
The figure shown




steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N4 Seksie 13

Vel
Sheet 7 of 22
Plan P831/14







Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown	stelsel padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	13	Plan P831/14	Val Sheet 9 of 22	25
--	---------------------------------------	---	----	-----------------	-------------------------	----




Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown	stelt die podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N4 of National Route	Vel 10 of 22 Sheet 10 of 22 Plan P831/14
--	---------------------------------------	--	--





Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N4 of National Route	Vel Sheet 12 of 22 Plan P831/14
		13	Section



Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N4 of National Route	13	Vel Sheet 13 of 22
					Plan PB31/14

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L52	-47 705.19	2 849 456.96		R52	-42 948.11	2 848 935.50
L53	-47 570.50	2 849 446.76		R53	-42 916.20	2 848 931.28
L54	-47 561.14	2 849 459.84		R54	-42 907.25	2 848 930.10
L55	-47 507.24	2 849 449.45		R55	-42 852.60	2 848 922.87
L56	-47 463.70	2 849 439.09		R56	-42 795.35	2 848 915.30
L57	-47 440.80	2 849 437.88		R57	-42 640.27	2 848 894.79
L58	-47 256.19	2 849 429.76		R58	-42 485.00	2 848 874.26
L59	-47 220.76	2 849 427.37		R59	-42 347.81	2 848 856.12
L60	-46 965.02	2 849 409.66		R60	-42 248.24	2 848 842.95
L61	-46 946.64	2 849 409.49		R61	-42 167.55	2 848 832.28
L62	-45 466.42	2 849 330.70		R62	-42 086.88	2 848 821.61
L63	-45 327.68	2 849 323.72		R63	-41 714.87	2 848 772.41
L64	-45 261.98	2 849 317.37		R64	-41 592.69	2 848 756.25
L65	-45 218.26	2 849 313.14		R65	-41 555.95	2 848 751.40
L66	-45 087.29	2 849 300.47		R66	-41 450.85	2 848 739.17
L67	-44 995.97	2 849 287.08		R67	-41 346.85	2 848 727.06
L68	-44 986.01	2 849 285.78		R68	-41 290.32	2 848 726.00
L69	-44 737.22	2 849 253.31		R69	-41 143.90	2 848 723.26
L70	-44 685.40	2 849 246.54		R70	-41 129.06	2 848 723.79
L71	-44 569.70	2 849 231.44		R71	-40 951.53	2 848 730.18
L72	-44 503.57	2 849 222.81		R72	-40 939.36	2 848 731.48
L73	-44 416.38	2 849 211.43		R73	-40 760.22	2 848 751.28
L74	-44 119.13	2 849 171.91		R74	-39 935.69	2 848 860.51
L75	-43 992.57	2 849 155.08		R75	-39 932.74	2 848 837.26
L76	-43 747.95	2 849 122.55		R76	-39 774.12	2 848 858.23
L77	-43 199.80	2 849 049.66		R77	-39 777.05	2 848 881.42
L78	-42 949.84	2 849 016.43		R78	-39 289.59	2 848 945.65
L79	-42 940.93	2 849 015.24		R79	-38 863.02	2 849 002.03
L80	-42 681.52	2 848 980.93		R80	-38 725.73	2 849 021.91
L81	-42 530.03	2 848 960.90		R81	-38 605.88	2 849 047.58
L82	-42 397.19	2 848 943.33		R82	-38 596.43	2 849 049.60
L83	-42 296.00	2 848 929.95		R83	-38 465.56	2 849 087.26
L84	-42 214.64	2 848 919.19		R84	-38 280.73	2 849 142.85
L85	-42 133.34	2 848 908.44		R85	-38 058.16	2 849 203.24
L86	-42 087.46	2 848 902.37		R86	-37 944.05	2 849 228.04
L87	-41 759.34	2 848 858.98		R87	-37 835.17	2 849 250.52
L88	-41 636.50	2 848 842.73		R88	-37 610.32	2 849 287.59
L89	-41 545.54	2 848 830.70		R89	-37 468.93	2 849 297.47
L90	-41 496.61	2 848 825.12		R90	-37 407.56	2 849 301.76
L91	-41 439.89	2 848 818.65		R91	-37 353.12	2 849 305.57
L92	-41 338.50	2 848 812.05		R92	-37 135.16	2 849 287.60
L93	-41 262.63	2 848 807.12		R93	-36 915.39	2 849 233.93
L94	-41 177.49	2 848 806.59		R94	-36 896.63	2 849 214.68
L95	-41 085.22	2 848 806.02		R95	-36 876.86	2 849 215.58
L96	-40 969.38	2 848 811.69		R96	-36 866.63	2 849 216.04
L97	-40 967.43	2 848 811.82		R97	-36 852.26	2 849 232.28
L98	-40 907.73	2 848 815.21		R98	-36 645.12	2 849 268.39
L99	-39 311.23	2 849 027.02		R99	-36 495.62	2 849 270.32
L100	-38 711.57	2 849 106.58		R100	-36 417.31	2 849 271.33
L101	-38 658.84	2 849 120.14		R101	-36 271.77	2 849 261.17
L102	-38 488.64	2 849 163.89		R102	-36 189.57	2 849 255.44
				Vel Sheet	16 Van of	22 P831/14

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L103	-38 303.37	2 849	219.28	R103	-35 966.43	2 849 208.47
L104	-38 116.34	2 849	272.70	R104	-35 889.56	2 849 188.06
L105	-37 947.91	2 849	311.25	R105	-35 746.16	2 849 149.99
L106	-37 890.23	2 849	324.22	R106	-35 561.98	2 849 090.92
L107	-37 661.64	2 849	363.92	R107	-35 529.10	2 849 080.38
L108	-37 483.94	2 849	388.17	R108	-35 358.35	2 849 015.84
L109	-37 443.00	2 849	393.75	R109	-35 315.63	2 848 999.70
L110	-37 431.32	2 849	395.35	R110	-35 106.96	2 848 908.35
L111	-37 175.77	2 849	448.48	R111	-35 037.35	2 848 873.52
L112	-37 144.85	2 849	455.86	R112	-34 903.11	2 848 806.38
L113	-36 930.71	2 849	507.00	R113	-34 704.73	2 848 694.16
L114	-36 915.57	2 849	523.99	R114	-34 630.94	2 848 647.23
L115	-36 890.13	2 849	525.26	R115	-34 512.28	2 848 571.77
L116	-36 875.65	2 849	525.98	R116	-34 350.34	2 848 457.76
L117	-36 863.57	2 849	508.67	R117	-34 308.50	2 848 425.79
L118	-36 729.98	2 849	459.77	R118	-34 233.79	2 848 368.70
L119	-36 721.37	2 849	456.61	R119	-34 020.39	2 848 199.98
L120	-36 652.31	2 849	431.33	R120	-33 974.18	2 848 160.23
L121	-36 447.67	2 849	385.41	R121	-33 944.59	2 848 134.77
L122	-36 443.07	2 849	384.38	R122	-33 863.53	2 848 076.00
L123	-36 315.78	2 849	360.76	R123	-33 709.36	2 847 954.03
L124	-36 284.08	2 849	354.89	R124	-33 634.83	2 847 897.17
L125	-36 055.80	2 849	312.42	R125	-33 569.60	2 847 847.40
L126	-35 847.47	2 849	262.47	R126	-33 408.31	2 847 741.90
L127	-35 830.05	2 849	258.29	R127	-33 249.95	2 847 651.62
L128	-35 609.24	2 849	193.44	R128	-33 230.33	2 847 642.00
L129	-35 388.33	2 849	116.09	R129	-33 077.07	2 847 566.87
L130	-35 323.68	2 849	089.65	R130	-32 898.96	2 847 493.11
L131	-35 173.54	2 849	028.25	R131	-32 750.72	2 847 442.37
L132	-35 006.77	2 848	949.92	R132	-32 716.87	2 847 430.54
L133	-34 963.52	2 848	929.60	R133	-32 535.14	2 847 382.98
L134	-34 758.68	2 848	820.28	R134	-32 161.98	2 847 293.28
L135	-34 593.54	2 848	720.83	R135	-32 007.60	2 847 256.17
L136	-34 559.75	2 848	700.48	R136	-31 824.99	2 847 206.17
L137	-34 367.23	2 848	570.83	R137	-31 703.84	2 847 163.66
L138	-34 270.03	2 848	496.48	R138	-31 635.59	2 847 134.98
L139	-34 184.37	2 848	430.95	R139	-31 594.79	2 847 117.82
L140	-33 931.26	2 848	231.11	R140	-31 506.53	2 847 073.98
L141	-33 659.95	2 848	016.88	R141	-31 449.71	2 847 038.07
L142	-33 588.90	2 847	962.40	R142	-31 381.35	2 846 994.83
L143	-33 578.96	2 847	954.78	R143	-31 379.04	2 846 954.60
L144	-33 432.78	2 847	853.88	R144	-31 354.26	2 846 941.63
L145	-33 280.82	2 847	761.76	R145	-31 340.31	2 846 968.14
L146	-33 176.64	2 847	707.02	R146	-31 192.96	2 846 830.10
L147	-33 123.63	2 847	679.17	R147	-31 150.60	2 846 797.36
L148	-32 961.87	2 847	606.03	R148	-31 086.25	2 846 747.62
L149	-32 795.95	2 847	542.60	R149	-31 069.17	2 846 746.37
L150	-32 687.17	2 847	508.50	R150	-31 057.69	2 846 745.53
L151	-32 626.68	2 847	489.59	R151	-31 064.65	2 846 776.30
L152	-32 516.39	2 847	460.79	R152	-31 041.44	2 846 771.58
L153	-32 089.11	2 847	358.08	R153	-31 000.70	2 846 763.20
				Vel Sheet	17 Van of	22 P831/14

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L154	-31 988.85	2 847 333.98		R154	-30 931.02	2 846 744.37
L155	-31 849.16	2 847 298.91		R155	-30 864.31	2 846 716.50
L156	-31 675.73	2 847 242.50		R156	-30 766.74	2 846 667.92
L157	-31 560.74	2 847 202.25		R157	-30 647.48	2 846 609.01
L158	-31 554.51	2 847 199.67		R158	-30 621.60	2 846 593.87
L159	-31 537.85	2 847 192.91		R159	-30 573.25	2 846 564.59
L160	-31 419.75	2 847 144.53		R160	-30 530.58	2 846 532.63
L161	-31 275.21	2 847 092.15		R161	-30 497.06	2 846 507.54
L162	-31 269.95	2 847 090.99		R162	-30 413.84	2 846 462.30
L163	-31 264.51	2 847 089.80		R163	-30 340.55	2 846 422.30
L164	-31 179.61	2 847 071.13		R164	-30 166.17	2 846 327.48
L165	-31 170.75	2 847 069.18		R165	-30 129.69	2 846 307.63
L166	-31 146.14	2 847 085.14		R166	-29 671.62	2 846 041.20
L167	-31 143.12	2 847 130.13		R167	-29 474.34	2 845 926.47
L168	-31 143.68	2 847 133.52		R168	-29 256.52	2 845 799.77
L169	-31 147.19	2 847 154.44		R169	-29 219.80	2 845 778.39
L170	-31 147.95	2 847 185.01		R170	-28 570.66	2 845 400.90
L171	-31 153.33	2 847 223.72		R171	-27 862.05	2 844 988.82
L172	-31 122.53	2 847 230.50		R172	-27 022.93	2 844 500.86
L173	-31 117.57	2 847 231.40		R173	-27 015.41	2 844 496.64
L174	-31 106.32	2 847 233.90		R174	-26 735.71	2 844 333.99
L175	-31 096.06	2 847 188.38		R175	-26 689.13	2 844 306.90
L176	-31 088.08	2 847 168.59		R176	-26 519.68	2 844 208.36
L177	-31 042.92	2 847 065.81		R177	-26 329.14	2 844 097.56
L178	-31 059.49	2 847 059.62		R178	-26 319.63	2 844 092.04
L179	-31 047.67	2 847 037.93		R179	-26 256.83	2 844 055.64
L180	-31 042.89	2 847 029.31		R180	-26 069.56	2 843 941.04
L181	-30 926.55	2 846 927.70		R181	-26 010.28	2 843 904.04
L182	-30 907.39	2 846 903.77		R182	-25 995.24	2 843 895.72
L183	-30 838.08	2 846 844.83		R183	-25 983.76	2 843 888.78
L184	-30 836.06	2 846 843.95		R184	-25 824.44	2 843 764.83
L185	-30 740.70	2 846 851.41		R185	-25 736.10	2 843 666.82
L186	-30 685.40	2 846 943.31		R186	-25 566.97	2 843 479.44
L187	-30 633.56	2 846 913.14		R187	-25 513.04	2 843 419.64
L188	-30 624.11	2 846 849.79		R188	-25 479.74	2 843 461.25
L189	-30 572.26	2 846 819.73		R189	-25 424.26	2 843 530.57
L190	-30 537.68	2 846 799.62		R190	-25 206.81	2 843 417.54
L191	-30 598.03	2 846 695.73		R191	-25 023.78	2 843 322.38
L192	-30 518.08	2 846 644.30		R192	-24 886.21	2 843 250.90
L193	-30 469.58	2 846 612.93		R193	-24 862.58	2 843 238.77
L194	-30 350.73	2 846 536.05		R194	-24 485.94	2 843 024.79
L195	-30 345.73	2 846 532.81		R195	-24 386.85	2 842 968.41
L196	-30 175.93	2 846 427.04		R196	-24 265.06	2 842 846.93
L197	-29 657.10	2 846 125.27		R197	-24 229.52	2 842 843.11
L198	-29 616.57	2 846 101.70		R198	-24 179.60	2 842 837.74
L199	-29 435.39	2 845 996.32		R199	-24 035.88	2 842 812.50
L200	-29 217.77	2 845 869.76		R200	-23 826.30	2 842 740.40
L201	-29 177.28	2 845 846.30		R201	-23 674.93	2 842 686.38
L202	-29 162.27	2 845 837.70		R202	-23 530.05	2 842 640.45
L203	-27 020.12	2 844 591.95		R203	-23 341.83	2 842 585.59
L204	-27 007.98	2 844 584.89		R204	-23 101.44	2 842 526.40
				Vel 18 Sheet	Van 22 of	P831/14

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°	Y	X
L205	-26 648.92	2 844 376.06		R205	-22 974.75 2 842 499.67
L206	-26 637.24	2 844 369.27		R206	-22 956.27 2 842 495.79
L207	-26 429.88	2 844 248.68		R207	-22 833.71 2 842 342.90
L208	-26 371.38	2 844 214.67		R208	-22 749.74 2 842 363.92
L209	-26 353.65	2 844 204.35		R209	-22 695.56 2 842 271.85
L210	-26 245.63	2 844 141.54		R210	-22 672.59 2 842 232.33
L211	-26 236.25	2 844 136.08		R211	-22 615.01 2 842 133.90
L212	-26 162.92	2 844 093.44		R212	-22 613.49 2 842 120.37
L213	-26 147.47	2 844 084.57		R213	-22 611.23 2 842 100.84
L214	-25 909.67	2 843 966.59		R214	-22 592.95 2 842 130.75
L215	-25 893.06	2 843 958.38		R215	-22 589.87 2 842 135.78
L216	-25 851.15	2 843 937.67		R216	-22 590.58 2 842 142.03
L217	-25 774.94	2 843 914.93		R217	-22 671.42 2 842 280.34
L218	-25 751.44	2 843 918.11		R218	-22 681.65 2 842 348.38
L219	-25 661.44	2 843 929.76		R219	-22 671.38 2 842 426.01
L220	-25 657.51	2 843 978.57		R220	-22 652.91 2 842 442.28
L221	-25 672.62	2 844 072.14		R221	-22 606.38 2 842 449.17
L222	-25 678.60	2 844 078.40		R222	-22 282.10 2 842 406.27
L223	-25 689.11	2 844 079.17		R223	-21 844.29 2 842 348.34
L224	-25 689.16	2 844 082.38		R224	-21 808.91 2 842 343.66
L225	-25 690.43	2 844 100.04		R225	-21 766.20 2 842 320.58
L226	-25 680.14	2 844 122.45		R226	-21 765.07 2 842 318.99
L227	-25 684.80	2 844 150.17		R227	-21 727.14 2 842 317.86
L228	-25 686.32	2 844 159.23		R228	-21 696.86 2 842 316.96
L229	-25 686.18	2 844 160.22		R229	-21 696.54 2 842 318.50
L230	-25 712.38	2 844 304.59		R230	-21 695.04 2 842 318.27
L231	-25 717.04	2 844 330.08		R231	-21 562.60 2 842 300.80
L232	-25 738.63	2 844 369.58		R232	-21 353.06 2 842 267.24
L233	-25 743.16	2 844 395.42		R233	-21 145.61 2 842 222.30
L234	-25 722.81	2 844 406.14		R234	-20 940.95 2 842 165.25
L235	-25 666.53	2 844 435.76		R235	-20 834.44 2 842 132.17
L236	-25 654.90	2 844 413.64		R236	-20 720.49 2 842 087.25
L237	-25 665.69	2 844 391.00		R237	-20 701.67 2 842 079.83
L238	-25 667.32	2 844 322.29		R238	-20 687.13 2 842 074.10
L239	-25 648.70	2 844 230.24		R239	-20 699.57 2 842 041.36
L240	-25 625.75	2 844 190.06		R240	-20 695.04 2 842 039.54
L241	-25 619.83	2 844 165.77		R241	-20 644.83 2 842 019.95
L242	-25 627.66	2 844 125.56		R242	-20 599.03 2 842 028.40
L243	-25 600.30	2 844 013.10		R243	-20 225.00 2 841 850.93
L244	-25 571.28	2 843 957.53		R244	-19 904.20 2 841 622.62
L245	-25 553.09	2 843 945.84		R245	-19 814.29 2 841 506.73
L246	-25 540.11	2 843 915.84		R246	-19 733.27 2 841 441.58
L247	-25 560.74	2 843 903.50		R247	-19 640.29 2 841 407.45
L248	-25 481.38	2 843 816.99		R248	-19 607.71 2 841 397.76
L249	-25 432.02	2 843 763.33		R249	-19 469.64 2 841 317.47
L250	-25 321.25	2 843 659.28		R250	-19 389.17 2 841 224.79
L251	-25 237.49	2 843 580.64		R251	-19 332.28 2 841 203.97
L252	-25 123.95	2 843 497.33		R252	-19 218.72 2 841 086.57
L253	-25 091.91	2 843 477.98		R253	-19 110.15 2 840 964.50
L254	-24 942.74	2 843 387.71		R254	-19 002.30 2 840 832.59
L255	-24 867.20	2 843 342.22		R255	-18 908.91 2 840 707.25
			Vel 19	Van 22	P831/14
			Sheet	of	

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L256	-24 756.43	2 843 293.98		R256	-18 746.00	2 840 480.08
L257	-24 666.39	2 843 229.76		R257	-18 686.59	2 840 398.42
L258	-24 642.10	2 843 212.57		R258	-18 690.80	2 840 376.73
L259	-24 564.39	2 843 170.54		R259	-18 690.69	2 840 376.53
L260	-24 432.65	2 843 099.29		R260	-18 669.93	2 840 337.76
L261	-24 162.93	2 842 997.18		R261	-18 455.55	2 840 073.22
L262	-24 117.24	2 842 979.63		R262	-18 259.90	2 839 800.26
L263	-23 828.28	2 842 850.46		R263	-18 118.19	2 839 602.56
L264	-23 776.87	2 842 819.38		R264	-17 987.24	2 839 419.86
L265	-23 703.88	2 842 785.90		R265	-17 916.62	2 839 321.34
L266	-23 611.94	2 842 750.33		R266	-17 896.27	2 839 292.94
L267	-23 517.15	2 842 720.28		R267	-17 851.99	2 839 231.13
L268	-23 321.13	2 842 662.88		R268	-17 724.71	2 839 053.51
L269	-23 084.08	2 842 604.51		R269	-17 676.89	2 838 986.76
L270	-22 917.85	2 842 573.04		R270	-17 605.91	2 838 887.69
L271	-22 863.35	2 842 572.00		R271	-17 313.75	2 838 480.07
L272	-22 824.64	2 842 585.27		R272	-17 173.92	2 838 284.98
L273	-22 772.68	2 842 583.60		R273	-17 162.30	2 838 253.94
L274	-22 742.68	2 842 582.65		R274	-17 137.60	2 838 187.98
L275	-22 728.40	2 842 608.08		R275	-17 102.77	2 838 139.26
L276	-22 679.38	2 842 655.33		R276	-17 081.54	2 838 154.36
L277	-22 571.16	2 842 715.91		R277	-16 790.25	2 837 747.98
L278	-22 555.00	2 842 724.95		R278	-16 776.41	2 837 684.05
L279	-22 451.92	2 842 785.62		R279	-16 754.21	2 837 675.35
L280	-22 391.72	2 842 829.24		R280	-16 750.25	2 837 669.81
L281	-22 377.01	2 842 808.81		R281	-16 542.54	2 837 379.41
L282	-22 606.51	2 842 642.59		R282	-16 540.16	2 837 377.10
L283	-22 618.75	2 842 633.68		R283	-16 250.11	2 837 095.30
L284	-22 657.81	2 842 571.04		R284	-16 137.56	2 837 001.08
L285	-22 660.91	2 842 547.63		R285	-16 031.99	2 836 912.71
L286	-22 645.23	2 842 529.99		R286	-15 949.34	2 836 855.64
L287	-22 603.05	2 842 509.07		R287	-15 797.75	2 836 750.99
L288	-22 231.62	2 842 459.93		R288	-15 767.56	2 836 735.35
L289	-21 872.66	2 842 412.44		R289	-15 773.31	2 836 673.24
L290	-21 799.31	2 842 402.73		R290	-15 801.91	2 836 356.67
L291	-21 754.19	2 842 413.47		R291	-15 812.18	2 836 333.28
L292	-21 752.67	2 842 414.59		R292	-15 861.62	2 836 322.43
L293	-21 712.23	2 842 404.68		R293	-15 945.76	2 836 331.91
L294	-21 683.64	2 842 397.67		R294	-15 949.47	2 836 297.61
L295	-21 576.76	2 842 394.55		R295	-15 944.83	2 836 296.08
L296	-21 575.29	2 842 394.59		R296	-15 934.95	2 836 292.84
L297	-21 550.49	2 842 391.56		R297	-15 829.87	2 836 258.30
L298	-21 352.71	2 842 360.37		R298	-15 748.18	2 836 231.44
L299	-21 334.62	2 842 356.56		R299	-15 737.36	2 836 255.62
L300	-21 188.68	2 842 326.58		R300	-15 691.58	2 836 265.74
L301	-20 996.42	2 842 277.69		R301	-15 534.91	2 836 249.41
L302	-20 980.12	2 842 272.83		R302	-15 518.18	2 836 247.89
L303	-20 827.63	2 842 226.33		R303	-15 499.44	2 836 250.92
L304	-20 658.43	2 842 165.70		R304	-15 451.97	2 836 259.72
L305	-20 640.07	2 842 158.88		R305	-15 407.63	2 836 273.53
L306	-20 592.58	2 842 141.17		R306	-15 333.72	2 836 306.82
				Vel 20 Sheet	Van 22 of	P831/14

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L307	-20 558.01	2 842 128.28		R307	-15 292.79	2 836 321.04
L308	-20 365.06	2 842 038.57		R308	-15 248.11	2 836 327.36
L309	-20 052.65	2 841 871.74		R309	-15 203.86	2 836 325.02
L310	-19 667.24	2 841 717.11		R310	-15 160.81	2 836 314.18
L311	-19 626.46	2 841 726.46		R311	-15 120.70	2 836 295.55
L312	-19 559.42	2 841 672.62		R312	-15 020.23	2 836 236.93
L313	-19 561.64	2 841 645.52		R313	-14 969.84	2 836 208.48
L314	-19 562.14	2 841 619.71		R314	-14 916.48	2 836 187.70
L315	-19 451.42	2 841 458.78		R315	-14 915.52	2 836 187.33
L316	-19 421.44	2 841 420.26		R316	-14 863.28	2 836 176.28
L317	-19 340.32	2 841 339.67		R317	-14 699.17	2 836 161.84
L318	-19 216.07	2 841 213.30		R318	-14 697.20	2 836 162.02
L319	-19 127.40	2 841 123.12		R319	-14 684.36	2 836 162.54
L320	-19 055.84	2 841 041.54		R320	-14 616.49	2 836 165.18
L321	-18 967.56	2 840 920.24		R321	-14 483.00	2 836 193.62
L322	-18 642.84	2 840 480.28		R322	-14 380.89	2 836 244.31
L323	-18 618.68	2 840 452.83		R323	-14 382.03	2 836 246.57
L324	-18 576.44	2 840 404.82		R324	-14 336.09	2 836 270.61
L325	-18 508.97	2 840 305.59		R325	-14 274.33	2 836 289.75
L326	-18 477.49	2 840 259.06		R326	-14 155.70	2 836 309.80
L327	-18 385.65	2 840 123.33		R327	-14 104.55	2 836 315.45
L328	-18 347.07	2 840 069.50		R328	-14 101.81	2 836 315.54
L329	-18 282.09	2 839 978.84		R329	-13 984.35	2 836 328.04
L330	-18 176.99	2 839 832.20		R330	-13 807.55	2 836 352.76
L331	-18 012.12	2 839 602.16		AR1	-15 713.24	2 836 707.20
L332	-17 915.35	2 839 467.14		AR2	-15 623.81	2 836 660.86
L333	-17 838.84	2 839 360.39		AR3	-15 589.06	2 836 642.62
L334	-17 826.39	2 839 343.02		AR4	-15 533.75	2 836 603.02
L335	-17 766.93	2 839 260.05		AR5	-15 446.87	2 836 537.66
L336	-17 639.67	2 839 082.45		AR6	-15 419.17	2 836 510.09
L337	-17 595.43	2 839 019.31		AR7	-15 416.33	2 836 326.91
L338	-17 535.13	2 838 936.56		AR8	-15 469.96	2 836 296.91
L339	-17 519.49	2 838 914.75		AR9	-15 508.49	2 836 290.25
L340	-17 259.84	2 838 552.46		AR10	-15 533.49	2 836 287.51
L341	-17 243.85	2 838 530.15		AR11	-15 686.46	2 836 303.39
L342	-17 213.78	2 838 551.73		AR12	-15 733.69	2 836 324.52
L343	-17 135.98	2 838 456.35		AR13	-15 743.43	2 836 365.77
L344	-17 061.76	2 838 365.34		AR14	-15 754.81	2 836 446.31
L345	-17 059.62	2 838 331.52		AR15	-15 751.00	2 836 488.52
L346	-17 055.80	2 838 271.21		AR16	-15 719.88	2 836 668.76
L347	-17 049.36	2 838 262.22		LINKERKANT/LEFT HAND SIDE		
L348	-16 930.45	2 838 096.37		L358	-16 450.43	2 837 525.29
L349	-16 896.84	2 838 049.50		L359	-16 417.45	2 837 532.63
L350	-16 863.34	2 838 002.77		L360	-16 386.77	2 837 548.76
L351	-16 834.40	2 837 962.40		L361	-16 302.19	2 837 608.19
L352	-16 804.34	2 837 920.46		L362	-16 315.90	2 837 653.37
L353	-16 780.88	2 837 887.73		L363	-16 300.42	2 837 664.14
L354	-16 563.58	2 837 584.55		L364	-16 286.30	2 837 673.96
L355	-16 533.98	2 837 545.87		L365	-16 274.49	2 837 657.72
L356	-16 517.17	2 837 537.02		L366	-16 236.66	2 837 629.46
L357	-16 484.73	2 837 526.68				
				Vel 21 Sheet	Van 22 of	P831/14

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				LINKERKANT/LEFT HAND SIDE		
	Y	X	WG 27°		Y Y	X
L367	-16 226.89	2 837 616.74		AL18	-15 863.08	2 837 098.66
L368	-16 213.02	2 837 571.33		AL19	-15 847.05	2 837 068.78
L369	-16 179.17	2 837 523.71		AL20	-15 810.93	2 836 977.21
L370	-16 128.45	2 837 459.11		AL21	-15 785.82	2 836 852.86
L371	-16 116.43	2 837 446.97		AL22	-15 915.48	2 836 936.72
L372	-16 039.42	2 837 363.30		AL23	-16 056.92	2 837 043.61
L373	-15 951.44	2 837 267.61		AL24	-16 073.28	2 837 058.05
L374	-15 915.96	2 837 229.16		AL25	-16 148.57	2 837 124.49
L375	-15 877.59	2 837 187.17		AL26	-16 219.34	2 837 186.93
L376	-15 843.87	2 837 143.41		AL27	-16 288.95	2 837 256.56
L377	-15 804.94	2 837 089.33				
L378	-15 759.20	2 837 008.21				
L379	-15 742.99	2 836 979.37				
L380	-15 714.37	2 836 842.20				
L381	-15 706.70	2 836 805.18				
L382	-15 705.26	2 836 796.88				
L383	-15 502.09	2 836 650.67				
L384	-15 432.09	2 836 600.23				
L385	-15 330.47	2 836 531.46				
L386	-15 167.67	2 836 473.72				
L387	-15 145.16	2 836 406.43				
L388	-14 977.39	2 836 293.06				
L389	-14 853.63	2 836 233.26				
L390	-14 764.93	2 836 209.60				
L391	-14 666.21	2 836 200.29				
L392	-14 601.87	2 836 203.48				
L393	-14 544.62	2 836 216.10				
L394	-14 462.81	2 836 249.87				
L395	-14 401.27	2 836 275.80				
L396	-14 294.15	2 836 318.13				
L397	-14 220.90	2 836 337.64				
L398	-14 196.93	2 836 344.40				
L399	-13 986.20	2 836 370.20				
L400	-13 830.26	2 836 388.16				
AL1	-16 379.64	2 837 358.60				
AL2	-16 396.00	2 837 381.35				
AL3	-16 402.69	2 837 407.86				
AL4	-16 402.17	2 837 435.15				
AL5	-16 394.37	2 837 461.34				
AL6	-16 379.89	2 837 484.50				
AL7	-16 359.69	2 837 503.17				
AL8	-16 271.39	2 837 564.84				
AL9	-16 233.56	2 837 536.33				
AL10	-16 220.28	2 837 517.65				
AL11	-16 193.87	2 837 481.85				
AL12	-16 158.59	2 837 438.84				
AL13	-16 127.48	2 837 404.32				
AL14	-16 066.04	2 837 338.05				
AL15	-15 994.89	2 837 260.69				
AL16	-15 927.42	2 837 187.42				
AL17	-15 895.59	2 837 148.55				
				Vel 22 Sheet	Van 22 of	P831/14