

DEPARTMENT OF TRANSPORT

NO. 376

30 MARCH 2016

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD N2 SECTION 32

AMENDMENT OF DECLARATION No. 175 OF 2009

By virtue of Section 40 (1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 175 of 2009 by substituting it in its entirety, with the subjoined sheets 1 to 26 of Plan No. P814/13.


(National Road N2 Section 32: Pongola River – KwaZulu Natal/Mpumalanga Provincial Border)


MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 376

30 MAART 2016



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited


Die figuur getoon
The figure shown

stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N2
of National Route

32

Vel 1 van 26
Sheet 1 of 26

Plan P814/13



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown





steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N2
of National Route

Vel van
Sheet 2 of 26
Plan P814/13


32


Seksie
Section





Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N2 of National Route	Vel van Sheet 4 of 26 Plan P814/13
--	---------------------------------------	---	---	--






Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N2
of National Route

Vel
Sheet 6 of 26
Plan P814/13



Die Suid Afrikaanse Nasionale Padagentskop Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown





stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N2
of National Route

Vel
Sheet 7 of 26
Plan P814/13


32

Seksie
Section





Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	N2 Seksie Section	32	Plan P814/13	Vel Sheet 9 of 26
--	---------------------------------------	---	---	-------------------------	----	--------------	-------------------------




Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown

stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N2
of National Route N2

Vel
Sheet 10 of 26
Plan P814/13



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown





stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N2
of National Route


32

Vel
Sheet 11 of 26


Plan P814/13



Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	N2 Section	32 Plan P814/13
Vel Sheet 12 of 26					







Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown	 stielde padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N2 of National Route Section 32	Vel Sheet 15 of 26 Plan P814/13
--	---------------------------------------	--	---------------------------------------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES											
LINKERKANT/LEFT HAND SIDE						REGTERKANT/RIGHT HAND SIDE					
	Y		X	WG 31°			Y		X		
L1	-81 936.21	3	031	719.13	R1	-81 973.92	3	031	698.63		
L2	-81 873.41	3	031	686.90	R2	-81 897.99	3	031	659.11		
L3	-81 833.66	3	031	663.80	R3	-81 870.35	3	031	642.91		
L4	-81 672.87	3	031	570.35	R4	-81 709.23	3	031	548.43		
L5	-81 651.13	3	031	557.72	R5	-81 674.96	3	031	528.33		
L6	-81 613.69	3	031	536.83	R6	-81 632.48	3	031	504.95		
L7	-81 571.35	3	031	510.91	R7	-81 586.55	3	031	478.30		
L8	-81 528.90	3	031	484.96	R8	-81 557.78	3	031	461.46		
L9	-81 521.52	3	031	480.15	R9	-81 547.05	3	031	455.18		
L10	-81 487.62	3	031	458.07	R10	-81 501.11	3	031	429.12		
L11	-81 445.81	3	031	432.85	R11	-81 460.15	3	031	402.61		
L12	-81 407.19	3	031	404.01	R12	-81 420.51	3	031	372.85		
L13	-81 369.48	3	031	370.66	R13	-81 382.93	3	031	339.99		
L14	-81 335.33	3	031	332.94	R14	-81 349.96	3	031	302.27		
L15	-81 304.78	3	031	295.92	R15	-81 316.70	3	031	264.65		
L16	-81 276.80	3	031	257.79	R16	-81 292.33	3	031	222.06		
L17	-81 248.12	3	031	217.77	R17	-81 270.25	3	031	181.18		
L18	-81 217.85	3	031	157.70	R18	-81 246.45	3	031	134.14		
L19	-81 193.80	3	031	089.22	R19	-81 230.83	3	031	088.10		
L20	-81 184.82	3	031	042.68	R20	-81 221.44	3	031	038.94		
L21	-81 180.80	3	031	012.69	R21	-81 214.59	3	031	003.97		
L22	-81 177.13	3	030	985.33	R22	-81 208.18	3	030	979.95		
L23	-80 932.61	3	029	837.44	R23	-81 196.91	3	030	927.06		
L24	-80 929.52	3	029	817.77	R24	-80 963.58	3	029	831.72		
L25	-80 890.26	3	029	637.19	R25	-80 963.85	3	029	818.57		
L26	-80 869.43	3	029	570.02	R26	-80 920.73	3	029	629.16		
L27	-80 819.36	3	029	432.17	R27	-80 899.28	3	029	559.98		
L28	-80 578.68	3	028	776.51	R28	-80 872.20	3	029	464.38		
L29	-80 478.83	3	028	506.90	R29	-80 670.32	3	028	914.89		
L30	-80 453.47	3	028	436.20	R30	-80 508.41	3	028	496.12		
L31	-80 442.54	3	028	400.85	R31	-80 483.57	3	028	426.83		
L32	-80 432.77	3	028	364.54	R32	-80 456.00	3	028	322.72		
L33	-80 425.04	3	028	328.82	R33	-80 445.68	3	028	244.01		
L34	-80 414.21	3	028	246.23	R34	-80 451.39	3	028	136.01		
L35	-80 412.33	3	028	186.65	R35	-80 456.87	3	028	077.62		
L36	-80 413.20	3	028	147.08	R36	-80 490.57	3	027	860.02		
L37	-80 420.80	3	028	066.98	R37	-80 493.27	3	027	771.47		
L38	-80 428.29	3	028	016.14	R38	-80 490.60	3	027	718.37		
L39	-80 452.98	3	027	856.42	R39	-80 479.34	3	027	638.55		
L40	-80 456.57	3	027	771.81	R40	-80 455.55	3	027	547.20		
L41	-80 453.00	3	027	722.47	R41	-80 442.92	3	027	512.44		
L42	-80 439.31	3	027	646.80	R42	-80 404.44	3	027	430.20		
L43	-80 419.60	3	027	556.37	R43	-80 392.70	3	027	410.74		
L44	-80 399.57	3	027	505.43	R44	-80 359.67	3	027	359.49		
L45	-80 374.02	3	027	452.58	R45	-80 277.80	3	027	261.87		
L46	-80 350.75	3	027	413.17	R46	-80 259.58	3	027	243.22		
L47	-80 331.01	3	027	382.30	R47	-80 186.98	3	027	185.56		
L48	-80 309.43	3	027	352.98	R48	-80 126.81	3	027	145.06		
L49	-80 265.79	3	027	293.34	R49	-80 068.64	3	027	113.96		
L50	-80 253.91	3	027	290.22	R50	-79 998.51	3	027	086.17		
L51	-80 212.58	3	027	250.03	R51	-79 923.14	3	027	063.49		
						Vel	16	Van	26	P814/13	
						Sheet		of			

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 31°		Y		X	
L52	-80 171.45	3	027	216.36	R52	-79 846.68	3	027	050.03
L53	-80 160.68	3	027	207.54	R53	-79 768.57	3	027	044.49
L54	-80 070.65	3	027	155.11	R54	-79 690.08	3	027	047.28
L55	-80 007.63	3	027	127.05	R55	-79 613.26	3	027	058.25
L56	-79 941.54	3	027	105.17	R56	-79 563.20	3	027	069.21
L57	-79 869.10	3	027	089.84	R57	-79 492.74	3	027	092.50
L58	-79 798.46	3	027	081.75	R58	-79 438.99	3	027	117.53
L59	-79 729.64	3	027	080.97	R59	-79 274.94	3	027	203.58
L60	-79 659.42	3	027	086.94	R60	-79 162.13	3	027	262.72
L61	-79 588.23	3	027	101.39	R61	-79 016.29	3	027	343.27
L62	-79 477.85	3	027	138.79	R62	-78 936.53	3	027	381.76
L63	-79 422.02	3	027	165.89	R63	-78 827.72	3	027	412.87
L64	-79 344.88	3	027	207.73	R64	-78 722.30	3	027	421.62
L65	-79 321.91	3	027	219.73	R65	-78 647.03	3	027	416.25
L66	-79 264.83	3	027	249.53	R66	-78 406.30	3	027	356.30
L67	-79 256.29	3	027	258.93	R67	-78 235.15	3	027	310.17
L68	-79 236.14	3	027	269.50	R68	-78 224.11	3	027	306.26
L69	-79 216.35	3	027	276.79	R69	-77 665.83	3	027	152.71
L70	-79 209.89	3	027	279.77	R70	-77 600.89	3	027	134.55
L71	-79 116.86	3	027	330.29	R71	-77 450.35	3	027	096.53
L72	-79 103.19	3	027	337.71	R72	-77 330.17	3	027	071.58
L73	-79 020.20	3	027	382.53	R73	-77 141.62	3	027	060.53
L74	-78 938.80	3	027	418.96	R74	-77 006.72	3	027	057.19
L75	-78 780.87	3	027	454.24	R75	-76 930.29	3	027	047.79
L76	-78 705.11	3	027	452.90	R76	-76 787.29	3	027	026.31
L77	-78 661.23	3	027	451.76	R77	-76 632.48	3	026	972.98
L78	-78 567.87	3	027	438.23	R78	-76 599.93	3	026	957.29
L79	-78 406.78	3	027	394.37	R79	-76 510.37	3	026	912.16
L80	-78 199.22	3	027	337.38	R80	-76 422.16	3	026	865.22
L81	-78 187.78	3	027	334.24	R81	-76 274.19	3	026	785.44
L82	-77 599.80	3	027	172.81	R82	-76 159.90	3	026	721.08
L83	-77 557.76	3	027	161.22	R83	-76 076.97	3	026	665.24
L84	-77 483.45	3	027	147.50	R84	-75 922.41	3	026	539.97
L85	-77 448.71	3	027	140.01	R85	-75 882.85	3	026	509.95
L86	-77 402.95	3	027	131.00	R86	-75 846.04	3	026	476.75
L87	-77 353.65	3	027	124.53	R87	-75 809.24	3	026	443.74
L88	-77 255.66	3	027	112.09	R88	-75 768.39	3	026	414.09
L89	-77 146.73	3	027	097.68	R89	-75 746.56	3	026	395.77
L90	-76 938.85	3	027	089.73	R90	-75 702.29	3	026	346.46
L91	-76 812.28	3	027	071.00	R91	-75 668.26	3	026	278.26
L92	-76 695.63	3	027	039.69	R92	-75 250.27	3	026	061.78
L93	-76 603.35	3	027	000.97	R93	-75 175.56	3	026	036.00
L94	-76 515.75	3	026	952.55	R94	-75 147.84	3	026	030.05
L95	-76 427.14	3	026	903.40	R95	-75 117.93	3	026	018.76
L96	-76 321.89	3	026	855.95	R96	-75 084.29	3	026	008.91
L97	-76 283.52	3	026	832.68	R97	-74 938.86	3	025	972.41
L98	-76 196.60	3	026	812.83	R98	-74 870.73	3	025	970.31
L99	-76 149.38	3	026	759.60	R99	-74 837.50	3	025	969.26
L100	-76 000.29	3	026	657.25	R100	-74 456.82	3	025	959.54
L101	-75 883.00	3	026	558.06	R101	-74 427.33	3	025	958.79
L102	-75 834.09	3	026	517.01	R102	-74 378.56	3	025	958.11
					Vel 17 Van 26 P814/13 Sheet of				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 31°			Y	X		
L103	-75 716.13	3 026 417.02		R103	-74 298.83	3 025 957.53			
L104	-75 652.86	3 026 368.91		R104	-74 243.44	3 025 957.10			
L105	-75 554.21	3 026 284.94		R105	-74 137.66	3 025 954.70			
L106	-75 503.21	3 026 238.90		R106	-74 082.86	3 025 951.74			
L107	-75 466.56	3 026 210.89		R107	-74 038.85	3 025 952.49			
L108	-75 369.59	3 026 155.01		R108	-73 932.75	3 025 935.62			
L109	-75 299.20	3 026 127.24		R109	-73 897.60	3 025 928.10			
L110	-75 210.24	3 026 087.97		R110	-73 816.56	3 025 896.79			
L111	-75 110.64	3 026 048.47		R111	-73 760.37	3 025 866.69			
L112	-75 014.70	3 026 027.16		R112	-73 738.98	3 025 853.74			
L113	-74 934.58	3 026 014.48		R113	-73 708.89	3 025 835.52			
L114	-74 893.86	3 026 006.08		R114	-73 667.96	3 025 804.36			
L115	-74 441.74	3 025 996.42		R115	-73 603.73	3 025 731.79			
L116	-74 414.19	3 025 995.83		R116	-73 590.22	3 025 713.10			
L117	-74 367.58	3 025 991.58		R117	-73 483.43	3 025 535.32			
L118	-74 058.50	3 025 990.00		R118	-73 433.92	3 025 470.23			
L119	-73 952.93	3 025 979.36		R119	-73 379.87	3 025 406.86			
L120	-73 890.81	3 025 964.46		R120	-73 318.27	3 025 352.12			
L121	-73 790.23	3 025 926.42		R121	-73 234.50	3 025 296.49			
L122	-73 722.33	3 025 893.48		R122	-73 177.73	3 025 267.67			
L123	-73 591.64	3 025 781.58		R123	-73 076.07	3 025 230.75			
L124	-73 462.52	3 025 568.11		R124	-73 047.32	3 025 227.01			
L125	-73 347.02	3 025 430.14		R125	-72 580.86	3 025 133.96			
L126	-73 038.80	3 025 257.45		R126	-71 651.67	3 024 949.68			
L127	-73 024.21	3 025 254.87		R127	-71 650.83	3 024 943.38			
L128	-72 956.38	3 025 247.47		R128	-71 380.96	3 024 889.44			
L129	-72 469.45	3 025 149.51		R129	-71 157.09	3 024 851.48			
L130	-71 652.59	3 024 987.23		R130	-71 114.59	3 024 842.27			
L131	-71 181.62	3 024 894.09		R131	-71 089.89	3 024 837.17			
L132	-69 496.21	3 024 557.10		R132	-70 930.80	3 024 806.37			
L133	-69 462.13	3 024 552.18		R133	-70 556.50	3 024 732.14			
L134	-69 272.95	3 024 540.85		R134	-69 483.70	3 024 512.66			
L135	-69 052.68	3 024 585.73		R135	-69 318.54	3 024 492.28			
L136	-68 988.25	3 024 599.92		R136	-69 196.26	3 024 508.78			
L137	-67 436.99	3 024 936.14		R137	-68 173.82	3 024 735.33			
L138	-67 340.81	3 024 962.27		R138	-67 220.41	3 024 950.11			
L139	-67 251.18	3 025 000.43		R139	-67 094.46	3 025 055.78			
L140	-67 167.37	3 025 051.40		R140	-66 988.80	3 025 165.47			
L141	-67 092.05	3 025 113.64		R141	-66 934.94	3 025 245.82			
L142	-66 972.55	3 025 266.28		R142	-66 894.13	3 025 333.71			
L143	-66 930.44	3 025 353.74		R143	-66 873.58	3 025 390.27			
L144	-66 903.38	3 025 436.63		R144	-66 851.69	3 025 486.93			
L145	-66 887.94	3 025 515.55		R145	-66 829.68	3 025 622.01			
L146	-66 579.01	3 027 380.99		R146	-66 785.08	3 025 891.69			
L147	-66 322.50	3 028 885.53		R147	-66 727.24	3 026 240.19			
L148	-66 320.98	3 028 929.42		R148	-66 665.13	3 026 613.10			
L149	-66 159.09	3 030 020.75		R149	-66 621.82	3 026 879.92			
L150	-66 144.09	3 030 121.54		R150	-66 592.13	3 027 061.15			
L151	-66 135.45	3 030 171.93		R151	-66 555.71	3 027 277.70			
L152	-66 114.75	3 030 235.63		R152	-66 515.79	3 027 519.11			
L153	-66 100.58	3 030 275.73		R153	-66 291.46	3 028 889.66			
					Vel	18	Van	26	P814/13
					Sheet		of		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 31°			Y	X		
L154	-66 084.87	3 030	312.14		R154	-66 291.23	3 028	915.39	
L155	-66 071.47	3 030	337.35		R155	-66 230.30	3 029	326.17	
L156	-66 064.19	3 030	349.84		R156	-66 162.38	3 029	783.99	
L157	-65 983.58	3 030	445.67		R157	-66 115.63	3 030	100.84	
L158	-65 949.62	3 030	471.71		R158	-66 108.81	3 030	143.81	
L159	-65 925.00	3 030	495.35		R159	-66 100.66	3 030	183.20	
L160	-65 884.99	3 030	513.03		R160	-66 087.29	3 030	221.57	
L161	-65 863.16	3 030	521.64		R161	-66 068.69	3 030	277.68	
L162	-65 833.08	3 030	530.17		R162	-66 049.50	3 030	313.27	
L163	-65 798.32	3 030	549.21		R163	-66 011.65	3 030	363.51	
L164	-65 773.08	3 030	556.20		R164	-65 952.22	3 030	425.45	
L165	-65 751.11	3 030	562.21		R165	-65 925.48	3 030	447.93	
L166	-65 707.94	3 030	570.07		R166	-65 895.08	3 030	470.36	
L167	-65 680.82	3 030	572.68		R167	-65 821.75	3 030	500.90	
L168	-65 622.15	3 030	574.45		R168	-65 797.94	3 030	514.44	
L169	-65 579.31	3 030	571.31		R169	-65 790.36	3 030	518.65	
L170	-65 539.67	3 030	562.79		R170	-65 744.83	3 030	531.47	
L171	-65 496.63	3 030	552.29		R171	-65 704.61	3 030	538.85	
L172	-65 477.91	3 030	549.49		R172	-65 664.65	3 030	542.76	
L173	-65 096.17	3 030	442.61		R173	-65 623.69	3 030	542.95	
L174	-64 925.69	3 030	392.94		R174	-65 585.18	3 030	540.74	
L175	-63 693.94	3 030	209.59		R175	-65 547.36	3 030	532.18	
L176	-63 313.87	3 030	164.87		R176	-65 475.17	3 030	515.20	
L177	-63 066.40	3 030	125.46		R177	-65 105.47	3 030	412.40	
L178	-62 439.96	3 030	019.50		R178	-65 015.54	3 030	387.02	
L179	-62 373.21	3 030	014.76		R179	-64 903.12	3 030	357.61	
L180	-62 339.25	3 030	009.24		R180	-62 470.23	3 029	992.15	
L181	-62 203.36	3 029	987.50		R181	-62 402.91	3 029	989.31	
L182	-61 109.95	3 029	815.42		R182	-61 070.48	3 029	780.24	
L183	-61 008.40	3 029	831.55		R183	-59 947.72	3 029	869.51	
L184	-60 890.29	3 029	833.17		R184	-59 533.42	3 029	908.88	
L185	-60 688.40	3 029	849.81		R185	-59 543.14	3 029	892.52	
L186	-60 663.66	3 029	857.94		R186	-59 521.49	3 029	896.37	
L187	-60 541.94	3 029	867.95		R187	-59 403.87	3 029	912.51	
L188	-60 501.08	3 029	861.29		R188	-58 603.50	3 029	987.81	
L189	-59 983.25	3 029	901.11		R189	-58 577.39	3 029	990.25	
L190	-59 513.14	3 029	943.04		R190	-58 543.87	3 029	992.91	
L191	-59 479.21	3 029	946.21		R191	-58 490.31	3 030	003.09	
L192	-58 560.50	3 030	032.00		R192	-58 432.68	3 030	016.11	
L193	-58 502.92	3 030	041.50		R193	-58 376.61	3 030	033.19	
L194	-58 478.66	3 030	046.88		R194	-58 322.17	3 030	052.35	
L195	-58 442.93	3 030	054.81		R195	-58 200.79	3 030	096.86	
L196	-58 389.08	3 030	071.21		R196	-58 164.53	3 030	110.15	
L197	-58 335.86	3 030	089.92		R197	-57 938.96	3 030	192.87	
L198	-57 957.73	3 030	230.42		R198	-57 736.84	3 030	266.98	
L199	-57 924.50	3 030	240.77		R199	-57 719.40	3 030	272.74	
L200	-57 887.49	3 030	254.34		R200	-57 665.97	3 030	290.40	
L201	-57 721.27	3 030	315.29		R201	-57 609.69	3 030	305.44	
L202	-57 625.93	3 030	342.50		R202	-57 551.33	3 030	317.35	
L203	-57 556.82	3 030	356.99		R203	-57 374.81	3 030	345.58	
L204	-57 382.15	3 030	384.84		R204	-57 159.81	3 030	380.52	
					Vel 19 Van 26 P814/13 Sheet of				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 31°			Y	X		
L205	-57 176.63	3 030	416.07		R205	-57 068.13	3 030	391.00	
L206	-56 965.43	3 030	450.51		R206	-56 995.84	3 030	404.34	
L207	-56 823.34	3 030	479.45		R207	-56 888.96	3 030	426.24	
L208	-56 712.57	3 030	476.92		R208	-56 833.32	3 030	413.47	
L209	-56 663.20	3 030	476.82		R209	-56 768.76	3 030	419.94	
L210	-56 557.83	3 030	451.79		R210	-56 714.27	3 030	428.16	
L211	-56 429.34	3 030	400.87		R211	-56 583.83	3 030	408.69	
L212	-56 331.95	3 030	367.32		R212	-56 395.78	3 030	336.50	
L213	-56 277.59	3 030	361.97		R213	-56 291.79	3 030	316.84	
L214	-55 824.16	3 030	330.25		R214	-56 267.71	3 030	315.66	
L215	-55 186.96	3 030	292.12		R215	-56 203.39	3 030	312.52	
L216	-55 114.76	3 030	282.24		R216	-56 124.67	3 030	308.79	
L217	-55 069.76	3 030	275.51		R217	-55 827.47	3 030	294.70	
L218	-55 017.58	3 030	263.67		R218	-55 195.76	3 030	257.29	
L219	-54 953.42	3 030	228.40		R219	-55 122.64	3 030	250.68	
L220	-54 902.78	3 030	207.50		R220	-55 078.96	3 030	237.92	
L221	-54 835.86	3 030	173.18		R221	-55 021.53	3 030	220.78	
L222	-54 785.49	3 030	108.85		R222	-54 920.21	3 030	168.74	
L223	-54 594.02	3 029	910.79		R223	-54 890.07	3 030	145.37	
L224	-54 338.64	3 029	646.38		R224	-54 847.48	3 030	115.54	
L225	-54 310.61	3 029	620.93		R225	-54 621.36	3 029	885.59	
L226	-54 266.90	3 029	589.26		R226	-54 476.93	3 029	735.73	
L227	-54 217.79	3 029	557.52		R227	-54 376.62	3 029	632.28	
L228	-54 160.46	3 029	531.01		R228	-54 331.56	3 029	593.82	
L229	-54 126.45	3 029	515.51		R229	-54 284.31	3 029	559.23	
L230	-53 989.60	3 029	483.19		R230	-54 172.47	3 029	498.07	
L231	-53 982.77	3 029	475.81		R231	-54 127.38	3 029	480.99	
L232	-53 850.85	3 029	441.64		R232	-53 613.15	3 029	326.50	
L233	-53 703.02	3 029	399.74		R233	-53 572.33	3 029	318.97	
L234	-53 270.63	3 029	269.15		R234	-53 514.80	3 029	300.43	
L235	-53 214.38	3 029	251.90		R235	-53 387.09	3 029	266.58	
L236	-53 157.31	3 029	230.19		R236	-53 281.32	3 029	236.33	
L237	-53 100.53	3 029	202.28		R237	-53 226.67	3 029	218.93	
L238	-53 054.89	3 029	176.42		R238	-53 172.38	3 029	194.26	
L239	-52 751.70	3 029	002.48		R239	-53 159.76	3 029	185.39	
L240	-52 652.44	3 028	943.05		R240	-53 116.97	3 029	171.77	
L241	-52 460.27	3 028	836.11		R241	-52 976.97	3 029	097.01	
L242	-52 392.56	3 028	793.62		R242	-52 866.86	3 029	027.64	
L243	-52 317.38	3 028	756.71		R243	-52 669.44	3 028	913.18	
L244	-52 283.61	3 028	735.05		R244	-52 579.42	3 028	859.86	
L245	-52 237.48	3 028	693.70		R245	-52 477.82	3 028	804.48	
L246	-52 193.91	3 028	650.78		R246	-52 409.81	3 028	763.38	
L247	-52 140.34	3 028	580.43		R247	-52 358.87	3 028	735.20	
L248	-52 119.14	3 028	529.42		R248	-52 310.69	3 028	701.59	
L249	-52 104.84	3 028	495.01		R249	-52 265.87	3 028	665.60	
L250	-52 068.51	3 028	354.29		R250	-52 223.26	3 028	619.80	
L251	-52 062.02	3 028	317.30		R251	-52 179.73	3 028	561.39	
L252	-52 032.55	3 028	271.84		R252	-52 153.68	3 028	509.97	
L253	-51 997.99	3 028	239.03		R253	-52 143.94	3 028	485.77	
L254	-51 944.11	3 028	184.66		R254	-52 139.12	3 028	473.78	
L255	-51 872.24	3 028	141.20		R255	-52 101.78	3 028	343.29	
					Vel 20 Van 26 of P814/13				
					Sheet				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 31°			Y	X		
L256	-51 818.86	3 028 110.96		R256	-52 091.81	3 028 306.46			
L257	-51 435.98	3 027 906.94		R257	-52 065.79	3 028 252.32			
L258	-51 151.16	3 027 749.91		R258	-52 030.39	3 028 206.22			
L259	-51 023.76	3 027 679.67		R259	-51 939.06	3 028 136.94			
L260	-50 958.13	3 027 638.60		R260	-51 889.80	3 028 107.51			
L261	-50 924.71	3 027 630.65		R261	-51 837.97	3 028 079.63			
L262	-50 813.76	3 027 603.73		R262	-51 472.35	3 027 878.38			
L263	-50 765.34	3 027 590.41		R263	-51 173.73	3 027 714.80			
L264	-50 702.18	3 027 573.04		R264	-51 015.15	3 027 628.48			
L265	-50 661.02	3 027 557.44		R265	-50 970.38	3 027 606.47			
L266	-50 619.91	3 027 544.94		R266	-50 780.19	3 027 556.30			
L267	-50 574.97	3 027 524.43		R267	-50 742.84	3 027 546.44			
L268	-50 363.84	3 027 342.11		R268	-50 687.34	3 027 528.07			
L269	-50 041.59	3 027 134.48		R269	-50 636.37	3 027 501.80			
L270	-49 937.91	3 027 068.44		R270	-50 589.20	3 027 467.68			
L271	-49 897.91	3 027 053.06		R271	-50 496.01	3 027 381.92			
L272	-49 866.41	3 027 033.83		R272	-50 313.10	3 027 255.67			
L273	-49 733.92	3 027 018.47		R273	-50 263.73	3 027 225.80			
L274	-49 672.17	3 027 012.35		R274	-50 113.19	3 027 130.69			
L275	-49 592.90	3 027 012.36		R275	-50 021.47	3 027 066.56			
L276	-49 487.07	3 026 997.31		R276	-49 924.03	3 027 008.58			
L277	-49 384.47	3 026 924.92		R277	-49 898.59	3 026 996.32			
L278	-49 277.62	3 026 809.77		R278	-49 870.32	3 026 982.81			
L279	-49 217.62	3 026 761.91		R279	-49 756.03	3 026 964.42			
L280	-49 176.78	3 026 739.84		R280	-49 577.03	3 026 970.88			
L281	-49 137.32	3 026 714.37		R281	-49 526.80	3 026 957.93			
L282	-49 063.33	3 026 685.97		R282	-49 485.17	3 026 936.55			
L283	-49 012.78	3 026 681.42		R283	-49 427.57	3 026 897.59			
L284	-48 924.85	3 026 668.65		R284	-49 305.05	3 026 772.65			
L285	-48 825.57	3 026 650.36		R285	-49 220.24	3 026 711.50			
L286	-48 770.69	3 026 626.26		R286	-49 104.32	3 026 651.33			
L287	-48 542.02	3 026 504.71		R287	-49 048.65	3 026 643.17			
L288	-48 477.61	3 026 471.40		R288	-48 990.94	3 026 635.03			
L289	-48 430.26	3 026 436.72		R289	-48 875.31	3 026 612.17			
L290	-48 388.34	3 026 415.05		R290	-48 821.85	3 026 589.66			
L291	-48 337.58	3 026 360.31		R291	-48 609.06	3 026 494.61			
L292	-48 239.18	3 026 247.52		R292	-48 558.23	3 026 467.80			
L293	-48 182.03	3 026 181.80		R293	-48 505.25	3 026 440.14			
L294	-48 164.76	3 026 153.67		R294	-48 451.01	3 026 406.51			
L295	-48 140.05	3 026 121.58		R295	-48 411.38	3 026 372.84			
L296	-48 117.76	3 026 067.67		R296	-48 376.49	3 026 328.94			
L297	-48 099.19	3 026 033.03		R297	-48 279.32	3 026 221.44			
L298	-48 082.17	3 025 976.60		R298	-48 220.17	3 026 154.71			
L299	-48 048.36	3 025 947.20		R299	-48 202.67	3 026 126.98			
L300	-47 992.94	3 025 921.24		R300	-48 190.49	3 026 107.51			
L301	-47 929.61	3 025 889.64		R301	-48 142.21	3 025 997.95			
L302	-47 833.80	3 025 839.93		R302	-48 107.97	3 025 950.54			
L303	-47 673.11	3 025 819.82		R303	-48 067.88	3 025 914.92			
L304	-47 649.27	3 025 816.17		R304	-48 013.30	3 025 886.44			
L305	-47 514.18	3 025 806.59		R305	-47 849.78	3 025 807.05			
L306	-47 444.69	3 025 797.77		R306	-47 818.45	3 025 794.09			
Vel Sheet					21	Van of	26	P814/13	

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 31°			Y	X		
L307	-47 380.88	3 025 777.12		R307	-47 760.43	3 025 771.57			
L308	-47 277.76	3 025 740.35		R308	-47 691.68	3 025 768.18			
L309	-47 228.58	3 025 717.06		R309	-47 659.52	3 025 766.60			
L310	-47 184.58	3 025 706.87		R310	-47 450.87	3 025 766.66			
L311	-47 074.91	3 025 721.90		R311	-47 238.82	3 025 675.49			
L312	-47 013.87	3 025 748.64		R312	-47 186.99	3 025 663.82			
L313	-46 882.26	3 025 774.47		R313	-47 066.46	3 025 685.48			
L314	-46 832.91	3 025 768.53		R314	-47 009.61	3 025 699.31			
L315	-46 771.47	3 025 772.44		R315	-46 915.23	3 025 717.67			
L316	-46 657.77	3 025 760.39		R316	-46 838.96	3 025 735.37			
L317	-46 587.26	3 025 742.19		R317	-46 793.40	3 025 729.17			
L318	-46 460.68	3 025 683.96		R318	-46 703.66	3 025 723.05			
L319	-46 276.28	3 025 563.81		R319	-46 661.16	3 025 719.73			
L320	-46 212.46	3 025 542.66		R320	-46 561.95	3 025 684.74			
L321	-46 202.37	3 025 547.21		R321	-46 488.82	3 025 644.21			
L322	-46 168.31	3 025 523.43		R322	-46 209.30	3 025 479.03			
L323	-46 033.47	3 025 421.17		R323	-46 036.31	3 025 376.03			
L324	-45 960.08	3 025 378.43		R324	-45 987.45	3 025 345.92			
L325	-45 860.98	3 025 308.56		R325	-45 873.16	3 025 260.90			
L326	-45 774.02	3 025 202.13		R326	-45 821.80	3 025 205.35			
L327	-45 749.57	3 025 170.44		R327	-45 765.42	3 025 097.38			
L328	-45 715.57	3 025 107.80		R328	-45 732.95	3 025 055.92			
L329	-45 673.44	3 025 056.01		R329	-45 676.22	3 024 953.29			
L330	-45 657.35	3 025 000.98		R330	-45 615.71	3 024 853.30			
L331	-45 620.77	3 024 936.72		R331	-45 590.14	3 024 819.78			
L332	-45 596.32	3 024 893.34		R332	-45 568.02	3 024 786.56			
L333	-45 553.46	3 024 842.04		R333	-45 542.60	3 024 757.37			
L334	-45 470.42	3 024 760.31		R334	-45 498.36	3 024 723.07			
L335	-45 388.00	3 024 692.77		R335	-45 452.12	3 024 687.60			
L336	-45 349.13	3 024 686.83		R336	-45 406.41	3 024 652.23			
L337	-45 317.38	3 024 643.73		R337	-45 275.42	3 024 551.11			
L338	-45 248.49	3 024 587.08		R338	-45 222.95	3 024 505.55			
L339	-45 201.03	3 024 546.58		R339	-45 036.93	3 024 366.08			
L340	-45 111.58	3 024 478.28		R340	-44 993.69	3 024 327.01			
L341	-45 009.53	3 024 397.59		R341	-44 954.05	3 024 283.89			
L342	-44 962.89	3 024 355.11		R342	-44 924.31	3 024 240.99			
L343	-44 909.26	3 024 296.74		R343	-44 890.02	3 024 187.90			
L344	-44 875.70	3 024 260.00		R344	-44 865.96	3 024 135.87			
L345	-44 850.33	3 024 198.70		R345	-44 845.58	3 024 082.56			
L346	-44 794.30	3 024 054.52		R346	-44 779.57	3 023 917.59			
L347	-44 780.81	3 024 017.82		R347	-44 758.70	3 023 862.71			
L348	-44 744.33	3 023 939.05		R348	-44 717.85	3 023 758.86			
L349	-44 744.75	3 023 932.00		R349	-44 695.69	3 023 703.76			
L350	-44 738.51	3 023 917.14		R350	-44 667.51	3 023 648.17			
L351	-44 713.25	3 023 857.18		R351	-44 635.43	3 023 598.84			
L352	-44 701.73	3 023 834.19		R352	-44 573.96	3 023 531.55			
L353	-44 659.33	3 023 720.30		R353	-44 504.13	3 023 486.27			
L354	-44 641.57	3 023 681.19		R354	-44 358.32	3 023 433.02			
L355	-44 618.02	3 023 640.05		R355	-44 306.71	3 023 433.11			
L356	-44 554.97	3 023 573.64		R356	-44 221.90	3 023 447.54			
L357	-44 469.43	3 023 516.68		R357	-44 196.77	3 023 455.20			
					Vel Sheet	22	Van of	26	P814/13

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 31°			Y	X		
L358	-44 389.59	3 023 478.90		R358	-44 166.01	3 023 472.21			
L359	-44 314.91	3 023 471.80		R359	-44 099.70	3 023 512.31			
L360	-44 253.93	3 023 487.56		R360	-43 985.57	3 023 594.56			
L361	-44 217.51	3 023 495.91		R361	-43 924.26	3 023 630.74			
L362	-44 169.50	3 023 514.01		R362	-43 766.20	3 023 716.37			
L363	-44 111.14	3 023 554.79		R363	-43 611.93	3 023 803.65			
L364	-44 039.89	3 023 606.40		R364	-43 561.34	3 023 820.09			
L365	-43 967.52	3 023 652.54		R365	-43 509.44	3 023 846.95			
L366	-43 929.79	3 023 666.98		R366	-43 467.81	3 023 871.01			
L367	-43 922.65	3 023 685.96		R367	-43 408.14	3 023 884.21			
L368	-43 861.40	3 023 700.70		R368	-43 312.31	3 023 897.37			
L369	-43 766.58	3 023 759.31		R369	-43 261.15	3 023 886.96			
L370	-43 620.77	3 023 841.97		R370	-43 174.63	3 023 880.49			
L371	-43 571.67	3 023 863.57		R371	-43 050.42	3 023 839.02			
L372	-43 540.41	3 023 884.59		R372	-42 968.62	3 023 825.70			
L373	-43 465.59	3 023 913.17		R373	-42 891.77	3 023 824.63			
L374	-43 321.37	3 023 950.84		R374	-42 655.72	3 023 850.58			
L375	-43 259.67	3 023 941.75		R375	-42 593.60	3 023 857.89			
L376	-43 201.96	3 023 930.98		R376	-42 539.29	3 023 859.90			
L377	-43 040.90	3 023 872.63		R377	-42 481.74	3 023 862.34			
L378	-42 994.26	3 023 862.64		R378	-42 421.49	3 023 859.76			
L379	-42 907.91	3 023 853.35		R379	-42 351.66	3 023 853.97			
L380	-42 818.45	3 023 875.38		R380	-42 300.91	3 023 843.45			
L381	-42 658.34	3 023 889.22		R381	-42 251.01	3 023 833.02			
L382	-42 599.19	3 023 894.48		R382	-42 148.23	3 023 798.46			
L383	-42 539.57	3 023 899.18		R383	-42 093.40	3 023 773.42			
L384	-42 479.97	3 023 901.60		R384	-42 042.36	3 023 745.31			
L385	-42 351.42	3 023 891.64		R385	-41 965.53	3 023 695.42			
L386	-42 282.74	3 023 879.78		R386	-41 923.16	3 023 665.81			
L387	-42 234.29	3 023 867.62		R387	-41 737.99	3 023 502.58			
L388	-42 149.14	3 023 839.75		R388	-41 561.24	3 023 345.48			
L389	-42 062.13	3 023 800.31		R389	-41 454.33	3 023 249.61			
L390	-42 021.64	3 023 784.84		R390	-41 346.95	3 023 154.54			
L391	-41 922.79	3 023 723.77		R391	-41 148.16	3 022 974.98			
L392	-41 858.61	3 023 690.61		R392	-41 059.06	3 022 886.77			
L393	-41 710.64	3 023 530.95		R393	-40 821.77	3 022 634.61			
L394	-41 533.62	3 023 373.64		R394	-40 594.08	3 022 392.45			
L395	-41 447.39	3 023 294.89		R395	-40 539.55	3 022 342.86			
L396	-41 317.17	3 023 182.72		R396	-40 485.18	3 022 298.93			
L397	-41 184.27	3 023 066.65		R397	-40 358.26	3 022 216.11			
L398	-41 061.46	3 022 949.77		R398	-40 091.97	3 022 058.22			
L399	-41 040.84	3 022 920.99		R399	-39 753.25	3 021 857.09			
L400	-40 922.41	3 022 793.52		R400	-39 556.74	3 021 740.16			
L401	-40 656.63	3 022 515.02		R401	-39 420.16	3 021 662.97			
L402	-40 577.71	3 022 433.28		R402	-39 387.72	3 021 655.07			
L403	-40 515.19	3 022 376.66		R403	-39 347.28	3 021 633.74			
L404	-40 469.10	3 022 346.49		R404	-39 197.99	3 021 576.45			
L405	-40 356.38	3 022 264.79		R405	-39 137.69	3 021 570.18			
L406	-40 330.02	3 022 241.67		R406	-39 022.41	3 021 537.62			
L407	-40 073.85	3 022 093.82		R407	-38 973.97	3 021 539.16			
L408	-39 816.68	3 021 941.36		R408	-38 873.36	3 021 522.88			
Vel Sheet					23	Van of	26	P814/13	

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 31°		Y		X	
L409	-39 657.79	3	021	857.02	R409	-38 708.14	3	021	489.22
L410	-39 588.32	3	021	799.13	R410	-38 538.77	3	021	441.03
L411	-39 526.81	3	021	764.10	R411	-38 382.69	3	021	361.72
L412	-39 432.98	3	021	709.73	R412	-38 284.82	3	021	292.43
L413	-39 342.94	3	021	669.54	R413	-38 163.23	3	021	202.79
L414	-39 281.55	3	021	647.20	R414	-38 070.65	3	021	137.82
L415	-39 235.07	3	021	630.76	R415	-38 013.32	3	021	102.44
L416	-39 007.74	3	021	591.83	R416	-37 943.25	3	021	077.07
L417	-38 905.83	3	021	570.72	R417	-37 922.67	3	021	072.41
L418	-38 693.88	3	021	528.14	R418	-37 850.80	3	021	060.31
L419	-38 587.63	3	021	496.14	R419	-37 773.13	3	021	052.50
L420	-38 511.27	3	021	478.57	R420	-37 719.73	3	021	051.95
L421	-38 470.43	3	021	456.35	R421	-37 537.34	3	021	068.89
L422	-38 445.02	3	021	445.26	R422	-37 444.14	3	021	068.17
L423	-38 360.97	3	021	409.34	R423	-37 272.12	3	021	052.05
L424	-38 261.05	3	021	321.79	R424	-37 187.84	3	021	026.39
L425	-38 133.48	3	021	238.57	R425	-36 898.82	3	020	912.10
L426	-38 058.70	3	021	179.46	R426	-36 843.71	3	020	888.22
L427	-38 018.36	3	021	157.37	R427	-36 750.41	3	020	832.86
L428	-37 970.78	3	021	136.77	R428	-36 694.71	3	020	793.19
L429	-37 879.77	3	021	117.28	R429	-36 602.12	3	020	715.66
L430	-37 794.01	3	021	093.29	R430	-36 494.77	3	020	610.71
L431	-37 723.19	3	021	094.13	R431	-36 432.55	3	020	555.65
L432	-37 680.09	3	021	095.82	R432	-36 159.11	3	020	380.05
L433	-37 442.10	3	021	107.82	R433	-36 005.71	3	020	299.59
L434	-37 387.64	3	021	109.35	R434	-35 947.09	3	020	275.00
L435	-37 276.68	3	021	094.99	R435	-35 892.24	3	020	253.77
L436	-37 149.37	3	021	053.16	R436	-35 783.20	3	020	227.42
L437	-37 024.05	3	021	019.29	R437	-35 674.72	3	020	229.68
L438	-36 989.11	3	021	011.27	R438	-35 495.90	3	020	239.71
L439	-36 875.57	3	020	944.56	R439	-35 397.72	3	020	242.45
L440	-36 725.57	3	020	866.54	R440	-35 259.65	3	020	186.39
L441	-36 694.30	3	020	848.27	R441	-35 203.42	3	020	123.23
L442	-36 661.37	3	020	828.66	R442	-35 155.76	3	020	083.19
L443	-36 612.94	3	020	784.94	R443	-35 121.14	3	019	998.98
L444	-36 553.78	3	020	733.38	R444	-35 065.20	3	019	833.77
L445	-36 419.23	3	020	597.13	R445	-35 037.55	3	019	781.56
L446	-36 257.88	3	020	507.99	R446	-34 961.19	3	019	692.87
L447	-36 171.89	3	020	448.16	R447	-34 915.33	3	019	662.75
L448	-36 074.45	3	020	395.83	R448	-34 873.81	3	019	611.89
L449	-35 943.62	3	020	327.25	R449	-34 826.74	3	019	502.49
L450	-35 874.07	3	020	298.08	R450	-34 815.40	3	019	458.20
L451	-35 820.75	3	020	273.67	R451	-34 831.62	3	019	249.13
L452	-35 781.34	3	020	264.83	R452	-34 832.07	3	019	156.35
L453	-35 759.22	3	020	261.84	R453	-34 825.01	3	019	096.25
L454	-35 702.89	3	020	263.96	R454	-34 805.66	3	019	041.55
L455	-35 480.88	3	020	281.76	R455	-34 779.37	3	018	989.81
L456	-35 388.68	3	020	278.85	R456	-34 752.12	3	018	950.55
L457	-35 302.86	3	020	246.66	R457	-34 639.72	3	018	808.96
L458	-35 219.44	3	020	199.66	R458	-34 612.08	3	018	772.01
L459	-35 140.15	3	020	133.01	R459	-34 583.93	3	018	694.23
					Vel	24	Van	26	P814/13
					Sheet		of		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 31°			Y	X		
L460	-35 104.20	3 020	070.97	R460	-34 569.46	3 018	663.56		
L461	-35 054.03	3 019	905.69	R461	-34 528.30	3 018	576.27		
L462	-34 997.60	3 019	798.19	R462	-34 521.27	3 018	470.70		
L463	-34 900.44	3 019	708.22	R463	-34 504.24	3 018	393.89		
L464	-34 809.90	3 019	596.97	R464	-34 470.68	3 018	313.73		
L465	-34 779.38	3 019	450.75	R465	-34 413.34	3 018	238.75		
L466	-34 794.59	3 019	244.97	R466	-34 341.36	3 018	178.32		
L467	-34 798.05	3 019	207.21	R467	-34 294.40	3 018	151.99		
L468	-34 798.08	3 019	184.42	R468	-34 256.07	3 018	135.93		
L469	-34 784.34	3 019	101.91	R469	-34 203.26	3 018	117.17		
L470	-34 766.49	3 019	044.47	R470	-33 857.79	3 018	003.36		
L471	-34 582.25	3 018	795.14	R471	-33 731.23	3 017	962.55		
L472	-34 537.87	3 018	727.27	R472	-33 568.82	3 017	883.83		
L473	-34 529.12	3 018	713.89	R473	-33 457.89	3 017	802.90		
L474	-34 497.84	3 018	620.83	R474	-33 376.84	3 017	730.83		
L475	-34 482.79	3 018	491.34	R475	-33 297.60	3 017	652.80		
L476	-34 463.46	3 018	393.35	R476	-33 202.38	3 017	573.87		
L477	-34 451.40	3 018	361.58	R477	-33 145.57	3 017	527.64		
L478	-34 435.69	3 018	331.50	R478	-33 091.33	3 017	507.86		
L479	-34 395.29	3 018	271.76	R479	-33 021.99	3 017	455.11		
L480	-34 336.91	3 018	221.92	R480	-32 472.67	3 017	142.51		
L481	-34 243.82	3 018	174.58	R481	-32 371.74	3 017	090.60		
L482	-34 038.63	3 018	105.93	R482	-32 249.02	3 017	054.04		
L483	-33 842.38	3 018	034.43	R483	-32 119.72	3 017	023.96		
L484	-33 723.04	3 017	993.31	R484	-32 015.23	3 016	994.34		
L485	-33 621.70	3 017	950.18	R485	-31 915.51	3 016	954.22		
L486	-33 525.86	3 017	897.13	R486	-31 819.67	3 016	903.17		
L487	-33 434.37	3 017	832.49	R487	-31 729.82	3 016	842.23		
L488	-33 352.02	3 017	758.85	R488	-31 437.59	3 016	628.77		
L489	-33 202.95	3 017	621.19	R489	-31 426.19	3 016	620.43		
L490	-33 119.83	3 017	569.76	R490	-31 164.09	3 016	438.66		
L491	-33 088.27	3 017	550.39	R491	-31 062.00	3 016	395.81		
L492	-33 025.02	3 017	512.22	R492	-30 953.42	3 016	371.98		
L493	-32 737.56	3 017	349.10	R493	-30 861.36	3 016	366.76		
L494	-32 691.48	3 017	326.11	R494	-30 840.76	3 016	367.19		
L495	-32 650.65	3 017	290.40	R495	-30 563.82	3 016	388.87		
L496	-32 572.80	3 017	244.97	R496	-30 267.30	3 016	412.07		
L497	-32 453.95	3 017	175.05	R497	-30 210.30	3 016	414.45		
L498	-32 361.24	3 017	128.54	R498	-30 195.39	3 016	415.08		
L499	-32 308.27	3 017	109.04	R499	-30 125.81	3 016	412.06		
L500	-32 240.67	3 017	090.47	R500	-30 054.00	3 016	402.82		
L501	-32 112.56	3 017	060.87	R501	-29 987.67	3 016	388.56		
L502	-32 002.38	3 017	029.71	R502	-29 871.43	3 016	357.55		
L503	-31 899.20	3 016	988.19	R503	-29 806.80	3 016	340.32		
L504	-31 800.99	3 016	935.76	R504	-29 743.05	3 016	323.65		
L505	-31 709.68	3 016	874.22	R505	-28 356.93	3 015	956.19		
L506	-31 415.71	3 016	659.57	R506	-27 518.93	3 015	734.36		
L507	-31 411.87	3 016	656.76	R507	-27 268.79	3 015	667.72		
L508	-31 237.50	3 016	529.14	R508	-27 110.72	3 015	624.05		
L509	-31 148.41	3 016	472.82	R509	-27 043.01	3 015	599.40		
L510	-31 050.87	3 016	431.81	R510	-26 968.09	3 015	563.91		
					Vel Sheet	25	Van of	26	P814/13

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 31°		Y	X
L511	-30 946.46	3 016 408.93		R511	-26 591.53	3 015 325.72
L512	-30 869.93	3 016 403.94				
L513	-30 844.20	3 016 404.36				
L514	-30 662.60	3 016 418.62				
L515	-30 535.38	3 016 428.58				
L516	-30 371.05	3 016 441.44				
L517	-30 266.76	3 016 449.61				
L518	-30 117.42	3 016 447.09				
L519	-30 047.69	3 016 439.79				
L520	-29 975.05	3 016 424.03				
L521	-29 743.98	3 016 362.62				
L522	-29 307.23	3 016 244.83				
L523	-28 998.07	3 016 165.11				
L524	-28 586.16	3 016 053.24				
L525	-28 326.71	3 015 991.13				
L526	-28 293.22	3 015 983.11				
L527	-27 874.95	3 015 864.84				
L528	-27 529.81	3 015 774.29				
L529	-27 493.08	3 015 764.41				
L530	-27 261.98	3 015 702.27				
L531	-27 112.08	3 015 666.72				
L532	-27 040.53	3 015 638.94				
L533	-26 955.06	3 015 599.75				
L534	-26 875.99	3 015 550.46				
L535	-26 778.85	3 015 493.97				
L536	-26 635.86	3 015 399.19				
L537	-26 566.86	3 015 354.81				
				Vel	26	Van 26
				Sheet		of
				P814/13		