

DEPARTMENT OF TRANSPORT

NO. 1310

26 OCTOBER 2016

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD N3 SECTION 11

AMENDMENT OF DECLARATION No. 750 OF 2007.

By virtue of section 40(1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 750 of 2007 by substituting it in its entirety with the accompanying sheets 1 to 15 of Plan No. P829/14.

(National Road N3 Section 11: Malanskraal – Tamboekiesfontein)


MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 1310

26 OKTOBER 2016

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**

Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD N3 SEKSIE 11


WYSIGING VAN VERKLARING No. 750 VAN 2007.

Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 750 van 2007 deur dit in sy geheel te vervang met bygaande velle 1 tot 15 van Plan No. P829/14.


(Nasionale Pad N3 Seksie 11: Malanskraal – Tamboekiesfontein)


MINISTER VAN VERVOER











Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown		stelt die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	N3 Section	11	Vel Sheet 4 of 15 Plan 829/14
--	---------------------------------------	--	---	---------------	----	-------------------------------------



Die Suid Afrikaanse Nasionale Podagmentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown	steldie podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N3 Sektie 11 of National Route	Vel Sheet 5 of 15 Plan 829/14
---	---------------------------------------	--	-------------------------------------



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited


Die figuur getoon
The figure shown



stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
of Nasionale Roete N3
of National Route

11

Vel
Sheet 6 of 15
Plan 829/14




Die Suid Afrikaanse Nasionale Podagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



steldie podreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N3 Sektie
of National Route 11

Vel Sheet 7 of 15
Plan 829/14




Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N3
of National Route

Vel
Sheet 8 of 15
Plan 829/14



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown

steeldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N3
of National Route N3

Vel
Sheet 9 of 15
Plan 829/14



PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 29°			Y	X		
L1	60 364.25	2 952 204.80		R1	60 324.75	2 952 041.33			
L2	60 434.52	2 951 946.51		R2	60 514.36	2 951 347.49			
L3	60 456.67	2 951 872.26		R3	60 558.52	2 951 183.85			
L4	60 562.00	2 951 492.39		R4	60 589.58	2 951 071.41			
L5	60 626.09	2 951 242.02		R5	60 615.41	2 950 972.54			
L6	60 666.96	2 951 094.46		R6	60 649.90	2 950 775.10			
L7	60 694.50	2 950 993.02		R7	60 679.27	2 950 632.65			
L8	60 712.35	2 950 919.55		R8	60 679.89	2 950 533.87			
L9	60 729.66	2 950 844.71		R9	60 729.41	2 950 354.11			
L10	60 754.24	2 950 733.52		R10	60 747.89	2 950 173.36			
L11	60 770.33	2 950 653.16		R11	60 761.52	2 949 971.05			
L12	60 836.61	2 950 586.75		R12	60 763.75	2 949 870.39			
L13	60 853.09	2 950 462.41		R13	60 771.46	2 949 511.20			
L14	60 814.20	2 950 475.51		R14	60 779.29	2 949 153.88			
L15	60 806.80	2 950 395.07		R15	60 798.16	2 948 260.21			
L16	60 808.00	2 950 385.11		R16	60 805.62	2 947 900.11			
L17	60 829.10	2 950 180.59		R17	60 810.90	2 947 661.54			
L18	60 835.77	2 950 103.06		R18	60 811.39	2 947 636.59			
L19	60 845.89	2 949 922.50		R19	60 812.01	2 947 605.53			
L20	60 846.92	2 949 713.62		R20	60 815.84	2 947 411.55			
L21	60 854.16	2 949 400.85		R21	60 822.55	2 947 091.51			
L22	60 857.65	2 949 244.51		R22	60 824.46	2 946 991.47			
L23	60 861.10	2 949 090.15		R23	60 825.93	2 946 912.47			
L24	60 866.86	2 948 777.40		R24	60 830.28	2 946 728.80			
L25	60 868.98	2 948 673.75		R25	60 834.52	2 946 447.58			
L26	60 876.61	2 948 313.82		R26	60 838.23	2 946 309.04			
L27	60 885.15	2 947 913.11		R27	60 848.44	2 945 934.93			
L28	60 887.25	2 947 811.87		R28	60 851.60	2 945 780.00			
L29	60 889.38	2 947 713.27		R29	60 853.34	2 945 509.18			
L30	60 889.90	2 947 693.70		R30	60 851.96	2 945 349.44			
L31	60 891.84	2 947 673.79		R31	60 850.21	2 945 250.65			
L32	60 896.43	2 947 626.60		R32	60 839.20	2 945 041.80			
L33	60 897.88	2 947 611.68		R33	60 836.81	2 944 848.66			
L34	60 899.06	2 947 513.93		R34	60 825.85	2 944 608.40			
L35	60 904.14	2 947 106.94		R35	60 808.97	2 944 311.49			
L36	60 908.36	2 946 814.36		R36	60 787.38	2 944 099.67			
L37	60 920.55	2 946 713.72		R37	60 770.61	2 944 020.62			
L38	60 921.61	2 946 665.65		R38	60 742.84	2 943 951.06			
L39	60 924.59	2 946 529.52		R39	60 706.04	2 943 873.89			
L40	60 930.17	2 946 483.23		R40	60 687.43	2 943 814.21			
L41	60 941.64	2 946 414.84		R41	60 685.75	2 943 753.21			
L42	60 944.38	2 946 365.88		R42	60 680.14	2 943 723.70			
L43	60 945.80	2 946 232.25		R43	60 690.65	2 943 686.10			
L44	60 953.19	2 946 140.94		R44	60 708.08	2 943 658.71			
L45	60 932.31	2 946 045.60		R45	60 739.47	2 943 545.95			
L46	60 924.99	2 945 935.71		R46	60 753.68	2 943 410.97			
L47	60 930.74	2 945 780.69		R47	60 759.55	2 943 201.66			
L48	60 932.26	2 945 508.36		R48	60 750.62	2 942 941.56			
L49	60 930.85	2 945 348.68		R49	60 746.60	2 942 824.79			
L50	60 929.22	2 945 247.88		R50	60 741.01	2 942 768.70			
L51	60 922.29	2 945 038.17		R51	60 737.47	2 942 733.16			
					Vel Sheet	11	Van 15 of	P829/14	

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°		Y	X
L52	60 915.91	2 944 844.88		R52	60 726.68	2 942 502.00
L53	60 891.80	2 944 350.48		R53	60 539.75	2 942 514.46
L54	60 895.08	2 944 086.72		R54	60 565.09	2 942 245.05
L55	60 903.06	2 943 993.36		R55	60 590.41	2 942 244.63
L56	60 923.68	2 943 904.35		R56	60 621.66	2 941 912.64
L57	60 942.39	2 943 841.42		R57	60 630.62	2 941 922.49
L58	60 966.71	2 943 810.46		R58	60 686.82	2 941 919.93
L59	60 978.40	2 943 772.30		R59	60 681.25	2 941 799.66
L60	60 965.27	2 943 731.57		R60	60 682.20	2 941 720.22
L61	60 961.77	2 943 676.74		R61	60 681.68	2 941 538.59
L62	60 936.12	2 943 607.05		R62	60 675.32	2 941 402.26
L63	60 907.14	2 943 547.21		R63	60 639.81	2 940 640.01
L64	60 865.97	2 943 400.60		R64	60 600.46	2 939 797.53
L65	60 834.03	2 942 937.38		R65	60 600.09	2 939 770.24
L66	60 825.50	2 942 813.57		R66	60 599.22	2 939 707.14
L67	60 821.89	2 942 775.91		R67	60 606.48	2 939 616.92
L68	60 817.72	2 942 460.41		R68	60 622.08	2 939 527.69
L69	60 812.03	2 942 337.94		R69	60 645.94	2 939 440.18
L70	60 812.98	2 942 336.90		R70	60 710.95	2 939 230.01
L71	60 893.80	2 942 332.74		R71	60 737.09	2 939 116.99
L72	60 895.79	2 942 332.29		R72	60 735.85	2 939 071.20
L73	60 918.39	2 942 321.85		R73	60 723.38	2 939 025.19
L74	60 919.75	2 942 320.30		R74	60 708.43	2 939 017.59
L75	60 928.72	2 942 296.02		R75	60 571.69	2 939 101.02
L76	60 929.11	2 942 294.02		R76	60 563.11	2 939 106.25
L77	60 927.76	2 942 266.96		R77	60 415.53	2 939 196.25
L78	60 936.92	2 942 256.90		R78	60 411.55	2 939 189.73
L79	60 936.47	2 942 238.86		R79	60 395.82	2 939 163.93
L80	60 926.00	2 942 228.88		R80	60 543.52	2 939 074.12
L81	60 918.43	2 942 067.31		R81	60 584.29	2 939 049.24
L82	60 868.80	2 941 977.51		R82	60 702.02	2 938 973.64
L83	60 794.11	2 941 977.79		R83	60 714.85	2 938 953.04
L84	60 793.00	2 941 976.68		R84	60 707.83	2 938 882.52
L85	60 790.45	2 941 955.76		R85	60 704.58	2 938 848.85
L86	60 781.68	2 941 889.68		R86	60 719.74	2 938 789.62
L87	60 772.93	2 941 776.75		R87	60 755.98	2 938 737.53
L88	60 759.86	2 941 494.67		R88	60 861.72	2 938 644.48
L89	60 717.08	2 940 579.09		R89	60 906.04	2 938 595.08
L90	60 680.39	2 939 793.82		R90	60 940.00	2 938 542.16
L91	60 680.39	2 939 790.48		R91	61 008.11	2 938 380.96
L92	60 680.32	2 939 710.86		R92	61 011.35	2 938 373.25
L93	60 688.02	2 939 628.38		R93	61 089.34	2 938 142.22
L94	60 703.34	2 939 546.88		R94	61 117.36	2 938 039.04
L95	60 726.17	2 939 467.22		R95	61 119.18	2 938 032.37
L96	60 804.21	2 939 268.50		R96	61 123.11	2 938 017.98
L97	60 851.88	2 939 188.07		R97	61 129.37	2 937 994.92
L98	61 025.06	2 939 021.32		R98	61 185.37	2 937 852.92
L99	61 054.32	2 938 934.64		R99	61 202.13	2 937 802.80
L100	61 036.69	2 938 834.55		R100	61 220.71	2 937 747.61
L101	61 047.03	2 938 811.50		R101	61 282.69	2 937 564.06
L102	61 242.71	2 938 692.86		R102	61 276.45	2 937 542.68
				Vel Sheet	12 Van 15 of	P829/14

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L103	61 261.28	2	938 681.69		R103	61 272.29	2	937 528.43	
L104	61 241.37	2	938 648.59		R104	61 365.90	2	937 254.18	
L105	61 099.47	2	938 735.19		R105	61 385.58	2	937 196.54	
L106	61 042.63	2	938 765.03		R106	61 390.16	2	937 101.86	
L107	61 032.35	2	938 761.39		R107	61 384.06	2	937 007.07	
L108	61 037.86	2	938 685.24		R108	61 367.67	2	936 913.44	
L109	61 042.77	2	938 608.96		R109	61 138.02	2	935 929.36	
L110	61 054.03	2	938 558.91		R110	61 114.74	2	935 829.71	
L111	61 076.45	2	938 459.54		R111	61 104.84	2	935 787.26	
L112	61 241.42	2	937 970.53		R112	61 100.58	2	935 768.86	
L113	61 255.10	2	937 930.15		R113	61 090.01	2	935 723.77	
L114	61 324.50	2	937 724.18		R114	61 023.53	2	935 438.61	
L115	61 337.93	2	937 684.34		R115	60 994.18	2	935 312.87	
L116	61 349.34	2	937 650.87		R116	60 940.10	2	935 080.87	
L117	61 396.72	2	937 489.83		R117	60 884.58	2	934 842.71	
L118	61 421.14	2	937 407.32		R118	60 844.03	2	934 668.80	
L119	61 449.20	2	937 306.88		R119	60 834.25	2	934 623.03	
L120	61 458.49	2	937 254.11		R120	60 825.62	2	934 558.95	
L121	61 464.06	2	937 205.12		R121	60 821.30	2	934 494.45	
L122	61 465.42	2	937 196.19		R122	60 820.96	2	934 429.75	
L123	61 470.11	2	937 101.28		R123	60 826.10	2	934 365.46	
L124	61 463.58	2	936 997.62		R124	60 834.98	2	934 301.52	
L125	61 445.56	2	936 895.24		R125	60 849.23	2	934 238.90	
L126	61 433.36	2	936 842.97		R126	60 867.37	2	934 177.21	
L127	61 233.67	2	935 987.27		R127	60 888.86	2	934 116.98	
L128	61 174.77	2	935 734.96		R128	60 908.74	2	934 070.17	
L129	61 164.89	2	935 692.63		R129	61 027.49	2	933 793.12	
L130	61 158.75	2	935 666.13		R130	61 451.33	2	932 804.19	
L131	61 089.79	2	935 370.44		R131	61 466.30	2	932 769.29	
L132	61 060.17	2	935 243.60		R132	61 598.16	2	932 462.01	
L133	61 006.84	2	935 014.93		R133	61 614.04	2	932 402.50	
L134	60 949.28	2	934 768.05		R134	61 650.06	2	932 318.48	
L135	60 913.42	2	934 608.72		R135	61 672.47	2	932 277.55	
L136	60 904.34	2	934 549.94		R136	61 689.79	2	932 245.93	
L137	60 899.20	2	934 490.70		R137	61 694.24	2	932 237.80	
L138	60 897.72	2	934 431.27		R138	61 765.32	2	932 072.01	
L139	60 900.24	2	934 371.69		R139	61 792.07	2	932 010.88	
L140	60 906.70	2	934 312.56		R140	61 821.58	2	931 954.05	
L141	60 917.66	2	934 254.19		R141	61 855.26	2	931 899.35	
L142	60 932.06	2	934 196.15		R142	61 892.95	2	931 847.31	
L143	60 950.47	2	934 139.45		R143	61 933.86	2	931 797.58	
L144	60 967.05	2	934 095.13		R144	61 977.84	2	931 750.43	
L145	61 075.78	2	933 841.46		R145	62 025.68	2	931 707.38	
L146	61 511.25	2	932 825.40		R146	62 075.01	2	931 668.15	
L147	61 526.16	2	932 790.56		R147	62 122.43	2	931 629.77	
L148	61 656.34	2	932 486.98		R148	62 168.77	2	931 589.94	
L149	61 689.62	2	932 434.91		R149	62 213.19	2	931 547.76	
L150	61 725.72	2	932 350.93		R150	62 256.68	2	931 504.44	
L151	61 733.81	2	932 324.27		R151	62 298.30	2	931 458.63	
L152	61 744.76	2	932 288.27		R152	62 330.41	2	931 420.63	
L153	61 752.49	2	932 262.82		R153	62 365.59	2	931 378.33	
					Vel Sheet	13	Van 15 of	P829/14	

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L154	61 823.62	2	932	097.01	R154	62 344.86	2	931	352.17
L155	61 850.12	2	932	040.72	R155	62 218.08	2	931	275.06
L156	61 879.05	2	931	988.57	R156	62 192.42	2	931	259.53
L157	61 912.34	2	931	939.09	R157	62 225.43	2	931	204.87
L158	61 949.35	2	931	892.45	R158	62 263.16	2	931	227.38
L159	61 988.80	2	931	847.83	R159	62 301.33	2	931	248.03
L160	62 030.71	2	931	805.75	R160	62 314.60	2	931	238.67
L161	62 076.20	2	931	767.56	R161	62 315.27	2	931	255.59
L162	62 124.02	2	931	731.23	R162	62 428.94	2	931	323.89
L163	62 247.61	2	931	641.89	R163	62 443.77	2	931	324.13
L164	62 298.38	2	931	607.89	R164	62 527.72	2	931	277.34
L165	62 350.84	2	931	576.08	R165	62 645.94	2	931	210.54
L166	62 404.62	2	931	545.92	R166	62 698.07	2	931	178.28
L167	62 481.94	2	931	505.12	R167	62 748.71	2	931	144.06
L168	62 535.81	2	931	476.69	R168	62 797.83	2	931	107.87
L169	62 557.46	2	931	474.99	R169	63 049.11	2	930	919.94
L170	62 707.00	2	931	555.24	R170	63 188.38	2	930	815.79
L171	62 739.12	2	931	495.75	R171	63 891.39	2	930	270.46
L172	62 614.24	2	931	432.88	R172	63 982.70	2	930	200.05
L173	62 611.01	2	931	414.81	R173	64 076.85	2	930	123.14
L174	62 671.51	2	931	350.25	R174	64 733.28	2	929	578.43
L175	62 716.84	2	931	301.82	R175	65 051.06	2	929	305.15
L176	62 759.33	2	931	257.30	R176	65 149.69	2	929	220.85
L177	62 803.83	2	931	215.13	R177	65 202.52	2	929	163.07
L178	62 849.53	2	931	174.65	R178	65 268.76	2	929	071.04
L179	62 896.53	2	931	135.79	R179	65 288.66	2	929	032.19
L180	63 095.09	2	930	975.30	R180	65 325.05	2	928	961.18
L181	63 299.56	2	930	810.04	R181	65 388.01	2	928	815.45
L182	63 930.46	2	930	320.78	R182	65 426.62	2	928	763.28
L183	64 021.69	2	930	248.65	R183	65 472.76	2	928	724.29
L184	64 116.72	2	930	171.24	R184	65 499.06	2	928	644.52
L185	64 781.59	2	929	619.94	R185	65 483.03	2	928	552.64
L186	64 964.43	2	929	468.40	R186	65 446.42	2	928	460.99
L187	65 047.86	2	929	406.00	R187	65 435.56	2	928	433.99
L188	65 142.97	2	929	336.97	R188	65 438.87	2	928	432.72
L189	65 256.81	2	929	228.55	R189	65 470.68	2	928	420.05
L190	65 405.48	2	929	113.80	R190	65 493.78	2	928	410.97
L191	65 424.29	2	929	099.28	R191	65 507.86	2	928	446.62
L192	65 639.10	2	928	966.28	R192	65 574.29	2	928	615.16
L193	65 673.38	2	929	067.09	R193	65 603.91	2	928	628.28
L194	65 705.09	2	929	120.47	R194	65 625.48	2	928	690.19
L195	65 736.94	2	929	201.59	R195	65 676.15	2	928	822.90
L196	65 759.76	2	929	259.82	R196	65 725.76	2	928	792.26
L197	65 802.86	2	929	226.80	R197	65 759.64	2	928	762.32
L198	65 810.40	2	929	220.25	R198	65 791.47	2	928	751.08
L199	65 798.00	2	929	185.08	R199	66 032.60	2	928	563.42
L200	65 762.74	2	929	095.38	R200	66 239.54	2	928	433.61
L201	65 910.24	2	929	007.20	R201	66 536.17	2	928	220.79
L202	65 928.64	2	928	957.32	R202	66 677.57	2	928	101.01
L203	65 963.99	2	928	896.25	R203	66 685.06	2	928	093.64
L204	66 034.77	2	928	745.66	R204	67 936.12	2	926	855.65
					Vel	14	Van 15	P829/14	
					Sheet		of		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°		Y	X
L205	66 101.31	2 928 649.05		R205	68 197.85	2 926 596.60
L206	66 196.26	2 928 561.47		R206	68 456.51	2 926 340.66
L207	66 209.76	2 928 549.13		R207	68 710.34	2 926 129.48
L208	66 653.20	2 928 214.33		R208	68 742.05	2 926 103.14
L209	66 670.02	2 928 197.69		R209	71 729.39	2 923 620.47
L210	67 761.52	2 927 117.91		R210	72 046.25	2 923 345.65
L211	68 210.47	2 926 673.51		R211	72 084.62	2 923 276.34
L212	68 451.29	2 926 435.27		R212	72 092.94	2 923 093.94
L213	68 567.00	2 926 331.48		R213	72 007.71	2 922 966.94
L214	68 771.56	2 926 161.47		R214	72 157.05	2 922 843.17
L215	68 803.33	2 926 135.07		R215	72 254.31	2 922 960.21
L216	69 618.29	2 925 457.85		R216	72 441.99	2 922 960.51
L217	71 875.52	2 923 581.45		R217	72 539.52	2 922 929.11
L218	72 040.21	2 923 462.36		R218	72 709.46	2 922 805.94
L219	72 159.58	2 923 432.44		R219	72 978.94	2 922 582.02
L220	72 339.41	2 923 454.70		R220	73 121.30	2 922 463.64
L221	72 386.69	2 923 446.49		R221	73 455.04	2 922 067.86
L222	72 540.61	2 923 567.78		R222	73 791.27	2 921 485.50
L223	72 604.27	2 923 496.32		R223	74 627.57	2 920 036.96
L224	72 662.38	2 923 431.03		R224	74 735.63	2 919 849.80
L225	72 533.94	2 923 323.07		R225	74 741.52	2 919 839.66
L226	72 542.72	2 923 270.95		R226	75 061.57	2 919 285.33
L227	72 543.66	2 923 146.53		R227	75 250.00	2 918 959.24
L228	72 653.69	2 922 946.01		R228	75 280.40	2 918 906.58
L229	72 721.23	2 922 886.93		R229	75 375.18	2 918 742.17
L230	72 719.15	2 922 880.16				
L231	73 019.37	2 922 630.60				
L232	73 373.03	2 922 337.14				
L233	73 826.42	2 921 551.82				
L234	74 616.91	2 920 182.58				
L235	74 785.67	2 919 890.27				
L236	74 791.74	2 919 879.90				
L237	75 113.81	2 919 322.25				
L238	75 297.75	2 919 003.75				
L239	75 334.79	2 918 939.59				
L240	75 428.95	2 918 776.26				
				Vel Sheet	15 Van 15 of	P829/14