

DEPARTMENT OF TRANSPORT

NO. 1145

27 OCTOBER 2017

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD N3 SECTION 7X

AMENDMENT OF DECLARATION NO. 748 OF 2007.

By virtue of section 40(1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 748 of 2007 by substituting it in its entirety, with the accompanying sheets 1 to 23 of Plan No. P801/11.

(National Road N3 Section 7X: Van Reenen – Meul River)


MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 1145

27 OKTOBER 2017

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**

Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD N3 SEKSIE 7X

WYSIGING VAN VERKLARING NO. 748 VAN 2007


Kragtens Artikel 40(1)(b) van die Wet op die Suid Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, 1998 (Wet no.7 van 1998), wysig ek hiermee Verklaring No. 748 van 2007 deur dit in sy geheel, te vervang met meegaande velle 1 tot 23 van Plan no. P801/11.

(Nasionale Pad N3 Seksie 7X: Van Reenen – Meul River)


MINISTER VAN VERVOER



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	Vel Sheet	1 of	23
The South African National Roads Agency SOC Ltd	The figure shown			7X	Plan	P801/11



Val
Sheet 2 of 23
Plan P801/11


7X
Seksie
Section

stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N3
of National Route




Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd



Die Suid Afrikaanse Nasionale Podagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N3 Sektie 7X Section of National Route	Vel Sheet 3 of 23 Plan P801/11
---	---------------------------------------	---	--------------------------------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Die figuur getoon
The figure shown



steldie podreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N3 Seksie
of National Route N3 Section

Vel
Sheet 4 of 23
Plan P801/11




Die Suid Afrikaanse Nasionale Podagogskap MSB Bpk
The South African National Roads Agency SOC Ltd


Die figuur getoon


steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N3 Seksie
of National Route Section


Vel Sheet 5 of 23

Plan P801/11










Vel
Sheet 9 of 23
Plan P801/11


stel die podreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N3 Seksie
of National Route Section 7X




Die figuur getoon
The figure shown


Die Suid Afrikaanse Nasionale Podagentskap MSB Bpk
The South African National Roads Agency SOC Ltd






Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		steldie podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N3 of National Route	Vel Sheet	11 of	23
The South African National Roads Agency SOC Ltd	The figure shown			7X	Plan	P801/11



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N3 of National Route	Vel Sheet 12 of 23 Plan P801/11
---	---------------------------------------	---	--	---



Vel
Sheet 13 of 23


Plan
P801/11


stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N3 Seksie
of National Route Section




Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 steldie podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N3 of National Route	Vel Sheet 14 of 23 Plan P801/11
---	---------------------------------------	---	---------------------------------------



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	N3	7X	Vel Sheet 15 of 23 Plan P801/11
---	---------------------------------------	--	---	----	----	---------------------------------------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES										
LINKERKANT/LEFT HAND SIDE						REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 29°				Y	X		
L1	-36 583.40	3 139 733.77	1			1	-36 615.61	3 139 702.71		
L2	-36 537.61	3 139 709.74	2			2	-36 570.06	3 139 686.73		
L3	-36 505.64	3 139 716.98	3			3	-36 560.83	3 139 683.23		
L4	-36 470.92	3 139 703.04	4			4	-36 550.54	3 139 679.33		
L5	-36 419.06	3 139 678.11	5			5	-36 467.84	3 139 650.32		
L6	-36 077.72	3 139 552.44	6			6	-36 430.54	3 139 637.24		
L7	-35 604.45	3 139 388.00	7			7	-36 311.40	3 139 593.56		
L8	-35 406.68	3 139 319.31	8			8	-36 292.94	3 139 586.73		
L9	-35 123.91	3 139 210.59	9			9	-36 065.20	3 139 502.50		
L10	-35 034.24	3 139 174.62	10			10	-35 951.67	3 139 461.49		
L11	-34 982.31	3 139 161.28	11			11	-35 637.09	3 139 340.96		
L12	-34 887.00	3 139 136.78	12			12	-35 497.30	3 139 290.56		
L13	-34 804.35	3 139 126.63	13			13	-35 018.92	3 139 117.05		
L14	-34 774.06	3 139 127.23	14			14	-35 017.56	3 139 116.82		
L15	-34 675.90	3 139 129.02	15			15	-34 848.24	3 139 088.75		
L16	-34 550.71	3 139 126.05	16			16	-34 806.83	3 139 084.97		
L17	-34 333.07	3 139 124.49	17			17	-34 596.75	3 139 078.73		
L18	-34 239.95	3 139 126.74	18			18	-34 529.61	3 139 078.23		
L19	-34 113.41	3 139 132.41	19			19	-34 449.16	3 139 083.59		
L20	-34 072.67	3 139 133.19	20			20	-34 249.54	3 139 083.97		
L21	-34 025.03	3 139 134.11	21			21	-34 052.67	3 139 084.11		
L22	-33 885.43	3 139 128.12	22			22	-34 052.07	3 139 084.11		
L23	-33 601.05	3 139 128.33	23			23	-33 886.17	3 139 084.30		
L24	-33 531.23	3 139 130.48	24			24	-33 684.38	3 139 084.89		
L25	-33 432.96	3 139 149.77	25			25	-33 529.63	3 139 087.45		
L26	-33 350.07	3 139 192.17	26			26	-33 477.86	3 139 093.64		
L27	-33 307.03	3 139 218.05	27			27	-33 408.31	3 139 112.72		
L28	-33 228.40	3 139 285.47	28			28	-33 355.95	3 139 133.26		
L29	-33 129.52	3 139 431.51	29			29	-33 295.68	3 139 168.02		
L30	-33 050.19	3 139 540.93	30			30	-33 281.32	3 139 179.51		
L31	-32 993.68	3 139 626.75	31			31	-33 240.95	3 139 211.44		
L32	-32 969.54	3 139 670.76	32			32	-33 200.00	3 139 254.00		
L33	-32 946.63	3 139 705.55	33			33	-33 188.04	3 139 268.79		
L34	-32 867.16	3 139 817.59	34			34	-33 170.02	3 139 291.14		
L35	-32 819.22	3 139 885.16	35			35	-33 089.94	3 139 409.43		
L36	-32 795.81	3 139 928.92	36			36	-32 988.35	3 139 561.74		
L37	-32 770.61	3 139 964.81	37			37	-32 942.71	3 139 629.74		
L38	-32 737.93	3 140 000.34	38			38	-32 844.99	3 139 776.06		
L39	-32 671.50	3 140 057.69	39			39	-32 769.10	3 139 889.66		
L40	-32 599.53	3 140 106.93	40			40	-32 737.48	3 139 932.50		
L41	-32 478.14	3 140 153.32	41			41	-32 712.00	3 139 961.62		
L42	-32 434.43	3 140 163.87	42			42	-32 691.91	3 139 982.28		
L43	-32 391.36	3 140 168.59	43			43	-32 670.05	3 140 002.18		
L44	-32 346.02	3 140 168.91	44			44	-32 643.31	3 140 024.06		
L45	-32 263.54	3 140 159.16	45			45	-32 575.73	3 140 066.54		
L46	-32 205.84	3 140 146.36	46			46	-32 502.92	3 140 098.44		
L47	-32 193.36	3 140 166.97	47			47	-32 464.23	3 140 110.55		
L48	-32 120.58	3 140 125.79	48			48	-32 414.52	3 140 120.34		
L49	-31 998.61	3 140 072.04	49			49	-32 354.11	3 140 124.29		
L50	-31 859.71	3 140 004.84	50			50	-32 298.92	3 140 122.12		
L51	-31 856.73	3 140 003.40	51			51	-32 226.18	3 140 108.07		
						Vel Sheet 16 of Van 23 P801/11				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG	29°		Y	X		
L52	-31 844.90	3 140 002.88			R52	-32 150.25	3 140 081.55		
L53	-31 837.63	3 139 999.41			R53	-32 078.14	3 140 047.95		
L54	-31 829.83	3 139 990.41			R54	-31 906.47	3 139 967.08		
L55	-31 800.45	3 139 976.60			R55	-31 750.90	3 139 893.79		
L56	-31 706.78	3 139 932.54			R56	-31 424.01	3 139 739.44		
L57	-31 415.35	3 139 792.94			R57	-31 315.21	3 139 688.08		
L58	-31 360.60	3 139 757.88			R58	-31 205.80	3 139 636.69		
L59	-31 236.80	3 139 698.96			R59	-31 137.15	3 139 594.44		
L60	-31 111.83	3 139 638.64			R60	-31 070.01	3 139 553.15		
L61	-31 011.23	3 139 571.80			R61	-30 915.19	3 139 429.50		
L62	-30 949.65	3 139 519.19			R62	-30 787.42	3 139 328.04		
L63	-30 887.62	3 139 462.70			R63	-30 671.46	3 139 266.92		
L64	-30 831.04	3 139 415.53			R64	-30 620.24	3 139 240.25		
L65	-30 768.83	3 139 369.39			R65	-30 571.63	3 139 214.35		
L66	-30 696.71	3 139 325.57			R66	-30 492.83	3 139 193.37		
L67	-30 657.37	3 139 304.15			R67	-30 393.83	3 139 171.53		
L68	-30 592.65	3 139 278.53			R68	-30 214.56	3 139 145.43		
L69	-30 492.56	3 139 244.97			R69	-30 006.21	3 139 115.22		
L70	-30 419.20	3 139 225.81			R70	-29 938.01	3 139 099.50		
L71	-30 368.67	3 139 222.82			R71	-29 917.06	3 139 099.42		
L72	-30 341.61	3 139 222.20			R72	-29 894.82	3 139 095.43		
L73	-30 293.33	3 139 218.76			R73	-29 866.49	3 139 090.61		
L74	-30 245.46	3 139 212.77			R74	-29 736.25	3 139 068.40		
L75	-30 139.80	3 139 198.46			R75	-29 696.61	3 139 059.75		
L76	-30 081.05	3 139 185.45			R76	-29 658.36	3 139 047.86		
L77	-30 018.81	3 139 169.82			R77	-29 621.47	3 139 032.26		
L78	-29 947.52	3 139 148.95			R78	-29 585.78	3 139 013.97		
L79	-29 922.87	3 139 149.88			R79	-29 551.87	3 138 991.98		
L80	-29 919.55	3 139 146.25			R80	-29 524.92	3 138 969.56		
L81	-29 846.16	3 139 138.78			R81	-29 490.53	3 138 940.99		
L82	-29 799.40	3 139 128.10			R82	-29 401.10	3 138 859.39		
L83	-29 727.89	3 139 118.27			R83	-29 369.67	3 138 833.80		
L84	-29 668.78	3 139 103.33			R84	-29 337.62	3 138 809.82		
L85	-29 628.41	3 139 089.03			R85	-29 326.51	3 138 802.80		
L86	-29 565.59	3 139 057.63			R86	-29 304.58	3 138 786.98		
L87	-29 528.98	3 139 034.61			R87	-29 236.26	3 138 745.90		
L88	-29 500.56	3 139 015.36			R88	-29 164.13	3 138 710.57		
L89	-29 471.17	3 138 994.00			R89	-28 705.87	3 138 578.83		
L90	-29 455.06	3 138 969.09			R90	-28 661.54	3 138 566.14		
L91	-29 404.85	3 138 927.72			R91	-28 555.97	3 138 517.54		
L92	-29 334.30	3 138 863.94			R92	-28 495.56	3 138 489.73		
L93	-29 303.79	3 138 843.17			R93	-28 411.18	3 138 439.76		
L94	-29 243.98	3 138 807.80			R94	-28 324.68	3 138 376.17		
L95	-29 090.63	3 138 741.67			R95	-28 262.68	3 138 321.95		
L96	-28 975.01	3 138 696.86			R96	-28 188.15	3 138 247.63		
L97	-28 843.69	3 138 650.65			R97	-28 139.52	3 138 181.39		
L98	-28 727.76	3 138 620.23			R98	-28 071.53	3 138 084.90		
L99	-28 699.11	3 138 609.35			R99	-28 026.47	3 138 013.53		
L100	-28 510.50	3 138 537.71			R100	-28 000.17	3 137 963.32		
L101	-28 483.88	3 138 525.72			R101	-27 969.01	3 137 865.63		
L102	-28 408.01	3 138 483.23			R102	-27 939.90	3 137 778.86		
					Vel Sheet 17 Van of 23 P801/11				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L103	-28 408.57	3	138	481.62	R103	-27 915.35	3	137	709.18
L104	-28 366.26	3	138	452.12	R104	-27 897.41	3	137	627.58
L105	-28 335.80	3	138	430.05	R105	-27 887.77	3	137	554.25
L106	-28 271.72	3	138	377.90	R106	-27 872.00	3	137	451.00
L107	-28 239.22	3	138	349.58	R107	-27 863.81	3	137	397.36
L108	-28 211.38	3	138	324.49	R108	-27 857.22	3	137	324.21
L109	-28 151.27	3	138	262.41	R109	-27 848.53	3	137	252.05
L110	-28 123.59	3	138	227.43	R110	-27 837.01	3	137	166.30
L111	-28 097.15	3	138	192.65	R111	-27 823.11	3	137	041.55
L112	-28 038.80	3	138	108.74	R112	-27 820.66	3	137	019.05
L113	-27 998.05	3	138	043.34	R113	-27 819.64	3	136	997.87
L114	-27 976.10	3	138	011.14	R114	-27 803.27	3	136	855.88
L115	-27 943.65	3	137	969.40	R115	-27 799.92	3	136	826.00
L116	-27 935.90	3	137	916.70	R116	-27 796.83	3	136	799.98
L117	-27 893.37	3	137	797.24	R117	-27 796.05	3	136	793.16
L118	-27 880.12	3	137	743.05	R118	-27 793.13	3	136	779.58
L119	-27 868.53	3	137	689.68	R119	-27 780.51	3	136	701.14
L120	-27 851.04	3	137	598.36	R120	-27 766.44	3	136	619.56
L121	-27 837.89	3	137	532.14	R121	-27 743.77	3	136	542.54
L122	-27 828.92	3	137	456.10	R122	-27 711.12	3	136	467.60
L123	-27 829.09	3	137	395.74	R123	-27 652.98	3	136	359.33
L124	-27 824.91	3	137	363.99	R124	-27 600.17	3	136	270.15
L125	-27 812.86	3	137	293.70	R125	-27 562.04	3	136	219.42
L126	-27 804.47	3	137	213.73	R126	-27 497.54	3	136	143.58
L127	-27 796.41	3	137	136.89	R127	-27 436.79	3	136	089.82
L128	-27 786.63	3	137	085.14	R128	-27 372.95	3	136	042.53
L129	-27 778.10	3	137	018.29	R129	-27 303.78	3	136	003.81
L130	-27 774.99	3	136	993.86	R130	-27 222.82	3	135	959.84
L131	-27 762.58	3	136	896.59	R131	-27 111.74	3	135	907.46
L132	-27 758.87	3	136	866.76	R132	-27 010.01	3	135	850.84
L133	-27 754.99	3	136	837.07	R133	-26 541.02	3	135	623.54
L134	-27 742.59	3	136	739.82	R134	-26 336.31	3	135	522.57
L135	-27 742.38	3	136	695.32	R135	-26 053.52	3	135	383.08
L136	-27 738.54	3	136	679.28	R136	-25 514.76	3	135	116.44
L137	-27 731.28	3	136	679.71	R137	-25 096.78	3	134	910.25
L138	-27 704.66	3	136	590.49	R138	-24 951.38	3	134	822.45
L139	-27 657.41	3	136	448.41	R139	-24 879.61	3	134	772.81
L140	-27 607.37	3	136	362.27	R140	-24 824.84	3	134	713.96
L141	-27 570.88	3	136	305.04	R141	-24 683.95	3	134	449.40
L142	-27 558.74	3	136	285.94	R142	-24 537.08	3	134	206.56
L143	-27 505.12	3	136	228.98	R143	-24 493.82	3	134	152.09
L144	-27 406.17	3	136	131.71	R144	-24 473.33	3	134	130.90
L145	-27 312.85	3	136	059.26	R145	-24 434.02	3	134	091.24
L146	-27 226.14	3	136	013.24	R146	-24 371.82	3	134	030.88
L147	-27 104.72	3	135	952.60	R147	-24 304.50	3	133	970.63
L148	-27 066.84	3	135	935.34	R148	-24 254.32	3	133	929.22
L149	-27 030.25	3	135	918.66	R149	-24 201.59	3	133	883.57
L150	-26 939.47	3	135	868.40	R150	-24 067.02	3	133	764.03
L151	-26 548.72	3	135	675.32	R151	-23 962.01	3	133	662.94
L152	-26 501.60	3	135	652.58	R152	-23 878.80	3	133	596.58
L153	-26 447.29	3	135	625.63	R153	-23 844.46	3	133	571.66
					Vel 18 Van 23 Sheet of P801/11				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 29°			Y	X		
L154	-26 385.30	3 135 596.49			R154	-23 776.98	3 133 523.69		
L155	-26 398.16	3 135 615.90			R155	-23 722.96	3 133 511.65		
L156	-25 056.59	3 134 969.13			R156	-23 677.46	3 133 497.37		
L157	-25 069.43	3 134 950.39			R157	-23 640.88	3 133 491.16		
L158	-24 963.68	3 134 910.50			R158	-23 574.91	3 133 489.16		
L159	-24 914.59	3 134 873.26			R159	-23 513.33	3 133 499.51		
L160	-24 802.67	3 134 773.32			R160	-23 455.63	3 133 521.68		
L161	-24 773.66	3 134 740.05			R161	-23 405.59	3 133 551.26		
L162	-24 700.56	3 134 626.40			R162	-23 371.49	3 133 581.87		
L163	-24 643.75	3 134 526.31			R163	-23 339.49	3 133 614.37		
L164	-24 562.86	3 134 362.71			R164	-23 308.13	3 133 664.73		
L165	-24 513.42	3 134 284.49			R165	-23 248.27	3 133 784.02		
L166	-24 459.06	3 134 212.83			R166	-23 214.10	3 133 836.19		
L167	-24 401.71	3 134 147.00			R167	-23 174.84	3 133 879.30		
L168	-24 398.97	3 134 143.91			R168	-23 162.79	3 133 889.58		
L169	-24 335.87	3 134 088.59			R169	-23 134.88	3 133 911.76		
L170	-24 236.67	3 133 990.41			R170	-23 117.92	3 133 923.67		
L171	-24 137.63	3 133 897.54			R171	-23 099.46	3 133 934.83		
L172	-24 070.46	3 133 849.51			R172	-23 060.40	3 133 957.41		
L173	-23 986.66	3 133 798.33			R173	-23 019.63	3 133 975.20		
L174	-23 904.03	3 133 761.64			R174	-22 975.51	3 133 987.34		
L175	-23 874.42	3 133 757.09			R175	-22 930.14	3 133 994.18		
L176	-23 826.65	3 133 743.60			R176	-22 840.31	3 133 997.82		
L177	-23 772.00	3 133 719.33			R177	-22 795.67	3 133 990.57		
L178	-23 729.81	3 133 703.18			R178	-22 697.99	3 133 960.88		
L179	-23 667.15	3 133 687.68			R179	-22 593.06	3 133 894.43		
L180	-23 625.85	3 133 684.16			R180	-22 561.98	3 133 862.93		
L181	-23 593.45	3 133 685.09			R181	-22 532.29	3 133 828.37		
L182	-23 503.58	3 133 698.51			R182	-22 358.46	3 133 564.51		
L183	-23 462.24	3 133 712.62			R183	-22 338.64	3 133 541.00		
L184	-23 421.20	3 133 730.50			R184	-22 306.91	3 133 510.17		
L185	-23 382.64	3 133 752.33			R185	-22 232.82	3 133 456.74		
L186	-23 345.66	3 133 778.63			R186	-22 179.72	3 133 429.63		
L187	-23 177.96	3 133 930.52			R187	-22 110.91	3 133 405.19		
L188	-23 108.85	3 133 977.14			R188	-22 005.38	3 133 388.38		
L189	-23 068.55	3 133 999.18			R189	-21 356.75	3 133 339.58		
L190	-23 028.18	3 134 018.01			R190	-20 889.41	3 133 305.90		
L191	-22 982.66	3 134 029.91			R191	-20 325.01	3 133 263.80		
L192	-22 891.25	3 134 039.83			R192	-20 169.83	3 133 260.37		
L193	-22 831.48	3 134 039.79			R193	-20 058.94	3 133 277.34		
L194	-22 787.89	3 134 034.99			R194	-19 924.61	3 133 306.06		
L195	-22 742.63	3 134 023.37			R195	-19 584.05	3 133 404.22		
L196	-22 693.87	3 134 006.03			R196	-19 551.63	3 133 424.96		
L197	-22 658.51	3 133 989.84			R197	-19 198.47	3 133 527.85		
L198	-22 620.33	3 133 967.24			R198	-19 015.50	3 133 581.17		
L199	-22 581.31	3 133 940.77			R199	-18 805.31	3 133 625.31		
L200	-22 548.40	3 133 909.69			R200	-18 698.49	3 133 643.66		
L201	-22 508.82	3 133 866.94			R201	-18 580.00	3 133 657.11		
L202	-22 482.45	3 133 830.10			R202	-18 506.22	3 133 664.53		
L203	-22 384.76	3 133 678.45			R203	-18 389.50	3 133 671.73		
L204	-22 362.14	3 133 639.44			R204	-18 250.68	3 133 677.13		
Vel Sheet					19	Van of		23	P801/11

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES														
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE									
	Y		X	WG 29°		Y		X						
L205	-22 313.46	3	133	573.38	R205	-17 683.34	3	133	693.37					
L206	-22 274.37	3	133	534.47	R206	-17 119.88	3	133	708.48					
L207	-22 239.80	3	133	508.23	R207	-17 107.29	3	133	708.82					
L208	-22 200.33	3	133	484.76	R208	-17 001.70	3	133	707.56					
L209	-22 158.24	3	133	465.71	R209	-16 840.08	3	133	692.13					
L210	-22 054.75	3	133	437.57	R210	-16 704.42	3	133	669.69					
L211	-22 033.44	3	133	431.85	R211	-16 604.55	3	133	645.73					
L212	-21 891.69	3	133	419.17	R212	-16 519.57	3	133	620.91					
L213	-21 608.35	3	133	398.06	R213	-16 349.34	3	133	546.67					
L214	-21 395.74	3	133	384.86	R214	-16 224.97	3	133	485.72					
L215	-21 049.36	3	133	361.84	R215	-16 105.27	3	133	417.46					
L216	-20 899.56	3	133	346.77	R216	-15 990.77	3	133	340.45					
L217	-20 627.43	3	133	327.87	R217	-15 881.39	3	133	255.67					
L218	-20 469.73	3	133	320.51	R218	-15 844.46	3	133	222.98					
L219	-20 388.78	3	133	312.68	R219	-15 489.12	3	132	907.39					
L220	-20 314.13	3	133	304.21	R220	-15 197.66	3	132	648.32					
L221	-20 270.45	3	133	302.90	R221	-15 094.37	3	132	556.50					
L222	-20 204.93	3	133	303.70	R222	-14 877.42	3	132	363.70					
L223	-20 062.26	3	133	318.78	R223	-14 725.61	3	132	240.43					
L224	-19 874.80	3	133	367.89	R224	-14 655.66	3	132	177.02					
L225	-19 771.72	3	133	398.60	R225	-14 488.78	3	132	025.75					
L226	-19 711.07	3	133	423.21	R226	-13 340.00	3	131	005.63					
L227	-19 589.75	3	133	451.99	R227	-13 290.24	3	130	907.18					
L228	-19 199.04	3	133	573.51	R228	-13 284.03	3	130	910.55					
L229	-18 966.57	3	133	632.52	R229	-13 259.00	3	130	868.15					
L230	-18 735.35	3	133	676.46	R230	-13 233.01	3	130	824.14					
L231	-18 585.83	3	133	696.47	R231	-13 227.95	3	130	711.62					
L232	-18 434.78	3	133	707.93	R232	-13 223.97	3	130	622.70					
L233	-17 870.89	3	133	727.55	R233	-13 269.89	3	130	457.15					
L234	-17 693.33	3	133	732.62	R234	-13 315.21	3	130	295.42					
L235	-17 369.48	3	133	738.54	R235	-13 377.23	3	130	228.47					
L236	-17 356.72	3	133	738.78	R236	-13 488.89	3	130	176.73					
L237	-17 258.50	3	133	742.67	R237	-13 573.02	3	130	129.09					
L238	-17 063.66	3	133	754.42	R238	-13 646.33	3	130	066.26					
L239	-16 975.90	3	133	743.98	R239	-13 706.17	3	129	989.32					
L240	-16 856.21	3	133	734.20	R240	-13 734.38	3	129	923.86					
L241	-16 678.90	3	133	704.04	R241	-13 738.06	3	129	912.17					
L242	-16 596.46	3	133	682.42	R242	-13 755.11	3	129	860.63					
L243	-16 504.60	3	133	655.96	R243	-13 770.20	3	129	835.10					
L244	-16 412.54	3	133	625.87	R244	-13 780.38	3	129	773.64					
L245	-16 329.50	3	133	592.76	R245	-13 782.13	3	129	756.75					
L246	-16 239.56	3	133	548.42	R246	-13 784.90	3	129	729.84					
L247	-16 240.01	3	133	548.64	R247	-13 793.93	3	129	642.28					
L248	-16 202.13	3	133	530.73	R248	-13 796.93	3	129	613.12					
L249	-16 079.31	3	133	460.08	R249	-13 813.06	3	129	458.01					
L250	-15 961.74	3	133	381.04	R250	-13 813.67	3	129	452.15					
L251	-15 849.36	3	133	294.09	R251	-13 816.96	3	129	420.49					
L252	-15 663.27	3	133	128.62	R252	-13 822.27	3	129	369.41					
L253	-15 450.08	3	132	941.36	R253	-13 832.47	3	129	270.08					
L254	-15 166.16	3	132	691.97	R254	-13 833.78	3	129	258.29					
L255	-14 620.80	3	132	212.94	R255	-13 842.20	3	129	268.02					
					<table><tr><td>Vel Sheet</td><td>20</td><td>Van of</td><td>23</td><td>P801/11</td></tr></table>					Vel Sheet	20	Van of	23	P801/11
Vel Sheet	20	Van of	23	P801/11										

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L256	-14 136.93	3	131 787.92		R256	-13 841.56	3	129 187.89	
L257	-14 118.36	3	131 771.53		R257	-13 855.66	3	129 042.01	
L258	-13 338.02	3	131 085.44		R258	-13 858.90	3	128 958.38	
L259	-13 265.62	3	131 020.83		R259	-13 839.23	3	128 785.97	
L260	-13 168.27	3	130 887.35		R260	-13 807.67	3	128 664.43	
L261	-13 117.54	3	130 794.47		R261	-13 775.93	3	128 582.07	
L262	-13 058.50	3	130 621.69		R262	-13 760.69	3	128 552.85	
L263	-13 034.80	3	130 515.84		R263	-13 717.38	3	128 468.33	
L264	-13 006.04	3	130 407.85		R264	-13 604.39	3	128 315.76	
L265	-13 002.73	3	130 397.77		R265	-13 463.96	3	128 187.62	
L266	-13 021.48	3	130 393.94		R266	-13 328.58	3	128 104.04	
L267	-13 034.59	3	130 340.76		R267	-13 312.45	3	128 118.10	
L268	-13 057.84	3	130 329.67		R268	-13 193.69	3	128 053.31	
L269	-13 118.06	3	130 296.65		R269	-13 189.67	3	128 050.35	
L270	-13 205.46	3	130 248.80		R270	-13 153.66	3	128 023.78	
L271	-13 313.43	3	130 177.97		R271	-13 163.49	3	128 014.38	
L272	-13 332.32	3	130 169.42		R272	-13 149.57	3	128 021.03	
L273	-13 375.68	3	130 149.82		R273	-13 051.79	3	127 975.74	
L274	-13 497.28	3	130 105.42		R274	-12 919.29	3	127 906.66	
L275	-13 603.48	3	130 027.26		R275	-12 723.47	3	127 809.93	
L276	-13 675.95	3	129 939.81		R276	-12 730.40	3	127 788.57	
L277	-13 685.60	3	129 908.60		R277	-12 284.95	3	127 554.67	
L278	-13 717.55	3	129 810.64		R278	-12 253.98	3	127 509.50	
L279	-13 720.43	3	129 791.80		R279	-12 232.55	3	127 488.97	
L280	-13 723.60	3	129 764.66		R280	-12 203.93	3	127 435.79	
L281	-13 727.25	3	129 733.46		R281	-12 168.16	3	127 414.54	
L282	-13 730.21	3	129 708.10		R282	-12 118.71	3	127 442.86	
L283	-13 744.52	3	129 585.54		R283	-11 848.04	3	127 287.66	
L284	-13 747.64	3	129 558.83		R284	-11 726.58	3	127 215.70	
L285	-13 749.73	3	129 538.31		R285	-11 555.10	3	126 912.23	
L286	-13 754.22	3	129 490.81		R286	-11 488.22	3	126 876.37	
L287	-13 756.00	3	129 471.92		R287	-11 427.70	3	126 844.44	
L288	-13 760.02	3	129 429.30		R288	-11 426.23	3	126 817.34	
L289	-13 765.28	3	129 378.50		R289	-11 391.51	3	126 817.81	
L290	-13 771.39	3	129 320.14		R290	-11 387.02	3	126 856.74	
L291	-13 777.65	3	129 257.58		R291	-11 307.92	3	126 847.59	
L292	-13 782.04	3	129 218.33		R292	-11 233.65	3	126 800.51	
L293	-13 782.86	3	129 211.11		R293	-11 189.97	3	126 749.84	
L294	-13 787.93	3	129 183.90		R294	-11 172.88	3	126 687.84	
L295	-13 790.71	3	129 142.50		R295	-11 164.13	3	126 655.89	
L296	-13 797.40	3	129 042.04		R296	-11 160.08	3	126 569.68	
L297	-13 799.91	3	128 932.51		R297	-11 197.12	3	126 419.67	
L298	-13 789.45	3	128 823.32		R298	-11 273.58	3	126 244.11	
L299	-13 765.51	3	128 716.40		R299	-11 308.70	3	126 180.87	
L300	-13 726.80	3	128 613.99		R300	-11 364.87	3	126 125.11	
L301	-13 677.08	3	128 516.54		R301	-11 416.90	3	126 072.02	
L302	-13 614.13	3	128 427.45		R302	-11 430.42	3	126 059.18	
L303	-13 545.20	3	128 342.06		R303	-11 507.22	3	126 021.07	
L304	-13 466.01	3	128 266.05		R304	-11 570.87	3	125 979.85	
L305	-13 378.03	3	128 200.10		R305	-11 625.84	3	125 957.74	
L306	-13 284.02	3	128 142.95		R306	-11 706.98	3	125 927.99	
					Vel Sheet 21 Van of 23 P801/11				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L307	-13	271.15	3	128	137.26	R307	-11	774.46	3 125 898.99
L308	-13	151.54	3	128	084.42	R308	-11	902.36	3 125 812.26
L309	-13	149.46	3	128	083.48	R309	-11	944.53	3 125 765.30
L310	-13	109.87	3	128	065.65	R310	-11	979.19	3 125 712.19
L311	-13	083.31	3	128	052.72	R311	-11	987.11	3 125 699.92
L312	-12	968.07	3	127	996.59	R312	-12	019.05	3 125 628.81
L313	-12	740.04	3	127	869.82	R313	-12	039.82	3 125 553.64
L314	-12	688.66	3	127	835.90	R314	-12	048.75	3 125 476.20
L315	-12	682.56	3	127	832.35	R315	-12	046.11	3 125 398.57
L316	-12	666.91	3	127	823.29	R316	-12	031.39	3 125 321.96
L317	-12	615.10	3	127	793.29	R317	-11	970.60	3 125 176.81
L318	-12	587.64	3	127	777.40	R318	-11	922.72	3 125 115.14
L319	-12	398.16	3	127	667.30	R319	-11	805.37	3 125 001.25
L320	-12	208.42	3	127	557.32	R320	-11	802.10	3 124 982.73
L321	-12	109.16	3	127	499.57	R321	-11	779.36	3 124 960.56
L322	-12	073.61	3	127	478.89	R322	-11	760.76	3 124 958.52
L323	-11	981.55	3	127	425.49	R323	-11	377.71	3 124 586.18
L324	-11	886.44	3	127	370.30	R324	-11	324.72	3 124 528.64
L325	-11	726.73	3	127	307.75	R325	-11	284.35	3 124 470.88
L326	-11	671.96	3	127	306.94	R326	-11	279.71	3 124 464.24
L327	-11	545.21	3	127	339.55	R327	-11	227.48	3 124 379.69
L328	-11	541.79	3	127	407.02	R328	-10	744.79	3 123 537.34
L329	-11	536.51	3	127	435.79	R329	-10	252.87	3 122 678.90
L330	-11	508.07	3	127	476.79	R330	-10	198.55	3 122 579.20
L331	-11	505.03	3	127	414.14	R331	-10	186.41	3 122 556.90
L332	-11	484.65	3	127	367.10	R332	-10	125.64	3 122 432.07
L333	-11	403.15	3	127	231.93	R333	-10	070.78	3 122 304.62
L333X	-11	349.96	3	127	151.85	R334	-9	873.16	3 121 808.42
L334	-11	205.15	3	126	939.44	R335	-9	686.81	3 121 340.47
L335	-11	143.44	3	126	841.07	R336	-9	241.83	3 120 223.13
L336	-11	119.14	3	126	783.79	R337	-9	184.01	3 120 094.33
L337	-11	104.03	3	126	719.69	R338	-9	152.56	3 120 033.26
L338	-11	094.56	3	126	639.43	R339	-9	119.41	3 119 968.80
L339	-11	094.83	3	126	620.04	R340	-8	880.92	3 119 543.02
L340	-11	104.55	3	126	540.08	R341	-8	794.15	3 119 388.08
L341	-11	126.97	3	126	450.24	R342	-8	698.97	3 119 218.12
L342	-11	163.70	3	126	365.57	R343	-8	676.88	3 119 171.65
L343	-11	208.28	3	126	286.42	R344	-8	673.18	3 119 163.86
L344	-11	247.12	3	126	203.73	R345	-8	620.79	3 119 078.58
L345	-11	292.90	3	126	124.80	R346	-8	044.10	3 118 049.05
L346	-11	351.13	3	126	054.90	R347	-7	719.31	3 117 469.13
L347	-11	429.52	3	126	007.75	R348	-6	969.05	3 116 129.50
L348	-11	501.20	3	125	968.65	R349	-6	950.27	3 116 071.32
L349	-11	626.61	3	125	917.02	R350	-6	832.31	3 115 885.19
L350	-11	718.35	3	125	877.56	R351	-6	548.99	3 115 379.29
L351	-11	876.44	3	125	763.15	R352	-6	498.47	3 115 271.61
L352	-11	948.50	3	125	686.62	R353	-6	466.16	3 115 221.14
L353	-11	949.05	3	125	680.99	R354	-6	407.99	3 115 094.84
L354	-11	959.03	3	125	668.66	R355	-6	364.20	3 114 995.62
L355	-11	998.68	3	125	558.64	R356	-5	821.65	3 113 766.49
L356	-12	007.90	3	125	446.32	R357	-5	228.84	3 112 423.47
Vel Sheet					22	Van of		23	P801/11

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L357	-11 998.59	3	125 361.52		R358	-5 157.23	3	112 258.73	
L358	-11 960.30	3	125 252.74		R359	-5 088.66	3	112 092.78	
L359	-11 896.68	3	125 151.27		R360	-5 023.14	3	111 925.74	
L360	-11 759.86	3	125 019.83		R361	-4 937.49	3	111 701.45	
L361	-11 557.83	3	124 824.35		R362	-4 932.87	3	111 689.34	
L362	-11 315.73	3	124 588.02		R363	-4 600.65	3	110 819.28	
L363	-11 252.41	3	124 503.76		R364	-4 466.26	3	110 467.32	
L364	-11 206.45	3	124 430.99		R365	-4 388.03	3	110 302.85	
L365	-11 178.96	3	124 406.66		R366	-4 268.75	3	110 100.30	
L366	-11 011.88	3	124 128.16		R367	-4 149.30	3	109 897.47	
L367	-10 704.24	3	123 569.41		R368	-3 920.59	3	109 509.11	
L368	-10 160.05	3	122 616.95		R369	-3 574.23	3	108 921.00	
L369	-10 149.57	3	122 598.58		R370	-3 565.34	3	108 905.90	
L370	-10 069.24	3	122 435.67		R371	-3 524.87	3	108 833.19	
L371	-10 016.94	3	122 304.62		R372	-3 478.66	3	108 750.15	
L372	-9 802.76	3	121 766.80		R373	-3 073.46	3	107 736.18	
L373	-9 662.80	3	121 415.35		R374	-3 070.35	3	107 735.90	
L374	-9 634.84	3	121 345.15		R375	-2 622.06	3	106 596.88	
L375	-9 225.21	3	120 316.52		R376	-2 589.04	3	106 502.32	
L376	-9 176.83	3	120 196.04		R377	-2 558.80	3	106 428.28	
L377	-9 075.05	3	119 992.70		R378	-2 533.98	3	106 373.43	
L378	-9 016.94	3	119 888.16		R379	-2 431.44	3	106 113.04	
L379	-8 767.28	3	119 442.25		R380	-2 406.71	3	106 036.65	
L380	-8 655.34	3	119 242.56		R381	-2 336.14	3	105 871.15	
L381	-8 603.02	3	119 157.28		R382	-2 008.95	3	105 040.72	
L382	-8 589.53	3	119 128.95		R383	-1 927.67	3	104 833.69	
L383	-8 577.17	3	119 102.99		R384	-1 794.06	3	104 493.30	
L384	-8 000.51	3	118 073.50		R385	-1 750.82	3	104 357.52	
L385	-7 705.09	3	117 546.05		R386	-1 612.67	3	104 133.52	
L386	-6 896.09	3	116 101.60		R387	-1 060.68	3	103 181.22	
L387	-6 864.25	3	116 050.72		R388	-483.39	3	102 185.22	
L388	-6 465.95	3	115 333.39		R389	-38.02	3	101 416.86	
L389	-6 410.97	3	115 225.60		R390	5.65	3	101 344.73	
L390	-6 328.55	3	115 038.87		R391	81.08	3	101 212.34	
L391	-5 841.49	3	113 935.37		R392	82.91	3	101 209.11	
L392	-5 110.24	3	112 278.64						
L393	-5 062.44	3	112 156.80						
L394	-4 890.78	3	111 719.29						
L395	-4 871.11	3	111 667.78						
L396	-4 539.03	3	110 798.03		L408	-1 920.66	3	104 950.47	
L397	-4 455.60	3	110 579.52		L409	-1 777.08	3	104 586.59	
L398	-4 377.79	3	110 397.81		L410	-1 731.56	3	104 476.55	
L399	-4 293.62	3	110 241.05		L411	-1 655.27	3	104 337.40	
L400	-4 229.90	3	110 132.86		L412	-1 569.42	3	104 158.56	
L401	-4 076.68	3	109 872.68		L413	-993.88	3	103 164.53	
L402	-3 877.50	3	109 534.45		L414	-927.49	3	103 051.10	
L403	-3 501.46	3	108 896.41		L415	-472.71	3	102 266.48	
L404	-3 419.59	3	108 756.99		L416	5.23	3	101 441.92	
L405	-3 015.59	3	107 731.38		L417	79.74	3	101 323.30	
L406	-2 370.03	3	106 091.18		L418	129.26	3	101 237.89	
L407	-1 958.90	3	105 047.41		L419	154.91	3	101 193.66	
				</					