
GOVERNMENT NOTICES • GOEWERMENTSKENNISGEWINGS

DEPARTMENT OF TRANSPORT**NO. 228****16 MARCH 2018****THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED****Registration No: 1998/009584/30**

DECLARATION AMENDMENT OF NATIONAL ROAD N7 SECTION 4**AMENDMENT OF DECLARATION No. 218 OF 2006.**

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 218 of 2006 by substituting a part of the paragraph of the Schedule, being the descriptive declaration of the route from Clanwilliam up to Vanrhynsdorp, with the accompanying sheets 1 to 27 of Plan No. P968/17.

(National Road N7 Section 4: Clanwilliam – Vanrhynsdorp)

MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 228

16 MAART 2018

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**

Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD N7 SEKSIE 4

WYSIGING VAN VERKLARING No. 218 VAN 2006.


Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 218 van 2006 deur 'n gedeelte van die paragraaf van die Skedule te vervang, synde die gedeelte van die beskrywende verklaring van die pad vanaf Clanwilliam tot by Vanrhynsdorp, met bygaande velle 1 tot 27 van Plan No. P968/17.


(Nasionale Pad N7 Seksie 4: Clanwilliam – Vanrhynsdorp)


MINISTER VAN VERVOER




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N7 of National Route Section	Vel Sheet 1 of 27 Plan P968/17
---	---------------------------------------	--	--------------------------------------







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	
stel die podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N7 of National Route	Seksie Section	Vel Sheet 4 van af 27 Plan P968/17



Vel
Sheet 5 of 27


Plan
P968/17

stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N7 Seksie
of National Route Section 4




Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N7 of National Route	Val Sheet 6 of 27 Plan P968/17
---	---------------------------------------	---	---




Die Suid Afrikaanse Nasionale Podagontskap MSB Bpk
The South African National Roads Agency SOC Ltd

Die figuur getoon
The figure shown

stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N7
of National Route

4

Val
Sheet
7 of 27
Plan
P968/17




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Die figuur getoon
The figure shown





stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N7
of National Route


Vel
Sheet
8 of 27
Plan
P968/17




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steeldie podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N7 of National Route	Vel Sheet 9 of 27 Plan P968/17
---	---------------------------------------	---	--







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Raete N7 of National Route	Vel Sheet 12 of 27 Plan P968/17
---	---------------------------------------	---	--	---



PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 19°		Y		X	
L1	12 549.00	3	560 970.91		R1	12 412.50	3	561 009.70	
L2	12 538.84	3	560 929.96		R2	12 407.20	3	560 992.22	
L3	12 466.40	3	560 844.14		R3	12 363.80	3	560 894.57	
L4	12 335.11	3	560 658.44		R4	12 315.90	3	560 795.47	
L5	12 211.26	3	560 487.50		R5	12 268.45	3	560 669.06	
L6	12 204.85	3	560 476.29		R6	12 204.62	3	560 593.84	
L7	12 196.06	3	560 449.42		R7	12 187.70	3	560 548.84	
L8	12 174.88	3	560 406.60		R8	12 184.58	3	560 542.69	
L9	12 158.11	3	560 371.09		R9	12 166.71	3	560 489.71	
L10	12 143.28	3	560 334.73		R10	12 155.85	3	560 454.14	
L11	12 130.39	3	560 297.64		R11	12 127.43	3	560 399.26	
L12	12 119.45	3	560 259.92		R12	12 103.65	3	560 341.77	
L13	12 110.50	3	560 221.68		R13	12 084.13	3	560 282.66	
L14	12 103.56	3	560 183.03		R14	12 068.12	3	560 225.55	
L15	12 098.66	3	560 144.07		R15	12 056.83	3	560 161.47	
L16	12 095.80	3	560 104.90		R16	12 056.07	3	560 129.83	
L17	12 095.06	3	560 059.34		R17	12 053.56	3	560 067.67	
L18	12 095.06	3	560 024.73		R18	12 056.02	3	560 005.63	
L19	12 096.70	3	559 992.41		R19	12 060.02	3	559 972.54	
L20	12 098.20	3	559 974.60		R20	12 063.50	3	559 943.78	
L21	12 105.35	3	559 914.39		R21	12 075.94	3	559 882.45	
L22	12 112.72	3	559 875.82		R22	12 093.15	3	559 822.68	
L23	12 119.33	3	559 845.15		R23	12 114.99	3	559 764.59	
L24	12 123.04	3	559 832.14		R24	12 141.60	3	559 708.09	
L25	12 144.14	3	559 776.43		R25	12 365.56	3	559 288.18	
L26	12 169.67	3	559 722.35		R26	12 371.68	3	559 263.26	
L27	12 323.74	3	559 433.63		R27	12 377.24	3	559 252.77	
L28	12 384.37	3	559 319.48		R28	12 399.66	3	559 223.99	
L29	12 409.95	3	559 284.47		R29	12 696.15	3	558 667.63	
L30	12 416.79	3	559 272.31		R30	12 772.25	3	558 524.79	
L31	12 427.41	3	559 238.71		R31	12 791.04	3	558 458.96	
L32	12 452.10	3	559 192.12		R32	12 803.25	3	558 440.66	
L33	12 728.42	3	558 673.94		R33	12 843.05	3	558 391.78	
L34	12 761.50	3	558 618.20		R34	12 861.28	3	558 352.13	
L35	12 799.83	3	558 539.67		R35	12 902.58	3	558 274.94	
L36	12 811.68	3	558 519.11		R36	12 943.49	3	558 203.39	
L37	12 851.92	3	558 466.96		R37	13 232.92	3	557 660.42	
L38	12 859.22	3	558 450.38		R38	13 430.49	3	557 289.73	
L39	12 871.21	3	558 406.57		R39	13 519.74	3	557 122.08	
L40	12 906.09	3	558 347.91		R40	13 647.63	3	556 882.08	
L41	12 985.53	3	558 191.57		R41	14 002.76	3	556 215.81	
L42	13 263.19	3	557 670.66		R42	14 128.96	3	555 979.11	
L43	13 272.87	3	557 652.42		R43	14 189.54	3	555 865.30	
L44	13 458.29	3	557 304.49		R44	14 545.62	3	555 197.24	
L45	13 548.16	3	557 136.51		R45	14 855.41	3	554 612.86	
L46	13 665.26	3	556 915.70		R46	14 889.48	3	554 552.44	
L47	14 032.01	3	556 227.19		R47	14 960.76	3	554 418.64	
L48	14 148.60	3	556 008.94		R48	14 996.40	3	554 345.11	
L49	14 215.59	3	555 883.06		R49	15 013.10	3	554 320.30	
L50	14 569.77	3	555 218.78		R50	15 034.92	3	554 279.58	
L51	14 607.41	3	555 148.36		R51	15 044.87	3	554 253.08	
					Vel 14		Van 27		P968/17
					Sheet		of		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 19°		Y		X	
L52	15 355.43	3	553 748.37		R52	15 077.92	3	554 195.80	
L53	15 409.98	3	553 674.76		R53	15 089.41	3	554 170.85	
L54	15 431.60	3	553 642.42		R54	15 139.29	3	554 083.87	
L55	15 442.83	3	553 625.60		R55	15 178.38	3	554 010.50	
L56	15 467.86	3	553 585.17		R56	15 205.59	3	553 956.27	
L57	15 495.13	3	553 551.27		R57	15 235.82	3	553 903.07	
L58	15 534.68	3	553 505.74		R58	15 255.15	3	553 866.06	
L59	15 578.51	3	553 459.32		R59	15 270.75	3	553 825.69	
L60	15 590.46	3	553 447.56		R60	15 313.67	3	553 758.21	
L61	15 612.51	3	553 425.85		R61	15 329.72	3	553 730.90	
L62	15 681.58	3	553 360.17		R62	15 361.61	3	553 679.60	
L63	15 862.01	3	553 188.50		R63	15 378.45	3	553 654.11	
L64	16 095.60	3	552 965.32		R64	15 404.47	3	553 617.10	
L65	16 131.03	3	552 928.13		R65	15 416.46	3	553 600.99	
L66	16 202.35	3	552 845.42		R66	15 519.63	3	553 476.59	
L67	16 215.42	3	552 824.89		R67	15 564.15	3	553 426.95	
L68	16 251.10	3	552 773.29		R68	15 576.13	3	553 417.69	
L69	16 283.49	3	552 721.31		R69	15 703.53	3	553 297.34	
L70	16 313.33	3	552 667.46		R70	15 722.98	3	553 279.41	
L71	16 340.56	3	552 612.03		R71	15 738.08	3	553 265.38	
L72	16 521.31	3	552 211.35		R72	15 755.14	3	553 248.08	
L73	16 583.43	3	552 073.63		R73	16 063.79	3	552 953.93	
L74	16 614.59	3	551 997.61		R74	16 118.89	3	552 896.36	
L75	16 634.80	3	551 939.37		R75	16 160.48	3	552 847.86	
L76	16 652.02	3	551 879.91		R76	16 175.19	3	552 826.21	
L77	16 666.16	3	551 820.02		R77	16 222.91	3	552 759.07	
L78	16 677.32	3	551 759.21		R78	16 253.75	3	552 709.49	
L79	16 685.51	3	551 698.14		R79	16 282.24	3	552 658.60	
L80	16 690.55	3	551 636.65		R80	16 312.17	3	552 598.63	
L81	16 692.46	3	551 570.83		R81	16 493.08	3	552 197.54	
L82	16 691.42	3	551 513.49		R82	16 550.50	3	552 070.22	
L83	16 689.99	3	551 491.75		R83	16 578.18	3	552 005.48	
L84	16 687.41	3	551 451.61		R84	16 601.81	3	551 938.45	
L85	16 665.36	3	551 244.08		R85	16 621.62	3	551 872.24	
L86	16 659.93	3	551 178.90		R86	16 635.21	3	551 813.31	
L87	16 659.01	3	551 157.57		R87	16 646.36	3	551 754.42	
L88	16 657.34	3	551 118.50		R88	16 654.17	3	551 694.51	
L89	16 657.17	3	551 058.32		R89	16 659.25	3	551 634.78	
L90	16 659.49	3	550 997.99		R90	16 660.62	3	551 562.74	
L91	16 663.99	3	550 937.81		R91	16 660.19	3	551 513.02	
L92	16 671.05	3	550 878.19		R92	16 652.82	3	551 424.98	
L93	16 680.04	3	550 836.40		R93	16 627.97	3	551 170.51	
L94	16 683.20	3	550 805.60		R94	16 625.53	3	551 091.43	
L95	16 685.71	3	550 788.40		R95	16 628.13	3	550 996.31	
L96	16 689.01	3	550 770.25		R96	16 632.54	3	550 934.74	
L97	16 708.87	3	550 691.90		R97	16 639.92	3	550 873.53	
L98	16 719.02	3	550 657.28		R98	16 649.45	3	550 813.31	
L99	16 722.96	3	550 642.17		R99	16 659.32	3	550 751.69	
L100	16 732.19	3	550 613.03		R100	16 682.06	3	550 667.71	
L101	16 741.77	3	550 584.52		R101	16 711.96	3	550 574.50	
L102	16 752.82	3	550 555.65		R102	16 757.67	3	550 460.69	
					Vel 15 Sheet Van 27 of P968/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 19°		Y		X	
L103	16 762.80	3	550 528.12		R103	16 864.66	3	550 241.05	
L104	16 786.62	3	550 471.60		R104	17 314.09	3	549 337.80	
L105	16 811.65	3	550 417.70		R105	17 318.56	3	549 328.82	
L106	16 889.11	3	550 262.10		R106	17 568.79	3	548 826.62	
L107	17 343.22	3	549 350.44		R107	17 652.02	3	548 658.95	
L108	17 347.69	3	549 341.46		R108	17 681.23	3	548 602.93	
L109	17 601.77	3	548 830.45		R109	17 712.23	3	548 549.32	
L110	17 680.51	3	548 672.86		R110	17 745.29	3	548 497.45	
L111	17 710.73	3	548 618.56		R111	17 779.99	3	548 446.55	
L112	17 740.66	3	548 566.56		R112	17 816.85	3	548 397.12	
L113	17 772.90	3	548 515.40		R113	17 855.83	3	548 349.32	
L114	17 807.57	3	548 465.76		R114	18 172.72	3	547 981.20	
L115	17 842.19	3	548 416.41		R115	18 512.47	3	547 586.55	
L116	17 868.89	3	548 382.87		R116	18 546.89	3	547 546.54	
L117	18 153.00	3	548 052.65		R117	18 889.76	3	547 147.86	
L118	18 431.67	3	547 728.68		R118	18 928.31	3	547 100.52	
L119	18 438.71	3	547 722.86		R119	18 949.41	3	547 078.46	
L120	18 505.23	3	547 645.54		R120	19 041.93	3	546 971.02	
L121	18 509.92	3	547 637.70		R121	19 123.41	3	546 867.40	
L122	18 574.15	3	547 563.15		R122	19 157.37	3	546 817.97	
L123	18 928.57	3	547 153.56		R123	19 189.70	3	546 766.90	
L124	18 937.80	3	547 145.80		R124	19 220.01	3	546 714.52	
L125	18 952.80	3	547 128.40		R125	19 241.30	3	546 668.10	
L126	18 987.20	3	547 087.90		R126	19 247.40	3	546 650.50	
L127	18 992.94	3	547 078.24		R127	19 266.30	3	546 603.80	
L128	19 093.75	3	546 959.47		R128	19 306.70	3	546 521.30	
L129	19 202.03	3	546 811.24		R129	19 328.40	3	546 465.90	
L130	19 233.39	3	546 757.65		R130	19 337.40	3	546 450.10	
L131	19 305.41	3	546 620.85		R131	19 408.82	3	546 268.45	
L132	19 327.17	3	546 562.36		R132	19 461.70	3	546 133.66	
L133	19 422.46	3	546 319.67		R133	19 466.74	3	546 109.86	
L134	19 547.51	3	546 001.91		R134	19 478.95	3	546 075.98	
L135	19 628.35	3	545 795.53		R135	19 491.84	3	546 037.70	
L136	19 728.22	3	545 541.77		R136	19 508.24	3	546 001.53	
L137	19 819.12	3	545 310.50		R137	19 525.92	3	545 965.50	
L138	19 883.33	3	545 147.02		R138	19 536.84	3	545 942.63	
L139	19 931.51	3	545 024.62		R139	19 554.06	3	545 898.74	
L140	19 963.42	3	544 943.32		R140	19 605.29	3	545 768.54	
L141	19 985.75	3	544 889.30		R141	19 613.53	3	545 742.07	
L142	20 010.30	3	544 835.41		R142	19 626.93	3	545 704.35	
L143	20 037.56	3	544 781.63		R143	19 642.05	3	545 667.32	
L144	20 068.67	3	544 725.80		R144	19 657.47	3	545 630.40	
L145	20 099.36	3	544 676.04		R145	19 662.48	3	545 623.13	
L146	20 131.90	3	544 627.38		R146	19 700.05	3	545 527.54	
L147	20 158.32	3	544 590.49		R147	19 715.45	3	545 481.27	
L148	20 297.30	3	544 409.71		R148	19 731.71	3	545 444.69	
L149	20 327.30	3	544 370.88		R149	19 745.88	3	545 407.47	
L150	20 380.90	3	544 301.34		R150	19 760.58	3	545 370.07	
L151	20 412.81	3	544 260.03		R151	19 782.75	3	545 317.17	
L152	20 443.05	3	544 221.16		R152	19 855.27	3	545 132.67	
L153	20 486.36	3	544 163.06		R153	19 939.73	3	544 919.94	
					Vel 16 Van 27 P968/17 Sheet of				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 19°		Y		X	
L154	20	492.30	3 544	154.72	R154	19	956.65	3 544	874.87
L155	20	536.03	3 544	092.27	R155	19	970.29	3 544	842.74
L156	20	570.42	3 544	041.89	R156	19	985.04	3 544	811.11
L157	20	601.92	3 543	988.69	R157	20	000.89	3 544	780.01
L158	20	634.22	3 543	932.98	R158	20	017.81	3 544	749.48
L159	20	662.21	3 543	881.72	R159	20	039.85	3 544	713.16
L160	20	702.99	3 543	804.18	R160	20	071.97	3 544	660.72
L161	20	721.36	3 543	769.67	R161	20	103.12	3 544	613.58
L162	20	802.62	3 543	615.79	R162	20	142.46	3 544	559.32
L163	20	919.22	3 543	394.88	R163	20	221.49	3 544	456.80
L164	20	932.74	3 543	369.01	R164	20	253.43	3 544	411.35
L165	20	958.41	3 543	324.06	R165	20	276.46	3 544	378.60
L166	20	987.49	3 543	265.33	R166	20	285.24	3 544	366.11
L167	21	018.06	3 543	207.58	R167	20	311.50	3 544	331.28
L168	21	047.99	3 543	153.76	R168	20	340.66	3 544	298.83
L169	21	078.61	3 543	101.36	R169	20	353.80	3 544	285.16
L170	21	105.93	3 543	047.71	R170	20	413.36	3 544	207.89
L171	21	125.65	3 543	003.06	R171	20	449.94	3 544	158.98
L172	21	160.71	3 542	936.07	R172	20	494.74	3 544	096.84
L173	21	187.10	3 542	888.59	R173	20	574.97	3 543	972.65
L174	21	201.71	3 542	854.00	R174	20	605.29	3 543	920.44
L175	21	216.39	3 542	823.34	R175	20	634.41	3 543	867.21
L176	21	228.06	3 542	798.97	R176	20	685.27	3 543	770.81
L177	21	266.16	3 542	715.38	R177	20	843.28	3 543	471.43
L178	21	302.49	3 542	631.46	R178	20	884.18	3 543	393.65
L179	21	370.87	3 542	459.24	R179	20	925.59	3 543	296.68
L180	21	399.02	3 542	382.27	R180	20	942.07	3 543	270.65
L181	21	509.67	3 542	069.45	R181	20	961.76	3 543	246.92
L182	21	766.86	3 541	343.78	R182	21	093.92	3 542	996.50
L183	21	783.66	3 541	307.29	R183	21	147.29	3 542	882.60
L184	21	817.32	3 541	234.35	R184	21	173.49	3 542	840.16
L185	21	834.40	3 541	197.96	R185	21	183.65	3 542	818.70
L186	21	855.51	3 541	158.99	R186	21	189.65	3 542	805.54
L187	21	879.44	3 541	121.64	R187	21	238.60	3 542	698.31
L188	21	905.61	3 541	085.92	R188	21	302.72	3 542	551.41
L189	21	934.35	3 541	052.19	R189	21	317.33	3 542	515.67
L190	21	968.00	3 541	018.06	R190	21	347.80	3 542	433.18
L191	21	987.15	3 540	999.82	R191	21	367.41	3 542	375.82
L192	21	992.92	3 540	991.98	R192	21	474.48	3 542	074.47
L193	22	123.02	3 540	863.48	R193	21	591.00	3 541	745.54
L194	22	156.15	3 540	831.99	R194	21	748.72	3 541	301.15
L195	22	220.24	3 540	791.65	R195	21	770.70	3 541	243.13
L196	22	241.11	3 540	777.39	R196	21	797.24	3 541	186.63
L197	22	261.95	3 540	766.28	R197	21	830.20	3 541	133.93
L198	22	284.99	3 540	757.76	R198	21	866.06	3 541	083.19
L199	22	316.20	3 540	750.87	R199	21	904.82	3 541	034.32
L200	22	343.69	3 540	748.79	R200	21	981.35	3 540	958.28
L201	22	386.26	3 540	754.55	R201	22	049.73	3 540	878.51
L202	22	414.47	3 540	764.31	R202	22	055.74	3 540	852.54
L203	22	471.99	3 540	787.94	R203	22	125.16	3 540	779.51
L204	22	498.37	3 540	798.76	R204	22	151.17	3 540	771.25
					Vel 17 Sheet of Van 27 P968/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 19°		Y		X	
L205	22	527.77	3 540	809.33	R205	22	197.99	3 540	746.59
L206	22	573.41	3 540	819.88	R206	22	236.88	3 540	728.91
L207	22	606.68	3 540	822.55	R207	22	275.86	3 540	715.53
L208	22	641.25	3 540	819.11	R208	22	316.67	3 540	709.00
L209	22	672.83	3 540	811.24	R209	22	357.83	3 540	712.02
L210	22	715.99	3 540	807.57	R210	22	397.81	3 540	722.02
L211	22	727.99	3 540	800.58	R211	22	422.66	3 540	731.47
L212	22	756.47	3 540	762.33	R212	22	460.13	3 540	745.52
L213	22	778.09	3 540	739.45	R213	22	497.60	3 540	759.55
L214	22	807.75	3 540	703.28	R214	22	535.20	3 540	770.07
L215	22	825.34	3 540	663.94	R215	22	574.17	3 540	774.63
L216	22	834.81	3 540	639.96	R216	22	613.36	3 540	773.03
L217	22	850.56	3 540	598.92	R217	22	651.83	3 540	765.32
L218	23	006.79	3 540	230.25	R218	22	688.61	3 540	751.69
L219	23	131.60	3 539	937.46	R219	22	722.81	3 540	732.47
L220	23	157.46	3 539	889.90	R220	22	753.59	3 540	708.14
L221	23	185.89	3 539	857.25	R221	22	781.80	3 540	677.24
L222	23	224.38	3 539	836.86	R222	22	911.74	3 540	373.07
L223	23	269.06	3 539	822.07	R223	22	929.79	3 540	325.08
L224	23	354.77	3 539	807.69	R224	22	943.91	3 540	287.62
L225	23	408.78	3 539	811.27	R225	22	958.02	3 540	250.15
L226	23	450.50	3 539	823.87	R226	22	977.61	3 540	201.26
L227	23	482.70	3 539	831.44	R227	22	989.11	3 540	176.44
L228	23	494.85	3 539	830.97	R228	23	007.57	3 540	140.82
L229	23	534.74	3 539	811.03	R229	23	020.17	3 540	118.72
L230	23	600.79	3 539	795.19	R230	23	051.99	3 540	043.85
L231	23	646.73	3 539	767.78	R231	23	089.49	3 539	955.53
L232	23	956.42	3 539	627.63	R232	23	134.23	3 539	868.93
L233	24	206.57	3 539	514.23	R233	23	164.55	3 539	833.80
L234	24	257.24	3 539	491.23	R234	23	203.33	3 539	804.63
L235	24	311.46	3 539	459.70	R235	23	245.85	3 539	783.56
L236	24	361.03	3 539	420.54	R236	23	273.91	3 539	776.99
L237	24	404.39	3 539	374.83	R237	23	298.41	3 539	773.56
L238	24	439.84	3 539	324.97	R238	23	301.42	3 539	751.54
L239	24	457.33	3 539	301.66	R239	23	331.34	3 539	759.94
L240	24	468.13	3 539	293.09	R240	23	368.06	3 539	770.74
L241	24	487.74	3 539	277.36	R241	23	411.91	3 539	767.84
L242	24	493.97	3 539	260.65	R242	23	428.57	3 539	760.73
L243	24	486.57	3 539	223.37	R243	23	443.71	3 539	763.02
L244	24	491.58	3 539	209.21	R244	23	495.83	3 539	785.45
L245	24	509.59	3 539	159.41	R245	23	535.52	3 539	775.47
L246	24	522.93	3 539	124.17	R246	23	576.15	3 539	759.33
L247	24	549.57	3 539	070.65	R247	23	617.76	3 539	746.24
L248	24	580.85	3 539	020.88	R248	23	965.37	3 539	588.98
L249	24	621.15	3 538	959.69	R249	23	991.61	3 539	573.74
L250	24	683.47	3 538	875.34	R250	24	048.92	3 539	551.26
L251	24	745.36	3 538	794.97	R251	24	168.48	3 539	496.96
L252	24	771.87	3 538	767.82	R252	24	242.66	3 539	463.27
L253	24	791.41	3 538	752.56	R253	24	293.92	3 539	433.67
L254	24	798.49	3 538	743.70	R254	24	339.73	3 539	397.48
L255	24	803.49	3 538	731.82	R255	24	380.02	3 539	354.79
					Vel 18 Van 27 P968/17 Sheet of				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 19°		Y		X	
L256	24 808.07	3	538 720.20		R256	24 413.87	3	539 307.33	
L257	24 825.31	3	538 690.59		R257	24 422.59	3	539 293.40	
L258	24 878.13	3	538 637.82		R258	24 414.62	3	539 253.74	
L259	24 900.61	3	538 618.62		R259	24 420.83	3	539 239.31	
L260	24 936.59	3	538 601.57		R260	24 458.13	3	539 208.16	
L261	24 956.75	3	538 589.90		R261	24 493.88	3	539 112.05	
L262	24 973.97	3	538 567.54		R262	24 519.98	3	539 055.59	
L263	25 003.42	3	538 550.31		R263	24 524.29	3	539 048.10	
L264	25 057.19	3	538 523.89		R264	24 536.64	3	539 014.21	
L265	25 173.55	3	538 443.59		R265	24 546.15	3	538 999.18	
L266	25 227.90	3	538 394.77		R266	24 582.08	3	538 947.14	
L267	25 271.75	3	538 349.93		R267	24 673.74	3	538 827.57	
L268	25 292.79	3	538 330.54		R268	24 725.88	3	538 751.80	
L269	25 324.81	3	538 314.44		R269	24 740.90	3	538 712.91	
L270	25 329.28	3	538 305.82		R270	24 752.68	3	538 696.64	
L271	25 337.02	3	538 289.55		R271	24 784.39	3	538 686.99	
L272	25 363.92	3	538 264.15		R272	24 797.38	3	538 677.07	
L273	25 407.67	3	538 225.58		R273	24 863.86	3	538 607.34	
L274	25 428.52	3	538 204.07		R274	24 987.63	3	538 511.42	
L275	25 471.40	3	538 164.55		R275	25 017.81	3	538 506.98	
L276	25 480.32	3	538 157.92		R276	25 078.29	3	538 471.60	
L277	25 506.07	3	538 132.85		R277	25 098.32	3	538 435.72	
L278	25 557.12	3	538 077.90		R278	25 137.68	3	538 432.05	
L279	25 597.42	3	538 030.33		R279	25 248.98	3	538 328.25	
L280	25 701.99	3	537 898.13		R280	25 282.04	3	538 279.35	
L281	25 751.74	3	537 844.78		R281	25 294.17	3	538 272.78	
L282	25 760.93	3	537 832.87		R282	25 329.09	3	538 253.88	
L283	25 783.46	3	537 795.91		R283	25 459.59	3	538 132.40	
L284	25 803.62	3	537 764.54		R284	25 475.94	3	538 110.26	
L285	25 829.13	3	537 749.72		R285	25 513.81	3	538 078.51	
L286	25 849.73	3	537 744.83		R286	25 548.44	3	538 039.69	
L287	25 855.31	3	537 727.05		R287	25 597.59	3	537 973.16	
L288	25 858.14	3	537 699.66		R288	25 619.02	3	537 952.32	
L289	25 915.78	3	537 627.44		R289	25 772.12	3	537 757.44	
L290	25 941.39	3	537 603.75		R290	25 784.25	3	537 694.23	
L291	25 984.90	3	537 567.21		R291	25 843.26	3	537 667.73	
L292	26 034.70	3	537 536.22		R292	25 915.12	3	537 581.14	
L293	26 059.51	3	537 522.03		R293	25 963.59	3	537 537.51	
L294	26 173.50	3	537 483.88		R294	26 016.13	3	537 502.15	
L295	26 260.13	3	537 473.01		R295	26 165.37	3	537 457.37	
L296	26 293.18	3	537 447.91		R296	26 206.96	3	537 431.33	
L297	26 372.22	3	537 382.86		R297	26 214.00	3	537 418.28	
L298	26 423.35	3	537 355.35		R298	26 223.01	3	537 418.25	
L299	26 515.25	3	537 283.57		R299	26 241.46	3	537 409.38	
L300	26 687.62	3	537 159.95		R300	26 248.64	3	537 412.27	
L301	26 885.96	3	537 017.70		R301	26 322.12	3	537 380.37	
L302	27 190.09	3	536 799.47		R302	26 395.72	3	537 324.61	
L303	27 588.96	3	536 513.06		R303	26 488.20	3	537 264.29	
L304	27 600.41	3	536 504.09		R304	26 679.21	3	537 127.37	
L305	27 700.09	3	536 421.60		R305	26 679.57	3	537 126.51	
L306	27 760.24	3	536 364.33		R306	26 795.23	3	537 044.14	
Vel 19 Sheet					Van 27 of P968/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 19°		Y		X	
L307	27 826.85	3	536 292.88		R307	27 024.23	3	536 878.75	
L308	27 893.99	3	536 217.32		R308	27 070.65	3	536 846.41	
L309	27 931.90	3	536 186.80		R309	27 580.80	3	536 480.76	
L310	27 985.06	3	536 127.02		R310	27 697.49	3	536 382.91	
L311	28 064.76	3	536 037.31		R311	27 765.13	3	536 313.88	
L312	28 081.05	3	536 006.89		R312	27 798.23	3	536 267.17	
L313	28 248.24	3	535 818.75		R313	27 817.96	3	536 255.38	
L314	28 274.88	3	535 788.89		R314	28 250.98	3	535 768.39	
L315	28 300.06	3	535 775.36		R315	28 269.87	3	535 713.96	
L316	28 314.32	3	535 765.59		R316	28 318.44	3	535 692.51	
L317	28 335.34	3	535 721.01		R317	28 337.19	3	535 671.43	
L318	28 350.16	3	535 704.46		R318	29 028.35	3	534 893.70	
L319	28 480.52	3	535 557.90		R319	29 688.57	3	534 150.73	
L320	28 618.43	3	535 402.32		R320	29 698.09	3	534 118.52	
L321	28 842.56	3	535 150.07		R321	29 729.10	3	534 105.14	
L322	29 042.66	3	534 924.97		R322	29 747.90	3	534 083.99	
L323	29 772.88	3	534 103.29		R323	29 769.98	3	534 059.54	
L324	29 814.16	3	534 059.55		R324	29 814.70	3	534 015.45	
L325	29 857.87	3	534 019.11		R325	29 861.65	3	533 975.01	
L326	29 936.53	3	533 959.10		R326	29 920.54	3	533 931.71	
L327	29 968.30	3	533 938.26		R327	29 963.11	3	533 903.85	
L328	30 032.51	3	533 901.39		R328	30 017.29	3	533 873.52	
L329	30 093.68	3	533 872.41		R329	30 072.59	3	533 847.14	
L330	30 141.26	3	533 852.75		R330	30 129.95	3	533 822.37	
L331	30 163.78	3	533 843.23		R331	30 374.80	3	533 718.30	
L332	30 393.17	3	533 744.90		R332	30 395.10	3	533 709.38	
L333	30 415.00	3	533 735.66		R333	30 459.11	3	533 681.99	
L334	30 443.86	3	533 727.75		R334	30 477.75	3	533 674.10	
L335	30 463.88	3	533 714.60		R335	30 605.86	3	533 619.67	
L336	30 485.07	3	533 705.59		R336	30 693.93	3	533 577.59	
L337	30 618.28	3	533 648.57		R337	30 750.62	3	533 541.24	
L338	30 702.78	3	533 607.37		R338	30 777.69	3	533 522.81	
L339	30 720.83	3	533 597.33		R339	31 212.37	3	533 210.42	
L340	30 781.34	3	533 558.92		R340	31 259.46	3	533 175.23	
L341	31 238.48	3	533 231.24		R341	31 301.09	3	533 131.52	
L342	31 278.67	3	533 200.30		R342	31 352.35	3	533 097.50	
L343	31 332.97	3	533 160.97		R343	31 405.13	3	533 048.50	
L344	31 372.84	3	533 121.45		R344	31 590.62	3	532 869.01	
L345	31 426.60	3	533 071.53		R345	31 832.63	3	532 634.54	
L346	31 605.07	3	532 898.53		R346	32 056.17	3	532 417.93	
L347	31 855.92	3	532 655.89		R347	32 097.28	3	532 378.13	
L348	32 118.34	3	532 401.81		R348	32 666.81	3	531 826.76	
L349	32 381.47	3	532 146.92		R349	32 717.59	3	531 745.76	
L350	32 450.52	3	532 080.14		R350	32 720.24	3	531 745.44	
L351	32 485.57	3	532 055.95		R351	32 754.23	3	531 741.47	
L352	32 691.52	3	531 856.70		R352	32 816.20	3	531 682.08	
L353	32 722.59	3	531 817.01		R353	32 930.77	3	531 571.34	
L354	32 748.73	3	531 791.66		R354	32 942.97	3	531 548.74	
L355	33 080.08	3	531 469.81		R355	32 949.83	3	531 543.27	
L356	33 168.84	3	531 370.47		R356	32 958.42	3	531 540.48	
L357	33 176.08	3	531 350.63		R357	33 027.99	3	531 476.73	
					Vel 20 Van 27 Sheet of P968/17				

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 19°		Y		X	
L358	33 183.04	3	531 300.23		R358	33 054.20	3	531 451.27	
L359	33 194.99	3	531 198.79		R359	33 085.98	3	531 416.05	
L360	33 214.19	3	531 163.29		R360	33 105.94	3	531 386.08	
L361	33 244.17	3	531 108.68		R361	33 108.86	3	531 342.82	
L362	33 266.92	3	531 067.05		R362	33 112.25	3	531 326.61	
L363	33 286.11	3	531 031.96		R363	33 120.30	3	531 313.11	
L364	33 304.84	3	530 996.15		R364	33 125.89	3	531 289.30	
L365	33 321.81	3	530 956.30		R365	33 140.20	3	531 251.17	
L366	33 335.36	3	530 914.81		R366	33 150.56	3	531 206.62	
L367	33 345.18	3	530 872.58		R367	33 162.54	3	531 160.89	
L368	33 352.68	3	530 831.01		R368	33 179.08	3	531 115.02	
L369	33 359.55	3	530 792.51		R369	33 197.02	3	531 060.47	
L370	33 369.86	3	530 693.23		R370	33 217.76	3	531 020.81	
L371	33 374.43	3	530 675.83		R371	33 240.78	3	530 977.75	
L372	33 403.95	3	530 622.06		R372	33 268.71	3	530 919.65	
L373	33 474.85	3	530 530.49		R373	33 258.15	3	530 905.11	
L374	33 515.67	3	530 480.45		R374	33 281.17	3	530 851.92	
L375	33 571.56	3	530 439.66		R375	33 304.22	3	530 826.61	
L376	33 608.69	3	530 365.15		R376	33 325.54	3	530 718.01	
L377	33 684.91	3	530 271.28		R377	33 340.63	3	530 673.87	
L378	33 725.48	3	530 223.92		R378	33 345.03	3	530 655.90	
L379	33 789.42	3	530 160.71		R379	33 345.75	3	530 654.40	
L380	33 836.27	3	530 121.17		R380	33 351.08	3	530 617.19	
L381	34 054.21	3	529 957.48		R381	33 361.64	3	530 579.49	
L382	34 079.75	3	529 940.80		R382	33 381.61	3	530 545.80	
L383	34 103.22	3	529 920.50		R383	33 409.61	3	530 518.43	
L384	34 409.22	3	529 690.76		R384	33 443.65	3	530 499.02	
L385	34 468.17	3	529 643.96		R385	33 454.02	3	530 490.86	
L386	34 515.14	3	529 603.83		R386	33 462.38	3	530 476.75	
L387	34 560.38	3	529 562.47		R387	33 485.12	3	530 409.63	
L388	34 593.46	3	529 529.95		R388	33 497.88	3	530 389.57	
L389	34 628.41	3	529 498.28		R389	33 518.47	3	530 377.68	
L390	34 641.38	3	529 479.71		R390	33 547.48	3	530 361.40	
L391	34 678.98	3	529 437.59		R391	33 583.90	3	530 339.30	
L392	34 741.80	3	529 363.26		R392	33 608.99	3	530 308.26	
L393	34 873.15	3	529 170.60		R393	33 629.06	3	530 273.05	
L394	35 035.08	3	528 933.09		R394	33 656.79	3	530 244.03	
L395	35 302.81	3	528 542.50		R395	33 687.01	3	530 215.51	
L396	35 701.79	3	527 958.34		R396	33 716.13	3	530 186.70	
L397	35 742.65	3	527 895.47		R397	33 723.31	3	530 178.87	
L398	35 774.33	3	527 841.85		R398	33 767.73	3	530 136.44	
L399	35 803.50	3	527 787.65		R399	33 770.16	3	530 134.49	
L400	35 830.34	3	527 732.28		R400	33 802.60	3	530 100.89	
L401	35 863.94	3	527 653.88		R401	33 831.26	3	530 071.47	
L402	35 888.31	3	527 590.55		R402	33 860.61	3	530 043.93	
L403	35 922.29	3	527 506.04		R403	33 891.25	3	530 018.13	
L404	35 959.12	3	527 423.02		R404	33 923.18	3	529 994.03	
L405	35 975.96	3	527 371.44		R405	33 956.39	3	529 971.64	
L406	35 997.65	3	527 342.56		R406	33 990.90	3	529 950.97	
L407	36 001.52	3	527 333.86		R407	34 026.20	3	529 931.36	
L408	36 001.00	3	527 305.38		R408	34 059.99	3	529 909.73	
					Vel 21 Van 27 Sheet of P968/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 19°		Y		X	
L409	36 019.21	3	527 259.93		R409	34 081.36	3	529 893.94	
L410	36 029.58	3	527 271.90		R410	34 233.84	3	529 774.93	
L411	36 156.49	3	526 949.70		R411	34 260.56	3	529 760.36	
L412	36 177.75	3	526 859.00		R412	34 494.39	3	529 580.21	
L413	36 217.56	3	526 762.96		R413	34 537.60	3	529 540.72	
L414	36 242.75	3	526 718.17		R414	34 562.18	3	529 516.01	
L415	36 275.11	3	526 668.55		R415	34 581.93	3	529 492.21	
L416	36 311.82	3	526 620.36		R416	34 591.47	3	529 488.32	
L417	36 351.19	3	526 576.98		R417	34 604.30	3	529 477.26	
L418	36 393.42	3	526 538.41		R418	34 607.94	3	529 479.02	
L419	36 441.90	3	526 497.93		R419	34 614.00	3	529 473.14	
L420	36 517.65	3	526 449.15		R420	34 661.98	3	529 417.00	
L421	36 552.72	3	526 431.07		R421	34 658.43	3	529 412.71	
L422	36 572.91	3	526 429.49		R422	34 714.99	3	529 342.87	
L423	36 618.03	3	526 412.38		R423	34 755.22	3	529 287.68	
L424	36 696.83	3	526 391.42		R424	35 013.29	3	528 909.39	
L425	36 733.22	3	526 367.16		R425	35 278.04	3	528 522.26	
L426	36 770.42	3	526 357.53		R426	35 477.63	3	528 229.86	
L427	36 787.43	3	526 360.03		R427	35 633.32	3	528 002.47	
L428	36 796.34	3	526 357.54		R428	35 676.95	3	527 938.70	
L429	36 888.19	3	526 318.69		R429	35 716.47	3	527 877.76	
L430	36 941.02	3	526 301.07		R430	35 747.09	3	527 826.22	
L431	36 948.05	3	526 290.15		R431	35 775.10	3	527 773.86	
L432	36 969.72	3	526 270.84		R432	35 802.27	3	527 720.00	
L433	36 988.30	3	526 269.66		R433	35 845.07	3	527 611.71	
L434	37 035.19	3	526 229.23		R434	35 854.07	3	527 568.12	
L435	37 088.66	3	526 148.29		R435	35 804.21	3	527 476.90	
L436	37 094.87	3	526 140.60		R436	35 800.15	3	527 432.03	
L437	37 117.52	3	526 101.16		R437	35 806.09	3	527 421.28	
L438	37 129.90	3	526 079.37		R438	35 832.03	3	527 386.86	
L439	37 146.37	3	526 039.02		R439	35 921.93	3	527 348.66	
L440	37 152.13	3	526 021.63		R440	35 938.81	3	527 304.44	
L441	37 176.51	3	525 993.40		R441	35 953.83	3	527 272.66	
L442	37 187.55	3	525 961.44		R442	35 977.23	3	527 278.19	
L443	37 170.79	3	525 953.99		R443	35 995.32	3	527 232.37	
L444	37 178.25	3	525 909.69		R444	36 160.49	3	526 814.14	
L445	37 180.19	3	525 835.78		R445	36 186.27	3	526 756.03	
L446	37 175.93	3	525 803.44		R446	36 216.28	3	526 701.27	
L447	37 171.33	3	525 772.54		R447	36 249.81	3	526 649.01	
L448	37 164.66	3	525 741.73		R448	36 283.74	3	526 601.92	
L449	37 156.42	3	525 711.35		R449	36 331.04	3	526 549.36	
L450	37 145.88	3	525 681.59		R450	36 398.24	3	526 491.65	
L451	37 133.71	3	525 652.80		R451	36 469.76	3	526 441.24	
L452	37 118.54	3	525 622.83		R452	36 501.79	3	526 407.37	
L453	37 086.71	3	525 571.11		R453	36 580.35	3	526 374.94	
L454	37 064.20	3	525 543.51		R454	36 684.90	3	526 347.16	
L455	37 036.58	3	525 512.17		R455	36 738.55	3	526 332.62	
L456	37 001.85	3	525 478.30		R456	36 761.26	3	526 323.84	
L457	36 951.50	3	525 440.62		R457	36 787.49	3	526 307.49	
L458	36 943.82	3	525 436.28		R458	36 860.51	3	526 291.82	
L459	36 896.99	3	525 409.68		R459	36 903.84	3	526 263.41	
					Vel 22 Van 27 P968/17 Sheet of				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 19°		Y		X	
L460	36 877.04	3	525 400.51		R460	36 975.29	3	526 227.69	
L461	36 753.31	3	525 346.58		R461	37 021.22	3	526 184.46	
L462	36 704.73	3	525 321.10		R462	37 068.71	3	526 124.43	
L463	36 657.48	3	525 286.65		R463	37 096.63	3	526 074.33	
L464	36 616.12	3	525 245.26		R464	37 101.37	3	526 065.73	
L465	36 581.67	3	525 198.17		R465	37 117.27	3	526 029.21	
L466	36 554.88	3	525 146.06		R466	37 132.62	3	525 979.36	
L467	36 536.48	3	525 091.39		R467	37 140.83	3	525 942.97	
L468	36 526.46	3	525 033.07		R468	37 143.73	3	525 925.90	
L469	36 525.65	3	524 973.86		R469	37 138.66	3	525 823.76	
L470	36 527.76	3	524 932.30		R470	37 144.48	3	525 805.21	
L471	36 526.58	3	524 849.92		R471	37 141.76	3	525 777.75	
L472	36 517.41	3	524 818.26		R472	37 126.25	3	525 720.78	
L473	36 498.20	3	524 758.05		R473	37 116.59	3	525 693.15	
L474	36 470.14	3	524 701.25		R474	37 105.01	3	525 665.83	
L475	36 453.01	3	524 674.74		R475	37 095.06	3	525 645.47	
L476	36 367.44	3	524 549.05		R476	37 092.04	3	525 639.31	
L477	36 255.12	3	524 383.21		R477	37 077.37	3	525 613.92	
L478	36 247.02	3	524 354.51		R478	37 061.06	3	525 589.28	
L479	36 221.81	3	524 315.20		R479	37 043.65	3	525 566.16	
L480	36 194.02	3	524 262.03		R480	37 024.07	3	525 543.38	
L481	36 171.73	3	524 206.32		R481	37 013.20	3	525 532.24	
L482	36 155.16	3	524 148.65		R482	37 003.41	3	525 522.22	
L483	36 144.09	3	524 089.68		R483	36 981.50	3	525 502.26	
L484	36 134.23	3	524 030.50		R484	36 958.45	3	525 483.96	
L485	36 123.78	3	523 971.42		R485	36 934.35	3	525 467.06	
L486	36 111.22	3	523 912.69		R486	36 908.96	3	525 451.59	
L487	36 125.04	3	523 869.78		R487	36 882.97	3	525 437.89	
L488	36 105.67	3	523 823.71		R488	36 864.33	3	525 429.29	
L489	36 083.07	3	523 786.63		R489	36 822.89	3	525 411.25	
L490	36 045.50	3	523 772.95		R490	36 813.92	3	525 410.61	
L491	35 965.07	3	523 640.86		R491	36 743.03	3	525 379.75	
L492	35 977.75	3	523 632.82		R492	36 714.27	3	525 366.18	
L493	35 959.11	3	523 601.92		R493	36 687.99	3	525 348.00	
L494	35 933.52	3	523 571.17		R494	36 661.79	3	525 330.15	
L495	35 920.91	3	523 543.95		R495	36 637.55	3	525 310.58	
L496	35 908.41	3	523 516.68		R496	36 612.65	3	525 287.85	
L497	35 900.54	3	523 477.46		R497	36 602.15	3	525 276.61	
L498	35 893.45	3	523 448.31		R498	36 594.23	3	525 272.52	
L499	35 890.80	3	523 398.38		R499	36 589.95	3	525 267.94	
L500	35 894.90	3	523 348.55		R500	36 569.07	3	525 242.79	
L501	35 908.43	3	523 300.42		R501	36 551.69	3	525 216.81	
L502	35 918.23	3	523 249.81		R502	36 536.69	3	525 188.61	
L503	35 942.54	3	523 198.49		R503	36 527.34	3	525 168.83	
L504	35 962.99	3	523 154.83		R504	36 525.61	3	525 158.14	
L505	35 976.34	3	523 117.12		R505	36 514.03	3	525 127.25	
L506	35 997.52	3	523 071.83		R506	36 505.71	3	525 098.09	
L507	36 007.37	3	523 043.49		R507	36 499.02	3	525 066.04	
L508	36 026.82	3	522 986.73		R508	36 497.12	3	525 050.96	
L509	36 042.59	3	522 928.84		R509	36 492.25	3	525 021.63	
L510	36 054.61	3	522 870.06		R510	36 490.56	3	524 994.71	
					Vel 23 Van 27 Sheet of P968/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 19°		Y		X	
L511	36 062.84	3	522	810.62	R511	36 491.94	3	524	931.89
L512	36 067.94	3	522	750.84	R512	36 487.08	3	524	877.42
L513	36 072.73	3	522	691.03	R513	36 483.21	3	524	844.83
L514	36 068.96	3	522	680.72	R514	36 469.85	3	524	771.80
L515	36 071.69	3	522	659.09	R515	36 441.42	3	524	713.66
L516	36 086.83	3	522	605.29	R516	36 382.12	3	524	625.22
L517	36 084.91	3	522	598.15	R517	36 369.95	3	524	613.51
L518	36 081.61	3	522	559.63	R518	36 332.58	3	524	559.23
L519	36 096.01	3	522	501.09	R519	36 325.81	3	524	541.24
L520	36 145.65	3	522	323.70	R520	36 309.19	3	524	516.46
L521	36 158.00	3	522	231.65	R521	36 296.71	3	524	503.23
L522	36 160.70	3	522	168.99	R522	36 224.12	3	524	394.98
L523	36 160.18	3	522	156.13	R523	36 200.09	3	524	374.42
L524	36 158.25	3	522	107.19	R524	36 168.85	3	524	323.19
L525	36 150.49	3	522	045.30	R525	36 142.51	3	524	269.28
L526	36 137.47	3	521	984.32	R526	36 121.29	3	524	213.16
L527	36 119.83	3	521	924.79	R527	36 105.39	3	524	155.30
L528	36 108.92	3	521	897.09	R528	36 094.50	3	524	096.30
L529	36 096.80	3	521	866.48	R529	36 086.29	3	524	046.98
L530	36 069.29	3	521	810.75	R530	36 076.88	3	524	008.10
L531	36 037.31	3	521	757.53	R531	36 067.47	3	523	948.84
L532	36 000.91	3	521	707.22	R532	36 029.10	3	523	874.49
L533	35 655.81	3	521	264.01	R533	35 996.71	3	523	838.02
L534	35 572.97	3	521	157.66	R534	35 956.45	3	523	757.29
L535	35 476.47	3	521	033.80	R535	35 914.40	3	523	672.96
L536	35 443.36	3	520	982.64	R536	35 900.87	3	523	645.84
L537	35 354.18	3	520	860.48	R537	35 886.21	3	523	628.43
L538	35 349.76	3	520	855.34	R538	35 878.14	3	523	613.43
L539	35 293.34	3	520	792.79	R539	35 862.76	3	523	572.48
L540	35 255.59	3	520	713.04	R540	35 843.45	3	523	497.79
L541	35 243.08	3	520	670.82	R541	35 832.60	3	523	437.86
L542	35 236.80	3	520	641.85	R542	35 834.89	3	523	422.30
L543	35 230.99	3	520	598.59	R543	35 835.06	3	523	400.35
L544	35 233.26	3	520	539.38	R544	35 838.48	3	523	355.70
L545	35 234.50	3	520	471.03	R545	35 843.87	3	523	321.12
L546	35 274.36	3	520	241.47	R546	35 832.64	3	523	304.57
L547	35 316.28	3	520	000.60	R547	35 834.63	3	523	298.55
L548	35 329.63	3	519	909.12	R548	35 838.28	3	523	282.44
L549	35 336.77	3	519	837.23	R549	35 856.19	3	523	273.54
L550	35 338.06	3	519	817.13	R550	35 868.80	3	523	238.69
L551	35 340.58	3	519	755.57	R551	35 892.40	3	523	183.53
L552	35 340.93	3	519	694.15	R552	35 916.61	3	523	128.63
L553	35 338.99	3	519	632.76	R553	35 940.83	3	523	073.73
L554	35 335.02	3	519	571.45	R554	35 963.46	3	523	018.17
L555	35 328.57	3	519	510.13	R555	35 972.58	3	522	984.38
L556	35 319.81	3	519	448.81	R556	35 985.02	3	522	951.66
L557	35 308.80	3	519	388.60	R557	35 994.97	3	522	912.92
L558	35 295.78	3	519	328.01	R558	36 006.59	3	522	854.06
L559	35 280.41	3	519	268.89	R559	36 014.20	3	522	794.54
L560	35 263.30	3	519	211.74	R560	36 019.07	3	522	734.74
L561	35 242.95	3	519	151.74	R561	36 023.86	3	522	674.93
					Vel 24 Van 27 of P968/17 Sheet of				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES											
LINKERKANT/LEFT HAND SIDE						REGTERKANT/RIGHT HAND SIDE					
	Y		X	WG 19°		Y		X			
L562	35	216.96	3	519	083.32	R562	36	038.44	3	522	650.15
L563	35	209.18	3	519	062.78	R563	36	050.61	3	522	554.26
L564	35	120.16	3	518	871.36	R564	36	065.71	3	522	493.28
L565	34	991.40	3	518	595.26	R565	36	113.73	3	522	316.91
L566	34	938.72	3	518	482.04	R566	36	113.69	3	522	300.92
L567	34	832.86	3	518	254.53	R567	36	116.42	3	522	286.47
L568	34	721.61	3	518	015.44	R568	36	120.91	3	522	258.11
L569	34	538.86	3	517	622.95	R569	36	125.57	3	522	198.71
L570	34	463.20	3	517	460.21	R570	36	126.29	3	522	169.09
L571	34	447.52	3	517	426.61	R571	36	125.72	3	522	139.50
L572	34	357.05	3	517	232.72	R572	36	123.80	3	522	109.91
L573	34	109.14	3	516	700.06	R573	36	120.44	3	522	080.71
L574	34	069.46	3	516	614.63	R574	36	116.14	3	522	051.36
L575	33	916.61	3	516	286.01	R575	36	112.41	3	522	030.91
L576	33	736.39	3	515	899.63	R576	36	105.88	3	521	999.81
L577	33	563.15	3	515	527.55	R577	36	096.21	3	521	964.03
L578	33	337.32	3	515	042.70	R578	36	087.05	3	521	935.80
L579	33	139.36	3	514	617.75	R579	36	076.84	3	521	908.09
L580	33	030.08	3	514	382.83	R580	36	064.61	3	521	878.98
L581	32	966.97	3	514	247.16	R581	36	055.36	3	521	852.15
L582	32	879.34	3	514	061.96	R582	36	026.80	3	521	799.97
L583	32	846.56	3	513	992.69	R583	36	010.92	3	521	774.80
L584	32	725.04	3	513	747.02	R584	35	994.00	3	521	750.24
L585	32	655.12	3	513	610.66	R585	35	975.84	3	521	726.23
L586	32	469.67	3	513	260.46	R586	35	523.27	3	521	145.22
L587	32	414.46	3	513	156.80	R587	35	452.33	3	521	054.20
L588	32	252.80	3	512	853.28	R588	35	398.84	3	520	994.40
L589	32	011.78	3	512	400.33	R589	35	315.65	3	520	892.76
L590	31	682.32	3	511	781.41	R590	35	265.78	3	520	810.42
L591	31	427.39	3	511	305.68	R591	35	249.87	3	520	781.91
L592	31	270.62	3	511	027.82	R592	35	237.52	3	520	752.99
L593	31	117.05	3	510	768.56	R593	35	225.95	3	520	723.81
L594	30	988.19	3	510	559.23	R594	35	216.02	3	520	693.79
L595	30	831.07	3	510	313.67	R595	35	208.17	3	520	663.40
L596	30	808.49	3	510	275.78	R596	35	201.79	3	520	630.84
L597	30	786.07	3	510	245.56	R597	35	197.96	3	520	601.27
L598	30	766.77	3	510	216.47	R598	35	193.10	3	520	550.69
L599	30	672.14	3	510	075.73	R599	35	196.57	3	520	506.74
L600	30	498.06	3	509	825.47	R600	35	203.62	3	520	462.90
L601	30	286.82	3	509	532.61	R601	35	243.26	3	520	235.95
L602	30	185.62	3	509	392.31	R602	35	285.69	3	519	993.52
L603	29	963.00	3	509	084.40	R603	35	298.40	3	519	905.50
L604	29	472.78	3	508	406.06	R604	35	305.39	3	519	828.72
L605	29	213.10	3	508	046.83	R605	35	308.86	3	519	754.91
L606	29	200.00	3	508	020.86	R606	35	309.19	3	519	694.63
L607	29	176.90	3	507	996.70	R607	35	307.35	3	519	634.37
L608	28	888.03	3	507	594.42	R608	35	303.44	3	519	574.59
L609	28	762.56	3	507	417.64	R609	35	297.29	3	519	513.37
L610	28	737.56	3	507	377.40	R610	35	288.63	3	519	454.56
L611	28	733.42	3	507	365.77	R611	35	275.74	3	519	386.58
L612	28	725.38	3	507	329.66	R612	35	250.59	3	519	278.85

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 19°		Y		X	
L613	28 716.64	3	507 288.86		R613	35 232.75	3	519 219.40	
L614	28 709.59	3	507 240.97		R614	35 213.30	3	519 162.46	
L615	28 704.08	3	507 181.02		R615	35 191.80	3	519 105.86	
L616	28 708.17	3	507 125.97		R616	35 168.33	3	519 050.37	
L617	28 717.11	3	507 084.68		R617	35 068.67	3	518 835.91	
L618	28 719.12	3	507 066.72		R618	35 035.18	3	518 796.65	
L619	28 735.46	3	507 009.50		R619	35 038.04	3	518 787.51	
L620	28 755.17	3	506 952.14		R620	35 037.14	3	518 775.30	
L621	28 766.20	3	506 912.94		R621	35 031.53	3	518 761.15	
L622	28 774.53	3	506 876.04		R622	34 989.09	3	518 670.79	
L623	28 778.15	3	506 828.95		R623	34 973.58	3	518 668.08	
L624	28 779.96	3	506 797.30		R624	34 966.25	3	518 615.57	
L625	28 779.85	3	506 781.71		R625	34 925.30	3	518 527.69	
L626	28 779.73	3	506 766.24		R626	34 789.19	3	518 235.53	
L627	28 777.56	3	506 735.03		R627	34 693.10	3	518 028.68	
L628	28 773.35	3	506 703.74		R628	34 438.03	3	517 481.33	
L629	28 767.26	3	506 672.96		R629	34 338.04	3	517 266.20	
L630	28 760.58	3	506 647.48		R630	34 040.30	3	516 626.68	
L631	28 749.40	3	506 612.81		R631	33 887.88	3	516 299.13	
L632	28 737.62	3	506 583.49		R632	33 540.40	3	515 553.31	
L633	28 719.00	3	506 545.28		R633	33 273.01	3	514 979.14	
L634	28 713.36	3	506 535.13		R634	33 108.82	3	514 626.29	
L635	28 577.45	3	506 289.80		R635	32 998.81	3	514 389.14	
L636	28 310.15	3	505 807.94		R636	32 937.58	3	514 257.03	
L637	28 141.25	3	505 503.17		R637	32 853.25	3	514 079.19	
L638	27 910.81	3	505 087.69		R638	32 818.68	3	514 006.27	
L639	27 526.32	3	504 394.34		R639	32 700.65	3	513 767.04	
L640	27 438.19	3	504 234.98		R640	32 628.79	3	513 626.56	
L641	27 408.85	3	504 180.86		R641	32 443.02	3	513 275.59	
L642	27 381.07	3	504 126.87		R642	32 404.27	3	513 203.17	
L643	27 344.58	3	504 051.78		R643	32 225.11	3	512 868.26	
L644	27 316.36	3	503 989.67		R644	31 983.91	3	512 415.08	
L645	27 292.39	3	503 934.03		R645	31 654.41	3	511 795.85	
L646	27 260.14	3	503 853.28		R646	31 394.94	3	511 311.53	
L647	27 107.32	3	503 456.16		R647	31 243.58	3	511 043.95	
L648	27 039.83	3	503 280.70		R648	31 090.53	3	510 784.94	
L649	27 017.04	3	503 214.80		R649	30 968.05	3	510 585.76	
L650	26 996.08	3	503 166.97		R650	30 823.31	3	510 359.05	
L651	26 828.40	3	502 730.62		R651	30 766.56	3	510 272.54	
L652	26 714.48	3	502 434.05		R652	30 738.24	3	510 230.49	
L653	26 687.70	3	502 364.36		R653	30 648.63	3	510 100.08	
L654	26 545.22	3	501 993.53		R654	30 472.53	3	509 845.02	
L655	26 402.19	3	501 621.49		R655	30 408.35	3	509 754.58	
L656	26 225.42	3	501 161.91		R656	30 390.69	3	509 729.68	
L657	26 047.23	3	500 698.49		R657	30 161.56	3	509 413.20	
L658	25 996.27	3	500 566.16		R658	29 945.57	3	509 114.46	
L659	25 979.89	3	500 521.23		R659	29 435.40	3	508 408.25	
L660	25 961.10	3	500 463.78		R660	29 205.41	3	508 089.97	
L661	25 944.69	3	500 405.89		R661	29 175.98	3	508 055.89	
L662	25 928.01	3	500 338.34		R662	29 151.86	3	508 015.99	
L663	25 918.82	3	500 287.96		R663	29 075.90	3	507 914.13	
					Vel	26	Van	27	P968/17
					Sheet		of		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES											
LINKERKANT/LEFT HAND SIDE						REGTERKANT/RIGHT HAND SIDE					
	Y		X	WG 19°		Y		X			
L664	25	915.68	3	500	269.26	R664	28	859.27	3	507	611.15
L665	25	909.46	3	500	228.74	R665	28	829.41	3	507	581.57
L666	25	902.15	3	500	168.50	R666	28	790.91	3	507	528.57
L667	25	855.54	3	499	774.85	R667	28	793.38	3	507	526.11
L668	25	843.35	3	499	653.27	R668	28	748.92	3	507	462.12
L669	25	830.41	3	499	562.71	R669	28	725.92	3	507	423.11
L670	25	823.32	3	499	502.28	R670	28	707.20	3	507	386.90
L671	25	826.43	3	499	501.64	R671	28	705.07	3	507	381.50
L672	25	776.23	3	499	070.50	R672	28	688.22	3	507	338.76
L673	25	772.04	3	499	041.35	R673	28	678.14	3	507	302.54
L674	25	753.89	3	498	886.86	R674	28	667.99	3	507	243.86
L675	25	751.60	3	498	841.10	R675	28	661.52	3	507	194.69
L676	25	739.99	3	498	609.49	R676	28	661.57	3	507	184.45
L677	25	738.89	3	498	588.05	R677	28	673.46	3	507	119.80
REGTERKANT/RIGHT HAND SIDE						R678	28	681.78	3	507	075.73
						R679	28	699.44	3	507	011.10
R715	25	712.94	3	499	049.10	R680	28	714.19	3	506	970.89
R716	25	688.02	3	498	841.92	R681	28	729.24	3	506	918.88
R717	25	693.29	3	498	835.08	R682	28	738.11	3	506	884.71
R718	25	693.40	3	498	830.39	R683	28	746.81	3	506	826.39
R719	25	686.65	3	498	830.56	R684	28	748.45	3	506	797.20
R720	25	659.50	3	498	620.93	R685	28	742.77	3	506	742.51
R721	25	655.65	3	498	594.13	R686	28	735.29	3	506	700.60
						R687	28	731.84	3	506	681.29
						R688	28	718.24	3	506	625.97
						R689	28	708.15	3	506	596.95
						R690	28	689.39	3	506	556.63
						R691	28	548.32	3	506	302.22
						R692	28	282.33	3	505	822.49
						R693	28	119.37	3	505	528.51
						R694	27	883.73	3	505	103.60
						R695	27	499.09	3	504	409.91
						R696	27	411.60	3	504	252.27
						R697	27	381.81	3	504	196.92
						R698	27	354.61	3	504	143.83
						R699	27	327.00	3	504	088.00
						R700	27	317.61	3	504	067.75
						R701	27	301.66	3	504	033.36
						R702	27	276.38	3	503	976.93
						R703	27	248.18	3	503	910.85
						R704	26	988.74	3	503	236.33
						R705	26	973.03	3	503	202.03
						R706	26	968.72	3	503	186.10
						R707	26	799.39	3	502	744.05
						R708	26	698.02	3	502	480.51
						R709	25	884.54	3	500	366.45
						R710	25	892.56	3	500	342.23
						R711	25	876.31	3	500	228.80
						R712	25	826.39	3	499	801.47
						R713	25	792.15	3	499	506.47
						R714	25	767.06	3	499	508.94
						Vel	27	Van	27	P968/17	
						Sheet		of			