

DEPARTMENT OF TRANSPORT

NO. 375

27 MARCH 2018

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R61 SECTION 2**AMENDMENT OF DECLARATION No. 546 OF 2003.**

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 546 of 2003 by substituting paragraph (l) of the Schedule, being the descriptive declaration of the route from its junction with National Road N9 Section 6 up to its junction with National Road N10 Section 4, at Cradock, with the accompanying sheets 1 to 30 of Plan No. P982/17.

(National Road R61 Section 2: N9 Junction – Cradock)

MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 375

27 MAART 2018

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**


Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD R61 SEKSIE 2


WYSIGING VAN VERKLARING No. 546 VAN 2003.

Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 546 van 2003 deur paragraaf (I) van die Skedule te vervang, synde die gedeelte van die beskrywende verklaring van die pad vanaf die aansluiting met Nasionale Pad N9 Seksie 6 tot by die aansluiting met Nasionale Pad N10 Seksie 4, by Cradock, met bygaande velle 1 tot 30 van Plan No. P982/17.


(Nasionale Pad R61 Seksie 2: N9 Aansluiting – Cradock)
MINISTER VAN VERVOER




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R61 of National Route	2
Vel Sheet	1 of	30	Plan P982/17




Die Suid Afrikaanse Nasionale Padagantakap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padraserve voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R61 Sektie of National Route Section	Vel Sheet 2 of 30 Plan P982/17
---	---------------------------------------	--	-----------------------------------





Die Suid Afrikaanse Nasionale Padogentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R61 of National Route	Vel Sheet 3 of 30
Plan P982/17	2 Seksie Section		




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	Vel Sheet 4 van of 30 Plan P982/17
---	---------------------------------------	--	--




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R61 Sektie of National Route of Section	Vel Sheet 5 of 30 Plan P982/17
---	---------------------------------------	---	--




Val Sheet 6 of 30 Plan P982/17	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R61 Sektie of National Route Section 2	Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd
	Die figuur getoon The figure shown	







Die Suid Afrikaanse Nasionale Padagentskop MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R61 of National Route	2
Val Sheet 8 of 30	Plan P982/17	Section R61	2




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	The figure shown	The figure shown	stelsel die padreserwe voor van 'n gedeelte	Vol Sheet 9 of 30
The South African National Roads Agency SOC Ltd	The figure shown	The figure shown	represents the road reserve of a portion	Plan p982/17
			van Nasionale Roete R61	
			Seksie Section	




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R61 of National Route R61	Vel 10 van 30 Sheet 10 of 30 Plan P982/17
---	---------------------------------------	---	--	---




Die Suid Afrikaanse Nasionale Podagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stelde podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	2	Plan P982/17	Vel Sheet 11 of 30
---	---------------------------------------	--	---	-----------------	-----------------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R61 of National Route	Vel Sheet 12 of 30 Plan P982/17
---	---------------------------------------	--	---------------------------------------




Die Suid Afrikaanse Nasionale Padogentskop MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R61 of National Route	Vel Sheet 13 of 30	Plan P982/17
---	---------------------------------------	--	--------------------------	-----------------




Die Suid Afrikaanse Nasionale Podagterskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R61 of National Route	Vel Sheet 14 of 30	Plan P982/17
		2		




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route
Vel Sheet 15 van af 30	2 Sektie R61 Section	Plan P982/17



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R61 of National Route	Vel Sheet 16 of 30	Plan P982/17
		2 Seksie Section		



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	2 R61 Sektie Section	Plan P982/17	Vel Sheet 17 of 30
---	---------------------------------------	--	-------------------------------	-----------------	--------------------------




Die Suid Afrikaanse Nasionale Padagentskop MSB Bpk
The South African National Roads Agency SOC Ltd

Die figuur getoon
The figure shown



stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R61
of National Route

Vel 18 van 30
Sheet 18 of 30
Plan P982/17



Vel
Sheet 19
of 30

Plan
P982/17

stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R61 Sekse
of National Route Section



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 25°		Y	X
L1	22 590.52	3 532 444.56		R1	22 607.87	3 532 466.52
L2	22 415.91	3 532 493.88		R2	22 403.77	3 532 525.03
L3	22 362.59	3 532 506.60		R3	22 350.39	3 532 535.26
L4	22 295.09	3 532 517.09		R4	22 297.71	3 532 542.27
L5	22 226.88	3 532 522.48		R5	22 232.33	3 532 548.64
L6	22 159.74	3 532 522.49		R6	22 163.67	3 532 547.56
L7	21 816.90	3 532 508.69		R7	21 815.81	3 532 533.83
L8	21 773.79	3 532 506.95		R8	21 773.41	3 532 532.16
L9	21 317.09	3 532 488.92		R9	21 310.94	3 532 514.92
L10	20 842.79	3 532 468.45		R10	20 946.96	3 532 499.29
L11	20 730.79	3 532 463.62		R11	20 759.33	3 532 492.00
L12	20 650.39	3 532 460.14		R12	20 693.03	3 532 489.48
L13	20 379.98	3 532 452.05		R13	20 425.41	3 532 478.63
L14	20 190.49	3 532 439.59		R14	20 247.56	3 532 472.92
L15	20 136.47	3 532 438.57		R15	20 192.50	3 532 473.07
L16	20 026.80	3 532 437.73		R16	20 142.17	3 532 472.65
L17	19 608.57	3 532 421.30		R17	19 984.67	3 532 461.25
L18	19 562.81	3 532 419.68		R18	19 600.79	3 532 445.97
L19	19 282.97	3 532 408.58		R19	19 557.55	3 532 444.26
L20	18 917.44	3 532 393.80		R20	19 335.47	3 532 435.76
L21	18 640.44	3 532 383.05		R21	18 918.41	3 532 419.21
L22	18 455.35	3 532 375.46		R22	18 632.43	3 532 407.78
L23	18 369.45	3 532 374.00		R23	18 419.13	3 532 399.34
L24	18 284.17	3 532 375.10		R24	18 378.36	3 532 398.79
L25	18 185.69	3 532 379.46		R25	18 350.88	3 532 399.51
L26	18 011.16	3 532 401.30		R26	18 159.58	3 532 409.69
L27	17 956.83	3 532 409.96		R27	18 118.81	3 532 413.16
L28	17 863.34	3 532 428.58		R28	17 968.79	3 532 434.08
L29	17 757.28	3 532 453.71		R29	17 883.88	3 532 450.43
L30	17 704.60	3 532 468.73		R30	17 856.96	3 532 456.61
L31	17 665.32	3 532 480.56		R31	17 816.94	3 532 466.39
L32	17 574.87	3 532 511.28		R32	17 764.09	3 532 479.97
L33	17 536.15	3 532 525.25		R33	17 671.62	3 532 505.42
L34	17 497.72	3 532 539.99		R34	17 612.30	3 532 523.70
L35	17 448.65	3 532 559.71		R35	17 522.02	3 532 556.46
L36	17 441.03	3 532 547.97		R36	17 459.67	3 532 582.72
L37	17 437.04	3 532 549.71		R37	17 459.93	3 532 595.28
L38	17 439.56	3 532 563.66		R38	17 456.00	3 532 596.93
L39	17 231.42	3 532 651.40		R39	17 447.84	3 532 587.71
L40	16 678.86	3 532 884.72		R40	17 236.37	3 532 676.85
L41	16 237.48	3 533 070.81		R41	16 699.76	3 532 902.80
L42	16 044.93	3 533 149.59		R42	16 405.99	3 533 026.65
L43	15 684.96	3 533 303.76		R43	16 246.11	3 533 092.67
L44	14 596.82	3 533 762.52		R44	16 055.92	3 533 173.64
L45	14 592.23	3 533 764.15		R45	15 705.23	3 533 322.34
L46	14 223.13	3 533 920.20		R46	15 340.62	3 533 475.77
L47	14 183.72	3 533 936.63		R47	14 989.93	3 533 623.65
L48	14 100.79	3 533 971.20		R48	14 609.82	3 533 784.06
L49	13 949.50	3 534 034.38		R49	14 236.71	3 533 941.66
L50	13 897.65	3 534 050.49		R50	14 030.00	3 534 032.22
L51	13 848.82	3 534 058.62		R51	13 961.00	3 534 059.21
				Vel Sheet	20 Van of	30 P982/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 25°		Y	X
L52	13 745.47	3 534 067.69		R52	13 918.86	3 534 073.36
L53	13 702.76	3 534 070.63		R53	13 850.26	3 534 086.77
L54	13 638.73	3 534 079.28		R54	13 737.38	3 534 100.48
L55	13 565.69	3 534 110.32		R55	13 681.86	3 534 108.24
L56	13 474.07	3 534 134.09		R56	13 543.89	3 534 152.03
L57	13 387.44	3 534 206.48		R57	13 523.54	3 534 166.56
L58	13 359.65	3 534 214.86		R58	13 486.61	3 534 180.99
L59	13 236.70	3 534 214.22		R59	13 451.63	3 534 201.33
L60	13 135.94	3 534 243.05		R60	13 412.47	3 534 218.32
L61	13 019.72	3 534 257.77		R61	13 385.92	3 534 227.92
L62	12 903.33	3 534 272.32		R62	13 332.11	3 534 242.04
L63	12 781.42	3 534 285.88		R63	13 314.34	3 534 251.60
L64	12 640.58	3 534 315.43		R64	13 115.91	3 534 277.76
L65	12 575.68	3 534 334.01		R65	13 096.06	3 534 275.33
L66	12 488.37	3 534 377.01		R66	12 893.73	3 534 300.08
L67	12 280.31	3 534 480.56		R67	12 874.04	3 534 303.31
L68	12 231.38	3 534 503.55		R68	12 836.29	3 534 309.39
L69	12 152.31	3 534 525.51		R69	12 778.21	3 534 316.46
L70	12 098.60	3 534 536.25		R70	12 722.74	3 534 325.17
L71	12 051.12	3 534 541.51		R71	12 658.10	3 534 339.69
L72	11 989.98	3 534 546.08		R72	12 643.03	3 534 345.22
L73	11 907.48	3 534 544.04		R73	12 626.58	3 534 356.58
L74	11 880.53	3 534 537.97		R74	12 583.12	3 534 372.49
L75	11 829.42	3 534 534.66		R75	12 473.64	3 534 426.22
L76	11 775.79	3 534 524.20		R76	12 413.81	3 534 459.54
L77	11 709.95	3 534 505.21		R77	12 359.38	3 534 486.66
L78	11 665.30	3 534 485.88		R78	12 339.83	3 534 490.82
L79	11 547.14	3 534 434.30		R79	12 312.71	3 534 504.33
L80	11 399.78	3 534 369.24		R80	12 223.98	3 534 533.97
L81	11 257.08	3 534 306.04		R81	12 170.10	3 534 549.93
L82	11 227.73	3 534 290.80		R82	12 134.45	3 534 558.30
L83	11 126.34	3 534 235.89		R83	12 080.45	3 534 565.51
L84	11 086.11	3 534 198.07		R84	11 929.85	3 534 573.11
L85	10 987.11	3 534 130.12		R85	11 889.18	3 534 569.03
L86	10 850.08	3 534 048.89		R86	11 576.33	3 534 526.46
L87	10 721.82	3 533 972.56		R87	11 492.46	3 534 463.12
L88	10 597.50	3 533 896.19		R88	11 427.04	3 534 441.15
L89	10 552.63	3 533 868.64		R89	11 367.42	3 534 414.64
L90	10 466.24	3 533 809.14		R90	11 226.08	3 534 357.09
L91	10 338.93	3 533 766.77		R91	11 150.42	3 534 319.53
L92	10 315.95	3 533 769.53		R92	11 070.26	3 534 255.44
L93	10 305.12	3 533 773.46		R93	10 977.76	3 534 185.50
L94	10 255.35	3 533 773.51		R94	10 795.95	3 534 114.95
L95	10 191.48	3 533 768.36		R95	10 727.46	3 534 084.28
L96	10 126.89	3 533 771.54		R96	10 692.27	3 534 064.61
L97	10 044.73	3 533 778.88		R97	10 689.11	3 534 062.01
L98	9 977.53	3 533 789.98		R98	10 670.98	3 534 053.56
L99	9 897.62	3 533 806.05		R99	10 657.83	3 534 042.73
L100	9 817.49	3 533 823.23		R100	10 643.19	3 534 027.51
L101	9 778.74	3 533 830.48		R101	10 562.85	3 533 968.19
L102	9 696.48	3 533 846.15		R102	10 546.13	3 533 959.28
				Vel Sheet	21 Van of	30 P982/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L103	9 563.14	3	533	871.07	R103	10 512.27	3	533	932.73
L104	9 375.65	3	533	905.15	R104	10 500.12	3	533	916.85
L105	9 310.05	3	533	921.92	R105	10 490.31	3	533	909.16
L106	9 274.99	3	533	920.94	R106	10 479.03	3	533	901.46
L107	9 235.70	3	533	934.98	R107	10 372.44	3	533	849.43
L108	9 201.79	3	533	955.24	R108	10 360.74	3	533	846.14
L109	9 156.54	3	533	955.80	R109	10 340.75	3	533	845.38
L110	9 132.70	3	534	004.20	R110	10 305.51	3	533	831.11
L111	9 107.43	3	534	009.93	R111	10 225.54	3	533	814.06
L112	9 082.58	3	534	034.75	R112	10 127.84	3	533	805.82
L113	9 050.69	3	534	072.44	R113	10 059.18	3	533	811.52
L114	9 023.90	3	534	099.23	R114	10 056.45	3	533	812.14
L115	8 983.34	3	534	134.36	R115	10 036.46	3	533	811.56
L116	8 962.16	3	534	174.21	R116	9 991.25	3	533	821.82
L117	8 941.63	3	534	189.69	R117	9 871.93	3	533	841.32
L118	8 923.02	3	534	211.44	R118	9 750.54	3	533	864.24
L119	8 906.78	3	534	247.41	R119	9 644.94	3	533	888.56
L120	8 865.55	3	534	299.94	R120	9 344.97	3	533	941.86
L121	8 750.85	3	534	446.53	R121	9 192.22	3	534	028.80
L122	8 484.71	3	534	786.82	R122	9 161.69	3	534	021.29
L123	8 222.76	3	535	121.67	R123	9 146.41	3	534	023.79
L124	8 066.63	3	535	320.88	R124	9 045.75	3	534	119.11
L125	7 793.23	3	535	670.09	R125	9 019.26	3	534	149.83
L126	7 757.10	3	535	709.35	R126	8 948.70	3	534	245.73
L127	7 728.93	3	535	739.29	R127	8 935.89	3	534	256.12
L128	7 700.42	3	535	768.67	R128	7 819.35	3	535	679.65
L129	7 575.21	3	535	895.00	R129	7 778.63	3	535	728.22
L130	7 376.49	3	536	094.65	R130	7 133.79	3	536	378.67
L131	7 142.89	3	536	331.56	R131	7 073.99	3	536	440.72
L132	7 088.50	3	536	386.73	R132	7 081.25	3	536	464.61
L133	6 917.92	3	536	558.95	R133	7 076.88	3	536	464.82
L134	6 888.00	3	536	586.07	R134	7 067.87	3	536	447.53
L135	6 841.44	3	536	616.44	R135	7 029.79	3	536	488.91
L136	6 791.91	3	536	637.24	R136	6 962.98	3	536	556.24
L137	6 751.05	3	536	643.53	R137	6 910.59	3	536	605.93
L138	6 698.32	3	536	651.77	R138	6 859.80	3	536	643.45
L139	6 657.11	3	536	647.39	R139	6 808.64	3	536	663.71
L140	6 617.47	3	536	635.98	R140	6 757.34	3	536	678.28
L141	6 578.31	3	536	620.96	R141	6 662.83	3	536	679.10
L142	6 523.83	3	536	581.49	R142	6 610.77	3	536	664.60
L143	6 492.80	3	536	553.28	R143	6 548.10	3	536	635.42
L144	6 455.81	3	536	513.19	R144	6 478.08	3	536	591.77
L145	6 429.88	3	536	453.86	R145	6 408.43	3	536	525.69
L146	6 333.12	3	536	340.94	R146	6 325.58	3	536	420.34
L147	6 291.43	3	536	270.17	R147	6 277.02	3	536	337.54
L148	6 262.20	3	536	194.32	R148	6 240.64	3	536	248.07
L149	6 238.90	3	536	101.20	R149	6 220.85	3	536	179.69
L150	6 231.16	3	536	047.90	R150	6 214.11	3	536	156.16
L151	6 228.27	3	535	965.98	R151	6 197.24	3	536	034.16
L152	6 233.13	3	535	912.23	R152	6 197.11	3	536	009.61
L153	6 256.87	3	535	783.95	R153	6 197.65	3	535	938.29
Vel Sheet 22					Van of 30		P982/17		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 25°		Y	X
L154	6 238.48	3 535 699.97		R154	6 217.81	3 535 786.93
L155	6 238.62	3 535 653.10		R155	6 213.03	3 535 718.98
L156	6 221.72	3 535 608.06		R156	6 197.54	3 535 666.13
L157	6 170.27	3 535 565.21		R157	6 162.94	3 535 607.64
L158	6 156.98	3 535 551.89		R158	6 127.64	3 535 565.72
L159	6 121.85	3 535 515.73		R159	6 084.15	3 535 533.42
L160	6 021.36	3 535 466.47		R160	6 022.30	3 535 504.33
L161	5 958.12	3 535 449.22		R161	5 982.77	3 535 492.61
L162	5 896.50	3 535 439.12		R162	5 874.14	3 535 478.62
L163	5 834.30	3 535 436.65		R163	5 747.58	3 535 472.95
L164	5 766.45	3 535 442.61		R164	5 651.82	3 535 488.36
L165	5 649.63	3 535 462.89		R165	5 572.54	3 535 511.05
L166	5 621.95	3 535 468.34		R166	5 565.45	3 535 512.91
L167	5 595.66	3 535 475.57		R167	5 509.05	3 535 536.00
L168	5 544.46	3 535 493.99		R168	5 427.42	3 535 571.23
L169	5 510.68	3 535 506.81		R169	5 337.89	3 535 600.56
L170	5 494.27	3 535 513.04		R170	5 269.72	3 535 616.16
L171	5 442.34	3 535 535.08		R171	5 215.64	3 535 621.04
L172	5 393.31	3 535 556.03		R172	5 204.10	3 535 620.58
L173	5 340.67	3 535 570.16		R173	5 151.47	3 535 618.61
L174	5 217.40	3 535 582.08		R174	5 106.36	3 535 612.68
L175	5 168.39	3 535 580.23		R175	4 685.88	3 535 520.91
L176	4 792.85	3 535 514.36		R176	4 302.33	3 535 450.61
L177	4 384.39	3 535 432.88		R177	4 265.08	3 535 446.13
L178	4 381.00	3 535 401.19		R178	4 221.64	3 535 443.16
L179	4 360.99	3 535 400.90		R179	4 134.57	3 535 442.81
L180	4 356.37	3 535 427.67		R180	4 090.10	3 535 447.31
L181	4 316.97	3 535 420.58		R181	4 038.21	3 535 463.88
L182	4 250.30	3 535 412.77		R182	3 947.29	3 535 476.33
L183	4 195.20	3 535 410.45		R183	3 556.58	3 535 590.73
L184	4 140.43	3 535 411.19		R184	3 503.76	3 535 603.40
L185	4 085.57	3 535 414.35		R185	3 449.20	3 535 598.47
L186	4 021.99	3 535 424.85		R186	3 285.75	3 535 592.73
L187	3 996.70	3 535 430.05		R187	3 206.42	3 535 561.00
L188	3 945.65	3 535 441.35		R188	3 154.33	3 535 526.85
L189	3 882.28	3 535 456.50		R189	3 100.29	3 535 495.32
L190	3 794.58	3 535 476.29		R190	3 041.48	3 535 469.33
L191	3 744.24	3 535 488.17		R191	2 984.96	3 535 452.97
L192	3 706.71	3 535 497.90		R192	2 936.24	3 535 445.35
L193	3 670.54	3 535 511.30		R193	2 841.03	3 535 445.05
L194	3 584.76	3 535 538.79		R194	2 784.85	3 535 456.70
L195	3 547.31	3 535 548.83		R195	2 695.66	3 535 494.48
L196	3 496.01	3 535 557.37		R196	2 444.90	3 535 640.97
L197	3 457.28	3 535 563.03		R197	2 177.12	3 535 796.66
L198	3 406.42	3 535 561.71		R198	2 075.65	3 535 854.00
L199	3 380.19	3 535 560.46		R199	1 881.53	3 535 966.97
L200	3 354.78	3 535 557.52		R200	1 537.81	3 536 167.38
L201	3 329.64	3 535 553.75		R201	1 140.85	3 536 398.45
L202	3 291.19	3 535 546.02		R202	855.29	3 536 565.17
L203	3 266.36	3 535 539.35		R203	807.25	3 536 591.60
L204	3 241.50	3 535 531.35		R204	756.53	3 536 618.38
				Vel Sheet	23 Van of	30 P982/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 25°			Y	X		
L205	3 216.88	3 535 522.62		R205	697.18	3 536 645.96			
L206	3 193.00	3 535 512.57		R206	633.33	3 536 673.47			
L207	3 169.74	3 535 501.53		R207	569.00	3 536 697.39			
L208	3 088.59	3 535 460.34		R208	516.73	3 536 715.51			
L209	3 053.02	3 535 444.83		R209	463.78	3 536 731.17			
L210	3 028.45	3 535 436.42		R210	397.02	3 536 749.38			
L211	3 003.54	3 535 429.63		R211	343.57	3 536 761.34			
L212	2 978.80	3 535 423.96		R212	289.57	3 536 772.57			
L213	2 926.17	3 535 419.25		R213	233.74	3 536 781.01			
L214	2 894.71	3 535 417.14		R214	-174.48	3 536 839.09			
L215	2 833.10	3 535 422.22		R215	-581.58	3 536 896.94			
L216	2 778.19	3 535 430.71		R216	-1 022.04	3 536 959.75			
L217	2 700.60	3 535 461.44		R217	-1 413.71	3 537 015.45			
L218	2 413.19	3 535 627.57		R218	-1 932.36	3 537 089.30			
L219	2 170.32	3 535 769.13		R219	-2 275.36	3 537 138.06			
L220	2 110.09	3 535 804.70		R220	-2 323.51	3 537 144.91			
L221	1 847.28	3 535 957.65		R221	-2 762.81	3 537 207.48			
L222	1 485.57	3 536 168.51		R222	-3 100.48	3 537 255.60			
L223	1 115.59	3 536 383.85		R223	-3 157.66	3 537 263.75			
L224	843.25	3 536 543.06		R224	-3 184.45	3 537 270.85			
L225	789.30	3 536 572.60		R225	-3 255.87	3 537 290.19			
L226	755.51	3 536 589.97		R226	-3 383.09	3 537 342.10			
L227	683.13	3 536 624.76		R227	-3 442.90	3 537 374.94			
L228	625.95	3 536 648.63		R228	-3 580.33	3 537 460.51			
L229	567.81	3 536 670.74		R229	-3 673.78	3 537 518.71			
L230	509.91	3 536 690.59		R230	-3 747.73	3 537 564.83			
L231	452.74	3 536 707.81		R231	-4 100.43	3 537 784.14			
L232	394.19	3 536 723.74		R232	-4 092.22	3 537 805.72			
L233	335.44	3 536 737.30		R233	-4 118.95	3 537 814.92			
L234	275.91	3 536 748.74		R234	-4 127.01	3 537 800.39			
L235	216.12	3 536 758.17		R235	-4 206.59	3 537 850.02			
L236	-240.41	3 536 822.91		R236	-4 225.83	3 537 862.02			
L237	-673.06	3 536 884.70		R237	-4 505.68	3 538 036.57			
L238	-1 051.22	3 536 938.41		R238	-4 564.30	3 538 071.91			
L239	-1 558.57	3 537 010.59		R239	-4 676.75	3 538 120.13			
L240	-1 960.46	3 537 067.83		R240	-4 729.00	3 538 137.40			
L241	-2 273.92	3 537 112.29		R241	-5 010.09	3 538 217.51			
L242	-2 450.97	3 537 136.87		R242	-5 294.26	3 538 298.35			
L243	-2 721.21	3 537 174.38		R243	-5 682.80	3 538 408.49			
L244	-3 082.56	3 537 227.50		R244	-6 061.75	3 538 516.45			
L245	-3 140.32	3 537 235.99		R245	-6 441.99	3 538 624.44			
L246	-3 194.16	3 537 246.73		R246	-6 808.31	3 538 728.69			
L247	-3 262.57	3 537 266.26		R247	-6 896.16	3 538 757.47			
L248	-3 378.51	3 537 310.18		R248	-6 951.13	3 538 778.50			
L249	-3 450.37	3 537 350.18		R249	-7 014.21	3 538 806.07			
L250	-3 596.95	3 537 442.00		R250	-7 075.73	3 538 835.99			
L251	-3 600.34	3 537 438.22		R251	-7 137.63	3 538 870.25			
L252	-3 812.86	3 537 569.74		R252	-7 484.83	3 539 061.61			
L253	-4 114.88	3 537 757.60		R253	-7 830.77	3 539 252.40			
L254	-4 122.31	3 537 750.79		R254	-8 015.10	3 539 353.97			
L255	-4 149.86	3 537 772.14		R255	-8 207.73	3 539 460.11			
					Vel Sheet	24	Van of	30	P982/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L256	-4 148.21	3	537	778.31	R256	-8 645.14	3	539	701.39
L257	-4 451.39	3	537	966.88	R257	-9 013.48	3	539	904.58
L258	-4 596.11	3	538	052.51	R258	-9 036.97	3	539	917.58
L259	-4 682.02	3	538	089.88	R259	-9 086.96	3	539	945.15
L260	-4 747.78	3	538	111.74	R260	-9 470.23	3	540	156.44
L261	-5 025.00	3	538	190.50	R261	-9 855.63	3	540	369.03
L262	-5 691.26	3	538	379.94	R262	-9 863.06	3	540	373.18
L263	-6 134.61	3	538	505.59	R263	-9 858.46	3	540	380.02
L264	-6 564.00	3	538	628.13	R264	-9 957.87	3	540	431.59
L265	-6 798.02	3	538	695.07	R265	-10 144.80	3	540	528.56
L266	-6 846.88	3	538	709.19	R266	-10 529.92	3	540	740.99
L267	-6 898.53	3	538	726.48	R267	-10 926.58	3	540	959.79
L268	-6 962.37	3	538	750.93	R268	-10 920.75	3	540	973.10
L269	-7 010.18	3	538	771.31	R269	-10 931.07	3	540	982.37
L270	-7 086.20	3	538	807.95	R270	-10 951.87	3	540	973.84
L271	-7 160.75	3	538	848.34	R271	-11 362.34	3	541	200.32
L272	-7 162.43	3	538	849.28	R272	-11 737.12	3	541	406.98
L273	-7 483.39	3	539	026.15	R273	-12 053.63	3	541	582.08
L274	-7 844.09	3	539	225.25	R274	-12 445.29	3	541	798.50
L275	-8 214.20	3	539	429.46	R275	-12 543.60	3	541	853.15
L276	-8 649.45	3	539	669.42	R276	-12 565.31	3	541	865.94
L277	-8 973.78	3	539	848.49	R277	-12 632.22	3	541	906.71
L278	-9 034.92	3	539	882.22	R278	-12 707.91	3	541	958.96
L279	-9 097.87	3	539	916.92	R279	-13 024.74	3	542	197.59
L280	-9 466.37	3	540	120.02	R280	-13 072.62	3	542	233.14
L281	-9 808.61	3	540	308.70	R281	-13 114.80	3	542	264.93
L282	-9 874.38	3	540	344.99	R282	-13 110.87	3	542	279.41
L283	-10 146.73	3	540	495.33	R283	-13 113.98	3	542	281.31
L284	-10 546.44	3	540	715.87	R284	-13 129.48	3	542	275.92
L285	-10 951.01	3	540	938.87	R285	-13 337.59	3	542	432.46
L286	-11 355.82	3	541	162.25	R286	-13 540.42	3	542	584.87
L287	-12 070.83	3	541	557.27	R287	-13 868.13	3	542	831.32
L288	-12 455.84	3	541	769.70	R288	-13 865.08	3	542	843.43
L289	-12 570.18	3	541	833.11	R289	-13 868.93	3	542	846.36
L290	-12 649.36	3	541	881.24	R290	-13 877.60	3	542	838.04
L291	-12 725.90	3	541	932.52	R291	-13 976.84	3	542	912.58
L292	-12 868.92	3	542	039.91	R292	-14 313.31	3	543	165.72
L293	-12 870.71	3	542	037.51	R293	-14 555.48	3	543	353.27
L294	-13 059.14	3	542	178.97	R294	-14 683.65	3	543	449.02
L295	-13 105.07	3	542	213.60	R295	-14 675.55	3	543	474.07
L296	-13 145.24	3	542	243.29	R296	-14 687.82	3	543	479.98
L297	-13 149.35	3	542	241.73	R297	-14 703.75	3	543	464.03
L298	-13 151.68	3	542	244.54	R298	-14 863.73	3	543	589.28
L299	-13 149.38	3	542	250.44	R299	-15 258.99	3	543	884.00
L300	-13 352.88	3	542	403.26	R300	-15 368.49	3	543	961.81
L301	-13 356.84	3	542	408.86	R301	-15 500.19	3	544	048.27
L302	-13 530.69	3	542	539.29	R302	-15 672.96	3	544	129.79
L303	-13 893.43	3	542	812.00	R303	-15 819.20	3	544	196.92
L304	-14 265.67	3	543	091.87	R304	-16 324.06	3	544	388.57
L305	-14 453.42	3	543	232.72	R305	-16 529.81	3	544	466.17
L306	-14 607.13	3	543	348.23	R306	-16 808.36	3	544	577.42
					Vel Sheet 25 Van of 30 P982/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L307	-14 825.51	3	543	511.36	R307	-17 029.16	3	544	668.13
L308	-14 870.08	3	543	525.93	R308	-17 503.28	3	544	903.76
L309	-14 893.44	3	543	541.92	R309	-17 960.71	3	545	121.83
L310	-14 921.18	3	543	581.83	R310	-17 999.86	3	545	157.12
L311	-15 385.02	3	543	934.14	R311	-18 022.94	3	545	167.70
L312	-15 422.15	3	543	962.16	R312	-18 067.83	3	545	172.49
L313	-15 437.92	3	543	960.55	R313	-18 404.27	3	545	332.91
L314	-15 446.11	3	543	966.58	R314	-18 434.30	3	545	351.54
L315	-15 450.25	3	543	979.68	R315	-18 497.75	3	545	391.53
L316	-15 476.92	3	543	996.35	R316	-18 506.66	3	545	380.57
L317	-15 544.19	3	544	028.89	R317	-18 886.71	3	545	560.29
L318	-15 614.11	3	544	066.14	R318	-18 909.96	3	545	570.10
L319	-15 763.40	3	544	127.13	R319	-19 024.48	3	545	620.93
L320	-16 843.78	3	544	542.24	R320	-19 122.16	3	545	658.47
L321	-16 990.78	3	544	607.71	R321	-19 357.88	3	545	734.08
L322	-17 075.61	3	544	651.37	R322	-19 468.44	3	545	762.56
L323	-17 301.22	3	544	760.46	R323	-19 787.57	3	545	832.29
L324	-17 509.33	3	544	861.36	R324	-20 603.02	3	546	031.78
L325	-17 549.60	3	544	877.46	R325	-20 600.69	3	546	046.57
L326	-17 682.66	3	544	940.84	R326	-20 605.26	3	546	048.15
L327	-17 685.84	3	544	936.47	R327	-20 613.10	3	546	034.31
L328	-17 690.18	3	544	937.87	R328	-21 651.26	3	546	289.49
L329	-17 689.52	3	544	943.73	R329	-21 689.97	3	546	315.22
L330	-17 908.46	3	545	049.75	R330	-21 723.10	3	546	322.89
L331	-17 913.11	3	545	053.65	R331	-21 769.82	3	546	319.20
L332	-18 444.81	3	545	310.72	R332	-22 054.47	3	546	389.24
L333	-18 829.72	3	545	497.15	R333	-22 394.13	3	546	471.90
L334	-18 995.27	3	545	566.64	R334	-22 565.73	3	546	513.51
L335	-19 146.22	3	545	623.02	R335	-22 753.28	3	546	552.70
L336	-19 180.25	3	545	624.58	R336	-22 861.83	3	546	570.92
L337	-19 259.57	3	545	650.21	R337	-23 080.17	3	546	591.73
L338	-19 372.31	3	545	693.65	R338	-23 080.22	3	546	597.19
L339	-19 519.44	3	545	729.29	R339	-23 085.11	3	546	598.21
L340	-19 524.36	3	545	728.81	R340	-23 088.10	3	546	591.45
L341	-19 526.27	3	545	732.54	R341	-23 182.37	3	546	598.49
L342	-22 077.40	3	546	357.94	R342	-23 255.93	3	546	602.33
L343	-22 411.77	3	546	439.70	R343	-23 298.20	3	546	598.81
L344	-22 525.32	3	546	467.37	R344	-23 434.01	3	546	597.30
L345	-22 621.58	3	546	489.15	R345	-23 600.93	3	546	588.38
L346	-22 743.45	3	546	511.83	R346	-23 698.65	3	546	580.87
L347	-22 811.49	3	546	522.85	R347	-23 842.46	3	546	558.05
L348	-22 907.01	3	546	535.97	R348	-24 636.82	3	546	452.72
L349	-23 016.14	3	546	547.03	R349	-24 811.42	3	546	430.13
L350	-23 085.97	3	546	552.88	R350	-25 428.88	3	546	354.84
L351	-23 086.38	3	546	548.41	R351	-25 529.61	3	546	337.50
L352	-23 091.29	3	546	548.69	R352	-25 731.28	3	546	307.25
L353	-23 091.07	3	546	553.25	R353	-26 002.96	3	546	286.12
L354	-23 184.18	3	546	558.52	R354	-26 102.74	3	546	288.18
L355	-23 274.67	3	546	561.29	R355	-26 269.77	3	546	308.66
L356	-23 325.07	3	546	560.86	R356	-26 375.53	3	546	327.40
L357	-23 425.19	3	546	560.01	R357	-26 480.74	3	546	351.14
Vel Sheet 26					Van of 30				
					P982/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES											
LINKERKANT/LEFT HAND SIDE						REGTERKANT/RIGHT HAND SIDE					
	Y		X	WG 25°		Y		X			
L358	-23	502.65	3	546	557.15	R358	-26	609.69	3	546	387.22
L359	-23	584.51	3	546	552.19	R359	-27	124.37	3	546	495.16
L360	-23	666.38	3	546	545.14	R360	-27	124.26	3	546	504.72
L361	-23	711.57	3	546	540.31	R361	-27	131.54	3	546	505.75
L362	-23	905.84	3	546	514.99	R362	-27	133.06	3	546	497.34
L363	-24	065.30	3	546	493.82	R363	-27	322.05	3	546	541.50
L364	-24	513.93	3	546	433.70	R364	-27	505.61	3	546	584.40
L365	-24	927.84	3	546	378.47	R365	-27	975.64	3	546	694.25
L366	-25	323.99	3	546	325.33	R366	-28	931.94	3	546	908.73
L367	-25	718.70	3	546	272.87	R367	-29	401.86	3	547	009.86
L368	-25	812.44	3	546	260.73	R368	-29	401.98	3	547	013.15
L369	-25	867.16	3	546	256.16	R369	-29	405.67	3	547	014.91
L370	-25	921.57	3	546	252.78	R370	-29	407.70	3	547	012.94
L371	-25	990.75	3	546	250.69	R371	-29	885.13	3	547	125.06
L372	-26	074.18	3	546	252.62	R372	-29	923.22	3	547	149.41
L373	-26	155.74	3	546	258.31	R373	-29	942.24	3	547	155.54
L374	-26	209.96	3	546	263.81	R374	-29	985.19	3	547	152.59
L375	-26	264.75	3	546	271.16	R375	-29	994.63	3	547	151.96
L376	-26	330.22	3	546	282.91	R376	-30	531.01	3	547	272.61
L377	-26	386.28	3	546	294.60	R377	-30	627.40	3	547	294.29
L378	-26	685.39	3	546	361.85	R378	-30	743.40	3	547	316.14
L379	-26	956.85	3	546	422.94	R379	-30	798.95	3	547	334.41
L380	-26	976.36	3	546	427.33	R380	-30	871.92	3	547	390.85
L381	-27	129.49	3	546	461.78	R381	-30	935.07	3	547	479.95
L382	-27	132.44	3	546	456.70	R382	-31	010.84	3	547	586.96
L383	-27	137.26	3	546	457.50	R383	-31	076.40	3	547	662.91
L384	-27	138.10	3	546	463.88	R384	-31	238.48	3	547	732.99
L385	-27	325.11	3	546	505.88	R385	-31	337.47	3	547	765.79
L386	-27	356.32	3	546	502.64	R386	-31	461.44	3	547	774.21
L387	-27	422.94	3	546	517.60	R387	-31	761.96	3	547	807.40
L388	-27	464.07	3	546	537.08	R388	-31	940.47	3	547	840.61
L389	-27	672.14	3	546	583.80	R389	-32	254.11	3	547	863.42
L390	-27	846.77	3	546	622.97	R390	-32	413.60	3	547	875.16
L391	-28	704.50	3	546	815.79	R391	-32	499.15	3	547	886.68
L392	-29	132.16	3	546	910.85	R392	-32	623.54	3	547	913.82
L393	-29	407.85	3	546	974.09	R393	-32	823.98	3	547	960.46
L394	-29	413.63	3	546	966.62	R394	-33	193.37	3	548	043.74
L395	-29	417.94	3	546	967.04	R395	-33	232.73	3	548	049.60
L396	-29	419.57	3	546	976.58	R396	-33	239.61	3	548	050.81
L397	-29	535.94	3	547	002.87	R397	-33	302.37	3	548	072.73
L398	-29	986.05	3	547	103.69	R398	-33	365.27	3	548	087.53
L399	-30	295.11	3	547	173.41	R399	-33	544.05	3	548	125.40
L400	-30	765.93	3	547	279.88	R400	-33	645.00	3	548	149.88
L401	-30	821.20	3	547	300.76	R401	-33	686.32	3	548	175.34
L402	-30	904.48	3	547	342.77	R402	-33	723.10	3	548	178.73
L403	-30	923.37	3	547	358.18	R403	-33	763.37	3	548	169.57
L404	-30	965.32	3	547	400.52	R404	-33	843.78	3	548	176.79
L405	-31	032.28	3	547	454.75	R405	-34	028.19	3	548	168.13
L406	-31	086.13	3	547	535.56	R406	-34	062.39	3	548	169.28
L407	-31	095.02	3	547	578.81	R407	-34	159.71	3	548	179.52
L408	-31	133.38	3	547	626.04	R408	-34	214.32	3	548	188.42
Vel Sheet						27	Van of		30	P982/17	

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L409	-31 194.80	3	547 665.03		R409	-34 292.54	3	548 210.13	
L410	-31 256.58	3	547 689.83		R410	-34 383.73	3	548 246.76	
L411	-31 316.69	3	547 707.69		R411	-34 458.24	3	548 290.24	
L412	-31 441.97	3	547 729.51		R412	-34 591.07	3	548 358.64	
L413	-31 702.43	3	547 757.01		R413	-34 810.35	3	548 503.13	
L414	-31 932.31	3	547 784.20		R414	-34 959.23	3	548 588.70	
L415	-32 100.02	3	547 801.82		R415	-35 203.24	3	548 769.58	
L416	-32 289.26	3	547 824.96		R416	-35 730.93	3	549 172.96	
L417	-32 453.72	3	547 848.75		R417	-36 358.08	3	549 657.94	
L418	-32 511.74	3	547 856.86		R418	-36 421.54	3	549 701.47	
L419	-32 568.71	3	547 866.84		R419	-36 497.66	3	549 737.84	
L420	-32 623.86	3	547 878.35		R420	-36 580.00	3	549 770.45	
L421	-32 904.99	3	547 942.42		R421	-36 611.67	3	549 780.12	
L422	-32 952.04	3	547 937.76		R422	-36 679.51	3	549 798.41	
L423	-32 961.43	3	547 939.61		R423	-36 952.12	3	549 845.85	
L424	-32 964.68	3	547 923.14		R424	-36 966.08	3	549 862.05	
L425	-32 978.21	3	547 943.05		R425	-36 993.35	3	549 854.11	
L426	-32 987.46	3	547 945.87		R426	-37 098.87	3	549 873.67	
L427	-33 028.16	3	547 970.51		R427	-37 138.03	3	549 896.26	
L428	-33 243.13	3	548 019.43		R428	-37 136.29	3	549 900.07	
L429	-33 301.46	3	548 024.60		R429	-37 157.94	3	549 897.58	
L430	-33 527.27	3	548 075.51		R430	-37 217.21	3	549 895.16	
L431	-33 555.43	3	548 084.92		R431	-37 239.00	3	549 898.42	
L432	-33 622.25	3	548 105.72		R432	-37 297.03	3	549 912.71	
L433	-33 718.16	3	548 128.03		R433	-37 346.63	3	549 928.65	
L434	-33 777.07	3	548 134.21		R434	-37 394.13	3	549 946.13	
L435	-33 853.41	3	548 131.18		R435	-37 463.61	3	549 992.49	
L436	-33 922.11	3	548 134.46		R436	-37 498.62	3	550 011.16	
L437	-34 025.65	3	548 130.35		R437	-37 557.66	3	550 033.62	
L438	-34 130.19	3	548 137.38		R438	-38 458.24	3	550 694.81	
L439	-34 220.40	3	548 151.80		R439	-38 664.27	3	550 820.39	
L440	-34 309.51	3	548 175.72		R440	-38 967.30	3	550 952.67	
L441	-34 367.72	3	548 188.00		R441	-39 006.84	3	550 966.53	
L442	-34 500.96	3	548 248.01		R442	-39 080.67	3	550 986.60	
L443	-34 580.82	3	548 308.82		R443	-39 160.26	3	551 012.03	
L444	-34 617.55	3	548 331.58		R444	-39 200.70	3	551 034.49	
L445	-34 631.37	3	548 313.63		R445	-39 209.52	3	551 037.59	
L446	-34 635.92	3	548 315.65		R446	-39 254.03	3	551 044.90	
L447	-34 629.18	3	548 338.63		R447	-39 356.01	3	551 083.94	
L448	-34 784.27	3	548 425.78		R448	-39 414.00	3	551 106.13	
L449	-34 873.06	3	548 478.32		R449	-39 545.82	3	551 161.17	
L450	-34 971.97	3	548 546.21		R450	-39 680.15	3	551 228.89	
L451	-35 079.55	3	548 631.08		R451	-40 817.58	3	551 866.71	
L452	-35 112.50	3	548 653.91		R452	-40 849.47	3	551 901.79	
L453	-35 380.93	3	548 861.31		R453	-40 880.22	3	551 919.03	
L454	-35 434.95	3	548 903.05		R454	-40 893.57	3	551 921.62	
L455	-35 447.07	3	548 910.83		R455	-40 923.17	3	551 927.34	
L456	-35 571.46	3	549 004.07		R456	-40 924.28	3	551 926.54	
L457	-35 590.73	3	549 023.42		R457	-41 237.89	3	552 102.48	
L458	-35 757.93	3	549 152.62		R458	-41 405.19	3	552 197.12	
L459	-36 107.71	3	549 421.33		R459	-41 799.74	3	552 420.31	
Vel Sheet					28	Van of		30	P982/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 25°		Y	X
L460	-36 261.94	3 549 539.55		R460	-41 943.27	3 552 498.21
L461	-36 272.46	3 549 543.21		R461	-42 081.55	3 552 575.79
L462	-36 425.98	3 549 659.32		R462	-42 304.48	3 552 653.43
L463	-36 506.69	3 549 700.42		R463	-42 428.27	3 552 703.50
L464	-36 558.15	3 549 719.98		R464	-42 835.86	3 552 854.42
L465	-36 784.33	3 549 775.26		R465	-43 046.81	3 552 942.14
L466	-37 001.17	3 549 815.85		R466	-43 049.10	3 552 937.19
L467	-37 223.17	3 549 856.30		R467	-43 109.54	3 552 962.72
L468	-37 284.72	3 549 872.13		R468	-43 374.17	3 553 062.34
L469	-37 370.47	3 549 899.40		R469	-43 761.91	3 553 240.71
L470	-37 390.51	3 549 908.97		R470	-44 906.29	3 553 889.46
L471	-37 477.73	3 549 948.25		R471	-45 489.77	3 554 221.19
L472	-37 558.94	3 549 994.69		R472	-45 512.96	3 554 231.98
L473	-37 632.58	3 550 046.45		R473	-45 804.30	3 554 396.76
L474	-37 712.34	3 550 104.26		R474	-45 804.08	3 554 399.89
L475	-38 073.07	3 550 366.63		R475	-46 787.37	3 554 958.93
L476	-38 423.88	3 550 622.03		R476	-46 787.15	3 554 963.23
L477	-38 474.68	3 550 653.48		R477	-48 294.83	3 555 820.57
L478	-38 550.36	3 550 696.04		R478	-48 483.23	3 555 927.72
L479	-38 580.12	3 550 711.96		R479	-49 459.11	3 556 482.65
L480	-38 635.43	3 550 740.35		R480	-49 490.89	3 556 517.98
L481	-38 706.03	3 550 773.53		R481	-49 517.05	3 556 532.85
L482	-38 840.67	3 550 833.57		R482	-49 541.55	3 556 537.69
L483	-38 962.24	3 550 881.09		R483	-49 534.55	3 556 554.15
L484	-38 985.12	3 550 893.17		R484	-49 568.01	3 556 556.94
L485	-39 022.87	3 550 906.00		R485	-49 589.23	3 556 556.46
L486	-39 208.37	3 550 977.05		R486	-49 934.68	3 556 749.21
L487	-39 224.42	3 550 942.65		R487	-50 895.97	3 557 294.51
L488	-39 234.36	3 550 946.59		R488	-50 928.93	3 557 317.47
L489	-39 223.08	3 550 972.59		R489	-50 964.38	3 557 337.59
L490	-39 274.83	3 551 001.61		R490	-50 993.12	3 557 348.26
L491	-39 376.43	3 551 043.10		R491	-51 202.63	3 557 468.02
L492	-39 481.30	3 551 088.81		R492	-51 302.58	3 557 523.78
L493	-39 617.57	3 551 153.56		R493	-51 343.30	3 557 543.47
L494	-39 644.14	3 551 168.01		R494	-51 400.52	3 557 567.92
L495	-39 721.72	3 551 209.25		R495	-51 473.88	3 557 592.12
L496	-39 931.03	3 551 326.57		R496	-51 554.77	3 557 611.51
L497	-40 000.75	3 551 365.87		R497	-51 806.39	3 557 674.77
L498	-40 191.11	3 551 475.16		R498	-53 620.33	3 558 095.14
L499	-40 570.47	3 551 688.17		R499	-54 014.36	3 558 187.34
L500	-40 642.95	3 551 725.00		R500	-54 058.47	3 558 192.66
L501	-40 728.69	3 551 774.27		R501	-54 351.36	3 558 261.36
L502	-41 128.14	3 552 003.79		R502	-54 377.65	3 558 262.52
L503	-41 215.44	3 552 031.55		R503	-54 469.26	3 558 255.75
L504	-41 245.37	3 552 047.14		R504	-54 496.31	3 558 247.59
L505	-41 279.31	3 552 086.51		R505	-54 525.96	3 558 234.41
L506	-41 623.31	3 552 287.47		R506	-54 553.11	3 558 218.52
L507	-41 842.11	3 552 410.99		R507	-54 627.67	3 558 167.95
L508	-41 917.51	3 552 453.56		R508	-54 664.02	3 558 209.35
L509	-42 097.73	3 552 542.26		R509	-54 632.21	3 558 134.56
L510	-42 260.26	3 552 601.28				
				Vel Sheet 29 Van of 30 P982/17		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 25°	Y	X	
L511	-42 333.76	3 552 633.06				
L512	-42 464.10	3 552 684.10				
L513	-42 595.63	3 552 738.38				
L514	-42 734.85	3 552 790.80				
L515	-42 760.92	3 552 800.72				
L516	-43 012.90	3 552 895.85				
L517	-43 205.37	3 552 968.42				
L518	-43 380.77	3 553 031.18				
L519	-43 455.80	3 553 062.02				
L520	-43 557.72	3 553 107.63				
L521	-43 649.52	3 553 149.83				
L522	-43 817.09	3 553 235.17				
L523	-43 883.52	3 553 271.97				
L524	-44 670.31	3 553 718.06				
L525	-44 909.08	3 553 855.45				
L526	-46 789.30	3 554 923.15				
L527	-46 917.65	3 554 996.16				
L528	-46 997.04	3 555 026.02				
L529	-47 018.10	3 555 038.02				
L530	-47 069.24	3 555 083.25				
L531	-48 340.88	3 555 806.20				
L532	-48 485.15	3 555 887.56				
L533	-49 629.48	3 556 532.91				
L534	-49 965.74	3 556 728.43				
L535	-51 303.00	3 557 490.55				
L536	-51 379.84	3 557 528.92				
L537	-51 518.73	3 557 571.48				
L538	-51 686.30	3 557 610.33				
L539	-51 841.68	3 557 646.86				
L540	-52 196.91	3 557 729.57				
L541	-52 493.15	3 557 798.70				
L542	-52 642.28	3 557 833.61				
L543	-52 709.10	3 557 828.77				
L544	-52 748.54	3 557 838.08				
L545	-52 789.80	3 557 868.14				
L546	-53 115.98	3 557 944.19				
L547	-53 376.81	3 558 004.64				
L548	-53 659.30	3 558 069.95				
L549	-53 998.02	3 558 147.99				
L550	-54 350.94	3 558 229.59				
L551	-54 378.82	3 558 232.56				
L552	-54 407.60	3 558 233.84				
L553	-54 435.21	3 558 231.97				
L554	-54 458.01	3 558 227.71				
L555	-54 486.78	3 558 219.14				
L556	-54 512.03	3 558 207.83				
L557	-54 536.72	3 558 193.38				
L558	-54 610.91	3 558 143.06				
L559	-54 570.47	3 558 043.44				
				Vel Sheet	30 Van of	30 P982/17