

DEPARTMENT OF TRANSPORT

NO. 927

30 September 2021

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**


Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R578 SECTION 1

AMENDMENT OF DECLARATION No. 538 OF 2014.

By virtue of Section 40 (1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 538 of 2014 by substituting paragraph H of the Schedule, with the accompanying sheets 1 to 27 of Plan No. P1141/19.

In the town of Elim-Mpheni the R578 Section 1 enters the town from the north and continuous in a southerly direction through the town.

(National Road R578 Section 1: Makhado – Giyani)
MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 927

30 September 2021

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**


Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD R571 SEKSIE 1


WYSIGING VAN VERKLARING No. 583 VAN 2015

Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 583 van 2015 deur velle 8, 9, 11 en 13 te vervang met meegaande velle 8A, 9A, 11A en 13A van Plan no. P804/12.

(Nasionale Pad R571 Seksie 1: Mananga Grenspos – Komatipoort)**MINISTER VAN VERVOER**



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stelt die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R571 of National Route	Vel Sheet 8A of 13 Plan P804/12
---	---------------------------------------	--	--



Die Suid Afrikaanse Nasionale Pedagogieskap MSB Bpk	Die figuur getoon		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion	Vel Sheet	9A	van of	13
The South African National Roads Agency SOC Ltd	The figure shown		van Nasionale Roete R571 of National Route	Plan	P804/12		1

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 31°		Y		X	
L1	-76 307.31	2	869	467.90	R1	-76 340.66	2	869	491.56
L2	-76 486.54	2	869	078.29	R2	-76 522.21	2	869	092.27
L3	-76 532.08	2	868	996.83	R3	-76 566.60	2	869	018.90
L4	-76 577.70	2	868	947.43	R4	-76 607.17	2	868	969.29
L5	-76 613.03	2	868	912.93	R5	-76 638.38	2	868	939.92
L6	-77 270.27	2	868	319.34	R6	-77 298.68	2	868	347.57
L7	-77 578.90	2	868	044.16	R7	-77 605.32	2	868	067.63
L8	-78 635.16	2	867	084.52	R8	-78 662.75	2	867	109.84
L9	-78 974.06	2	866	774.97	R9	-78 999.23	2	866	804.09
L10	-79 185.07	2	866	583.57	R10	-79 210.29	2	866	612.14
L11	-79 758.53	2	866	061.06	R11	-79 784.65	2	866	092.13
L12	-79 865.28	2	865	945.52	R12	-79 896.50	2	865	968.78
L13	-79 961.94	2	865	816.54	R13	-80 001.36	2	865	836.98
L14	-80 071.37	2	865	633.14	R14	-80 111.47	2	865	648.19
L15	-80 127.54	2	865	519.30	R15	-80 165.67	2	865	531.35
L16	-80 179.67	2	865	374.68	R16	-80 217.50	2	865	388.51
L17	-80 506.35	2	864	241.85	R17	-80 541.35	2	864	249.95
L18	-80 552.19	2	864	087.52	R18	-80 586.30	2	864	101.91
L19	-80 651.80	2	863	820.06	R19	-80 698.94	2	863	828.93
L20	-81 121.79	2	862	570.33	R20	-81 158.96	2	862	580.56
L21	-81 644.38	2	861	192.91	R21	-81 676.85	2	861	202.32
L22	-81 864.29	2	860	602.33	R22	-81 896.24	2	860	613.17
L23	-82 264.43	2	859	549.52	R23	-82 298.04	2	859	549.24
L24	-82 787.66	2	858	166.03	R24	-82 823.28	2	858	166.25
L25	-83 323.83	2	856	744.47	R25	-83 361.88	2	856	745.31
L26	-83 393.98	2	856	554.46	R26	-83 425.51	2	856	568.44
L27	-83 430.94	2	856	452.96	R27	-83 464.51	2	856	461.96
L28	-83 457.33	2	856	374.17	R28	-83 485.80	2	856	383.63
L29	-83 477.90	2	856	273.11	R29	-83 510.76	2	856	284.75
L30	-83 497.00	2	856	174.54	R30	-83 530.88	2	856	179.32
L31	-83 662.01	2	855	149.03	R31	-83 695.43	2	855	153.75
L32	-84 051.39	2	852	685.83	R32	-84 081.98	2	852	688.60
L33	-84 237.87	2	851	511.97	R33	-84 267.43	2	851	513.52
L34	-84 412.72	2	850	384.58	R34	-84 443.55	2	850	387.00
L35	-84 596.35	2	849	187.52	R35	-84 628.33	2	849	190.11
L36	-84 804.39	2	847	837.25	R36	-84 836.23	2	847	838.68
L37	-84 954.43	2	846	863.65	R37	-84 978.53	2	846	914.52
L38	-85 137.70	2	845	682.55	R38	-85 170.78	2	845	669.08
L39	-85 624.84	2	842	517.18	R39	-85 651.59	2	842	559.13
L40	-85 683.70	2	842	130.94	R40	-85 716.11	2	842	135.74
L41	-85 750.48	2	841	664.86	R41	-85 788.73	2	841	628.90
L42	-85 746.28	2	841	665.10	R42	-85 783.51	2	841	628.12
L43	-85 862.21	2	840	871.16	R43	-86 085.16	2	839	560.73
L44	-85 867.74	2	840	871.51	R44	-86 178.65	2	838	816.36
L45	-85 909.69	2	840	570.48	R45	-86 251.15	2	838	294.19
L46	-85 906.55	2	840	567.46	R46	-86 451.99	2	836	946.88
L47	-85 990.04	2	839	994.40	R47	-86 691.48	2	835	341.66
L48	-85 985.10	2	839	993.67	R48	-86 859.89	2	834	218.40
L49	-86 147.02	2	838	778.70	R49	-86 991.03	2	833	335.90
L50	-86 203.16	2	838	364.45	R50	-87 009.50	2	833	257.08
L51	-86 419.50	2	836	911.18	R51	-87 051.34	2	833	146.25
Vel Sheet					11A Van of		13 P804/12		

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 31°		Y		X	
L52	-86 660.46	2	835	314.09	R52	-87 101.70	2	833	063.06
L53	-86 823.30	2	834	203.12	R53	-87 155.53	2	832	998.63
L54	-86 951.19	2	833	347.50	R54	-87 198.94	2	832	957.58
L55	-86 969.72	2	833	249.98	R55	-87 255.92	2	832	913.34
L56	-87 003.28	2	833	154.46	R56	-88 407.35	2	832	142.37
L57	-87 025.54	2	833	110.47	R57	-88 757.98	2	831	909.96
L58	-87 051.85	2	833	067.77	R58	-89 860.88	2	831	173.76
L59	-87 112.27	2	832	987.49	R59	-90 206.69	2	830	938.40
L60	-87 168.68	2	832	933.22	R60	-90 300.32	2	830	866.57
L61	-87 237.27	2	832	878.51	R61	-90 450.61	2	830	736.80
L62	-88 359.95	2	832	129.75	R62	-90 481.69	2	830	708.24
L63	-88 716.47	2	831	891.37	R63	-91 142.27	2	830	100.67
L64	-89 813.21	2	831	162.07	R64	-92 044.33	2	829	271.27
L65	-90 084.22	2	830	982.03	R65	-92 837.20	2	828	543.97
L66	-90 213.03	2	830	889.18	R66	-93 828.53	2	827	634.85
L67	-90 412.87	2	830	721.86	R67	-95 388.06	2	826	211.26
L68	-91 101.47	2	830	089.76	R68	-95 444.33	2	826	160.11
L69	-92 004.84	2	829	257.93	R69	-95 871.07	2	825	771.40
L70	-92 811.29	2	828	514.52	R70	-95 996.96	2	825	656.48
L71	-92 839.27	2	828	488.73	R71	-96 104.29	2	825	548.52
L72	-93 803.36	2	827	606.33	R72	-96 167.55	2	825	475.48
L73	-95 228.35	2	826	310.01	R73	-96 190.14	2	825	448.41
L74	-95 387.76	2	826	161.07	R74	-96 253.39	2	825	368.60
L75	-95 432.04	2	826	121.94	R75	-96 344.00	2	825	228.23
L76	-95 849.48	2	825	745.34	R76	-96 416.01	2	825	102.84
L77	-95 970.84	2	825	627.83	R77	-96 607.06	2	824	705.69
L78	-96 074.29	2	825	526.06	R78	-96 939.17	2	824	015.72
L79	-96 168.04	2	825	422.20	R79	-97 354.18	2	823	157.15
L80	-96 228.64	2	825	338.69	R80	-97 411.83	2	823	032.58
L81	-96 268.34	2	825	278.99	R81	-97 452.51	2	822	943.02
L82	-96 318.39	2	825	199.59	R82	-97 585.84	2	822	595.81
L83	-96 390.00	2	825	066.43	R83	-97 603.98	2	822	550.06
L84	-96 580.59	2	824	673.72	R84	-97 653.18	2	822	431.98
L85	-96 912.55	2	823	983.58	R85	-97 720.21	2	822	281.37
L86	-97 328.65	2	823	126.31	R86	-97 754.26	2	822	193.68
L87	-97 379.53	2	823	021.04	R87	-97 777.97	2	822	104.48
L88	-97 416.31	2	822	937.82	R88	-97 792.82	2	822	009.57
L89	-97 568.68	2	822	540.55	R89	-97 789.84	2	821	866.56
L90	-97 604.41	2	822	449.53	R90	-97 737.76	2	821	414.03
L91	-97 676.03	2	822	291.50	R91	-97 717.31	2	821	303.45
L92	-97 735.26	2	822	142.23	R92	-97 695.75	2	821	223.09
L93	-97 732.36	2	822	140.83	R93	-97 561.31	2	820	674.85
L93X	-97 746.09	2	822	025.75	R94	-97 541.65	2	820	590.30
L94	-97 742.05	2	821	940.85	R95	-97 412.86	2	820	033.26
L94X	-97 708.78	2	821	611.86	R96	-97 378.99	2	819	827.55
L95	-97 690.60	2	821	503.84	R97	-97 355.98	2	819	668.65
L95X	-97 686.63	2	821	416.95	R98	-97 334.18	2	819	463.34
L96	-97 676.26	2	821	331.48	R99	-97 315.98	2	819	314.84
L97	-97 664.97	2	821	256.32	R100	-97 305.38	2	819	204.75
L98	-97 667.23	2	821	254.59	R101	-97 187.01	2	817	804.06
L99	-97 549.53	2	820	783.08	R102	-97 180.71	2	817	507.13
					Vel Sheet 12A Van of 13 P804/12				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 31°		Y		X	
L100	-97 512.92	2	820	628.11	R103	-97 224.91	2	816	953.48
L101	-97 502.77	2	820	588.17	R104	-97 224.45	2	816	887.07
L102	-97 500.37	2	820	569.01	R105	-97 219.24	2	816	837.34
L103	-97 477.05	2	820	465.35	R106	-97 201.88	2	816	752.18
L104	-97 379.47	2	820	040.10	R107	-97 200.76	2	816	746.51
L105	-97 342.18	2	819	833.38	R108	-97 161.97	2	816	661.85
L106	-97 318.67	2	819	663.03	R109	-96 926.34	2	816	242.96
L107	-97 294.24	2	819	464.49					
L108	-97 278.09	2	819	314.41					
L109	-97 265.37	2	819	205.67					
L110	-97 153.23	2	817	796.35					
L111	-97 146.92	2	817	505.54					
L112	-97 191.38	2	816	951.06					
L113	-97 185.94	2	816	843.31					
L114	-97 154.33	2	816	726.90					
L115	-97 129.70	2	816	677.31					
L116	-96 876.31	2	816	270.45					