

DEPARTMENT OF TRANSPORT

NO. 948

30 September 2021

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R71 SECTION 3

AMENDMENT OF DECLARATION No. 538 OF 2014.

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 538 of 2014 by substituting paragraph J of the Schedule, being the descriptive declaration of the route from Gravelotte up to the Phalaborwa Gate entrance of the Kruger National Park, with the accompanying sheets 1 to 15 of Plan No. P1091/18.

In the town of Gravelotte the R71 Section 3 starts at the junction of National Road R526 Section 2 and the street known as Antimoon Street at time of declaration, therefrom it follows the street known as Antimoon Street in a general northerly direction.

In the town of Phalaborwa the R71 Section 3 enters the town from the west and follows the street known as Hendrik Van Eck Drive, at time of declaration.

(National Road R71 Section 3: Gravelotte – Phalaborwa Gate)**MINISTER OF TRANSPORT**

DEPARTEMENT VAN VERVOER

NO. 948

30 September 2021

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**

Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD R71 SEKSIE 3

WYSIGING VAN VERKLARING No. 538 VAN 2014.

Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 538 van 2014 deur paragraaf J van die Skedule te vervang, synde die gedeelte van die beskrywende verklaring van die pad vanaf Gravelotte tot by die Phalaborwa Hek ingang van die Kruger Nasionale Park, met bygaande velle 1 tot 15 van Plan No. P1091/18.


In die dorp Gravelotte begin die R71 Seksie 3 by die interseksie van Nasionale Pad R526 Seksie 2 en die straat bekend as Antimoonstraat tydens datum van verklaring. Daarvandaan volg dit Antimoonstraat in 'n algemene noordelike rigting.

In die dorp Phalaborwa kom die R71 Seksie 3 die dorp binne van uit die weste en volg dan die straat bekend as Hendrik Van Eck Rylaan, tydens datum van verklaring.


(Nasionale Pad R71 Seksie 3: Gravelotte – Phalaborwa Hek)**MINISTER VAN VERVOER**









Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R71 Seksie of National Route Section	Vel Sheet 3 of 15 Plan P1091/18
---	---------------------------------------	---	---------------------------------------



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stiel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R71 Seksie of National Route Section	Vel Sheet 4 of 15 Plan P1091/18
---	---------------------------------------	--	---------------------------------------





Die Suid Afrikaanse Nasionale Padogentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R71 of National Route	Vel Sheet 5 of 15 Plan P1091/18
---	---------------------------------------	---	---------------------------------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R71 Sektie of National Route Section	Vel 6 van 15 Sheet of Plan P1091/18
---	---------------------------------------	---	---












Die Suid Afrikaanse Nasionale Padogentskop MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R71 of National Route	3	Vel Sheet Plan	van 11 of 15	P1091/18
---	---------------------------------------	--	---	----------------------	-----------------------	----------



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R71 Seksie of National Route Section	Vel Sheet 12 of 15 Plan P1091/18
---	---------------------------------------	---	--

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 31°		Y	X
L1	39 478.69	2 649 574.80		R1	39 440.85	2 649 579.53
L2	39 451.50	2 649 461.15		R2	39 414.91	2 649 471.12
L3	39 424.00	2 649 374.73		R3	39 384.17	2 649 370.66
L4	39 399.86	2 649 315.29		R4	39 371.72	2 649 344.09
L5	39 381.12	2 649 283.22		R5	39 340.81	2 649 287.67
L6	39 363.87	2 649 253.70		R6	39 296.20	2 649 227.04
L7	39 325.15	2 649 202.92		R7	39 246.80	2 649 177.48
L8	39 278.67	2 649 155.38		R8	39 191.09	2 649 135.14
L9	39 226.73	2 649 113.88		R9	39 007.66	2 649 032.71
L10	39 170.10	2 649 079.04		R10	38 274.92	2 648 629.60
L11	39 033.99	2 649 006.66		R11	38 206.99	2 648 592.22
L12	38 320.47	2 648 610.53		R12	35 870.81	2 647 310.64
L13	35 776.48	2 647 215.80		R13	35 794.58	2 647 266.04
L14	34 195.74	2 646 241.07		R14	35 731.36	2 647 231.79
L15	33 372.90	2 645 735.54		R15	33 390.72	2 645 789.52
L16	33 277.32	2 645 677.66		R16	33 258.28	2 645 707.91
L17	33 073.51	2 645 556.33		R17	33 118.80	2 645 623.78
L18	33 032.15	2 645 535.82		R18	33 055.65	2 645 588.59
L19	32 945.00	2 645 505.21		R19	32 989.33	2 645 559.80
L20	32 609.78	2 645 390.92		R20	32 907.96	2 645 531.01
L21	32 126.87	2 645 227.22		R21	32 585.02	2 645 422.53
L22	32 080.52	2 645 209.16		R22	31 602.68	2 645 091.07
L23	31 584.57	2 645 043.10		R23	31 549.68	2 645 072.02
L24	31 495.91	2 645 013.42		R24	31 340.54	2 645 013.66
L25	31 381.13	2 644 980.42		R25	31 218.87	2 644 999.30
L26	31 306.82	2 644 968.26		R26	30 312.83	2 645 058.16
L27	31 218.12	2 644 962.23		R27	27 088.05	2 645 276.54
L28	27 122.62	2 645 236.13		R28	26 778.63	2 645 297.27
L29	26 652.28	2 645 269.50		R29	26 636.67	2 645 312.29
L30	26 582.85	2 645 284.21		R30	26 548.01	2 645 339.41
L31	26 522.93	2 645 301.65		R31	26 445.84	2 645 383.28
L32	26 465.83	2 645 326.83		R32	26 069.60	2 645 582.82
L33	26 030.14	2 645 561.66		R33	25 802.11	2 645 729.77
L34	23 215.32	2 647 104.63		R34	24 116.76	2 646 650.41
L35	23 107.78	2 647 157.26		R35	23 231.44	2 647 135.71
L36	23 017.42	2 647 186.22		R36	23 123.99	2 647 188.49
L37	22 979.60	2 647 194.14		R37	23 022.60	2 647 221.60
L38	22 859.18	2 647 197.98		R38	22 984.99	2 647 229.47
L39	22 780.87	2 647 186.48		R39	22 920.85	2 647 235.56
L40	22 593.18	2 647 135.27		R40	22 856.44	2 647 234.36
L41	22 246.58	2 647 036.30		R41	22 767.94	2 647 219.50
L42	21 528.76	2 646 831.39		R42	22 235.54	2 647 068.83
L43	21 407.82	2 646 797.75		R43	22 181.36	2 647 053.44
L44	21 348.04	2 646 784.59		R44	22 113.86	2 647 034.67
L45	21 156.27	2 646 748.27		R45	22 027.53	2 647 010.10
L46	21 051.39	2 646 711.52		R46	21 978.02	2 646 995.83
L47	20 756.64	2 646 585.67		R47	21 917.00	2 646 978.46
L48	20 268.87	2 646 374.92		R48	21 841.14	2 646 956.95
L49	20 203.61	2 646 359.13		R49	21 747.65	2 646 930.64
L50	20 137.27	2 646 349.62		R50	21 638.39	2 646 900.21
L51	20 070.26	2 646 347.60		R51	21 513.31	2 646 864.79
				Vel Sheet	13 Van of 15	P1091/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 31°		Y	X
L52	20 003.56	2 646 354.24		R52	21 392.43	2 646 830.84
L53	19 937.77	2 646 367.33		R53	21 265.54	2 646 807.13
L54	19 216.52	2 646 610.30		R54	21 151.53	2 646 785.76
L55	18 607.67	2 646 814.22		R55	21 134.86	2 646 779.38
L56	18 521.90	2 646 832.38		R56	21 030.20	2 646 739.64
L57	18 372.27	2 646 833.29		R57	20 858.44	2 646 667.67
L58	17 485.70	2 646 681.42		R58	20 754.28	2 646 624.03
L59	16 293.30	2 646 475.60		R59	20 743.21	2 646 619.39
L60	15 714.58	2 646 375.71		R60	20 341.97	2 646 446.94
L61	15 415.83	2 646 322.75		R61	20 273.07	2 646 417.86
L62	15 320.26	2 646 310.07		R62	20 212.72	2 646 399.16
L63	15 224.02	2 646 303.31		R63	20 139.71	2 646 386.66
L64	14 204.83	2 646 268.14		R64	20 048.11	2 646 386.33
L65	13 894.05	2 646 257.64		R65	19 952.25	2 646 402.21
L66	13 810.41	2 646 258.83		R66	19 213.01	2 646 650.95
L67	12 885.12	2 646 427.14		R67	18 605.20	2 646 853.45
L68	12 849.35	2 646 436.72		R68	18 525.01	2 646 868.60
L69	12 366.90	2 646 565.87		R69	18 365.55	2 646 869.08
L70	11 693.54	2 646 746.14		R70	16 298.27	2 646 513.63
L71	11 582.14	2 646 764.96		R71	15 708.09	2 646 411.17
L72	8 982.45	2 647 090.93		R72	15 562.75	2 646 385.94
L73	8 770.16	2 647 115.29		R73	15 317.61	2 646 347.07
L74	8 755.83	2 647 116.93		R74	14 815.20	2 646 326.66
L75	8 628.86	2 647 102.95		R75	13 859.07	2 646 292.68
L76	5 884.11	2 646 463.19		R76	13 716.58	2 646 314.38
L77	3 778.15	2 645 970.48		R77	12 857.51	2 646 471.73
L78	2 016.49	2 645 558.34		R78	12 363.49	2 646 604.00
L79	1 924.89	2 645 539.31		R79	11 754.23	2 646 767.12
L80	1 885.78	2 645 537.28		R80	11 673.91	2 646 786.85
L81	1 874.25	2 645 533.26		R81	11 573.21	2 646 802.34
L82	-1 337.27	2 645 921.12		R82	8 862.41	2 647 142.17
L83	-2 616.52	2 646 228.04		R83	8 769.49	2 647 149.04
L84	-3 012.13	2 646 322.95		R84	8 757.17	2 647 149.95
L85	-8 431.34	2 646 847.55		R85	8 736.52	2 647 149.29
L86	-8 572.68	2 646 888.20		R86	8 653.95	2 647 143.03
L87	-9 357.50	2 647 123.99		R87	8 572.14	2 647 127.21
L88	-9 880.59	2 647 284.83		R88	7 738.52	2 646 932.61
L89	-9 946.05	2 647 312.61		R89	7 668.41	2 646 917.30
L90	-10 008.84	2 647 346.12		R90	5 888.63	2 646 501.53
L91	-10 219.78	2 647 480.56		R91	3 783.71	2 646 009.80
L92	-10 266.03	2 647 492.24		R92	2 149.87	2 645 628.13
L93	-10 290.04	2 647 508.16		R93	2 025.98	2 645 601.63
L94	-10 319.87	2 647 545.05		R94	1 949.59	2 645 585.29
L95	-10 418.13	2 647 607.90		R95	1 828.91	2 645 579.03
L96	-12 174.15	2 648 724.23		R96	-1 028.95	2 645 924.18
L97	-12 350.11	2 648 833.24		R97	-1 042.53	2 645 940.93
L98	-12 398.80	2 648 854.12		R98	-1 057.80	2 645 942.77
L99	-12 448.60	2 648 872.21		R99	-1 081.80	2 645 930.56
L100	-12 504.99	2 648 883.93		R100	-1 331.96	2 645 960.77
L101	-13 009.97	2 648 961.95		R101	-2 445.25	2 646 228.09
				R102	-2 463.74	2 646 258.31
Vel Sheet 14				Van of 15		P1091/18

This gazette is also available free online at www.gpwonline.co.za