GENERAL NOTICES • ALGEMENE KENNISGEWINGS

DEPARTMENT OF EMPLOYMENT AND LABOUR

NOTICE 939 OF 2022

DOCTORS GAZETTE 2022

COMPENSATION FOR OCCUPATIONAL INJURIES AND DISEASSES ACT, 1993 (ACT NO.130 OF 1993), AS AMENDED

ANNUAL INCREASE IN MEDICAL TARIFFS FOR MEDICAL SERVICES PROVIDERS.

- I, Thembelani Waltermade Nxesi, Minister of Employment & Labour, hereby give notice that, after consultation with the Compensation Board and acting under powers vested in me by section 97 of the Compensation for Occupational Injuries and Diseases Act, 1993 (Act No.130 of 1993), prescribe the scale of "Fees for Medical Aid" payable under section 76, inclusive of the General Rule applicable thereto, appearing in the Schedule, with effect from 1 April 2022.
- 2. Medical Tariffs increase for 2022 is 0%.
- 3. The fees appearing in the Schedule are applicable in respect of all services rendered on or after 1 April 2022 and Exclude 15% Vat.

MR TW NXES MP

MINISTER OF EMPLOYMENT AND LABOUR

DATE: 03/03/2022

Kommunikasie-en-iniigtingstelset • Dithaeletsano tsa Puso • Tekuchumana faHulumende • EzokuXhumana koMbuso • Dikgokahano tsa Mmuso Vhudavhidzarri ha Muvhuso • Dikgokagano tsa Mmuso • linkonzo zoNnibetelwano lukaFibutumente • Vuhlanganisi bya Mitumo • UkuThintanisa koMbuso

Batho Pele - putting people first

GENERAL INFORMATION

THE EMPLOYEE AND THE MEDICAL SERVICE PROVIDER

The employee is permitted to freely choose his/her own service provider e.g. doctor, pharmacy, physiotherapist, hospital, etc. and no interference with this privilege is permitted, as long as it is exercised reasonably and without prejudice to the employee or to the Compensation Fund. The only exception to this rule is in case where an employer, with the approval of the Compensation Fund, provides comprehensive medical aid facilities to his employees, i.e. including hospital, nursing and other services — section 78 of the Compensation for Occupational Injuries and Diseases Act refers.

In terms of section 42 of the Compensation for Occupational Injuries and Diseases Act, the Compensation Fund may refer an injured employee to a specialist medical practitioner designated by the Director General for a medical examination and report. Special fees are payable when this service is requested.

In terms of section 76,3(b) of the Compensation for Occupational Injuries and Diseases Act, no amount in respect of medical expenses shall be recoverable from the employee.

In the event of a change of medical practitioner attending to a case, the first doctor in attendance will, except where the case is transferred to a specialist, be regarded as the principal. To avoid disputes regarding the payment for services rendered, medical practitioners should refrain from treating an employee already under treatment by another doctor without consulting / informing the first doctor. As a general rule, changes of doctor are not favoured by the Compensation Fund, unless sufficient reasons exist.

According to the National Health Act no 61 of 2003, Section 5, a health care provider may not refuse a person emergency medical treatment. Such a medical service provider should not request the Compensation Fund to authorise such treatment before the claim has been submitted to and accepted by the Compensation Fund. Preauthorisation of treatment is not possible and no medical expense will be approved if liability for the claim has not been accepted by the Compensation Fund.

An employee seeks medical advice at his/her own risk. If an employee represented to a medical service provider that he/she is entitled to treatment in terms of the Compensation for Occupational Injuries and Diseases Act, and yet failed to inform the Compensation Commissioner or his/her employer of any possible grounds for a claim, the Compensation Fund cannot accept responsibility for medical expenses incurred. The Compensation Commissioner could also have reasons not to accept a claim lodged against the Compensation Fund. In such circumstances the employee would be in the same position as any other member of the public regarding payment of his medical expenses.

Please note that from 1 January 2004 a certified copy of an employee's identity document will be required in order for a claim to be registered with the Compensation Fund. If a copy of the identity document is not submitted the claim will not be registered but will be returned to the employer for attachment of a certified copy of the employee's identity document. Furthermore, all supporting documentation submitted to the Compensation Fund must reflect the identity number of the employee. If the identity number is not included such documents cannot be processed but will be returned to the sender to add the ID number.

The tariff amounts published in the tariff guides to medical services rendered in terms of the Compensation for Occupational Injuries and Diseases Act do not include VAT. All invoices for services rendered will be assessed without VAT. Only if it is indicated that the service provider is registered as a VAT vendor and a VAT registration number is provided, will VAT be calculated and added to the payment, without being rounded off.

The only exception is the "per diem" tariffs for Private Hospitals that already include VAT.

Please note that there are VAT exempted codes in the private ambulance tariff structure.

CLAIMS WITH THE COMPENSATION FUND ARE PROCESSED AS FOLLOWS

- 1. New claims are registered by the Employers and the Compensation Fund and the **employer views the claim number allocated online.** The allocation of a claim number by the Compensation Fund, does not constitute acceptance of liability for a claim, but means that the injury on duty has been reported to and registered by the Compensation Commissioner. Enquiries regarding claim numbers should be directed to the employer and not to the Compensation Fund. The employer will be in the position to provide the claim number for the employee as well as indicate whether the claim has been accepted by the Compensation Fund.
- 2. If a claim is accepted as a COIDA claim, reasonable medical expenses will be paid by the Compensation Commissioner.
- 3. If a claim is **rejected (repudiated)**, medical expenses for services rendered will not be paid by the Compensation Commissioner. The employer and the employee will be informed of this decision and the injured employee will be liable for payment.
- 4. If **no decision** can be made regarding acceptance of a claim due to inadequate information, the outstanding information will be requested and upon receipt, the claim will again be adjudicated on. Depending on the outcome, the invoices from the service provider will be dealt with as set out in 2 and 3. Please note that there are claims on which a decision might never be taken due to lack of forthcoming information.

BILLING PROCEDURE

- 1. All service providers should be registered on the Compensation Fund claims system in order to capture medical invoices and reports.
 - 1.1 Medical reports should always have a clear and detailed clinical description of injury.
 - 1.2 A progress medical report covering a period of 30 days will be required, with an exception where a procedure was performed during that period.
 - 1.3 In a case where a procedure is done, an operation report is required.
 - 1.4 Only one medical report is required when multiple procedures are done on the same service date.
 - 1.5 Service providers are required to keep original documents (i.e medical reports, invoices) and these should be made available to the Compensation Commissioner on request.
 - 1.6 Referrals to another medical service provider should be indicated on the medical report.
- 2. Medical invoices should be switched to the Compensation Fund using the attached format. Annexure D.
 - 2.1. Subsequent invoice must be electronically switched. It is important that all requirements for the submission of invoice, including supporting information, are submitted.
 - 2.2. Manual documents for medical refunds should be submitted to the nearest labour centre.
- 3. The status of invoices /claims can be viewed on the Compensation Fund claims system. If invoices are still outstanding after 60 days following submission, the service provider should complete an enquiry form, W.Cl 20, and submit it ONCE to the Provincial office/Labour Centre. All relevant details regarding Labour Centres are available on the website www.labour.gov.za.
- 4. If an invoice has been partially paid with no reason indicated on the remittance advice, an enquiry should be made with the nearest processing labour centre. The service provider should complete an enquiry form, W.Cl 20, accompanied by the original invoice with unpaid services clearly indicated, and submit it ONCE to the Provincial office/Labour Centre. All relevant details regarding Labour Centres are available on the website www.labour.gov.za.
- 5. Details of the employee's medical aid and the practice number of the <u>referring</u> practitioner must not be included in the invoice.

- 5.1 If a medical service provider claims an amount less than the published tariff amount for a code, the Compensation Fund will only pay the claimed amount and the short fall will not be paid.
- 6. Service providers should not generate the following:
 - 6.1 Multiple invoices for services rendered on the same date i.e one invoice for medication and second invoices for other services.
 - 6.2 Accumulative invoices submit a separate invoice for every month.
 - * Examples of the forms (W.Cl 4 / W.Cl 5 / W.Cl 5F) are available on the website www.labour.gov.za •

MINIMUM REQUIREMENTS FOR INVOICES RENDERED

Minimum information to be indicated on invoices submitted to the Compensation Fund

- Compensation Fund claim number
- Name of employee and ID number
- Name of employer and registration number if available
- ➤ DATE OF <u>ACCIDENT</u> (not only the service date)
- Service provider's invoice number
- The practice number (changes of address should be reported to BHF)
- ➤ VAT registration number (VAT will not be paid if a VAT registration number is not supplied on the invoice)
- > Date of service (the actual service date must be indicated: the invoice date is not acceptable)
- > Item codes according to the officially published tariff guides
- Amount claimed per item code and total of the invoice
- ➤ It is important that all requirements for the submission of invoices are met, including supporting information, e.g.:
 - All pharmacy or medication invoices must be accompanied by the original scripts
 - The referral letter from the treating practitioner must accompany the medical service providers' invoice.

COMPENSATION FUND MEDICAL SERVICE PROVIDERS REGISTRATION REQUIREMENTS

Medical service providers treating COIDA patients must comply with the following requirements before submitting medical invoices to the Compensation Fund:

- Medical Service Providers must register with the Compensation Fund as a Medical Service Provider.
- Render medical treatment to in terms of COIDA Section 76 (3) (b).
- Submit Proof of registration with the Board of Healthcare Funders of South Africa.
- Submit an applicable dispensing licence on registration as a medical service provider.
- Submit SARS Vat registration number document on registration.
- A certified copy of the MSP's Identity document not older than three months.
- Proof of address not older than three months.
- Submit medical invoices with gazetted COIDA medical tariffs, relevant ICD10 codes and additional medical tariffs specified by the Fund when submitting medical invoices.
- All medical invoices must be submitted with invoice numbers to prevent system rejections. Duplicate invoices should not be submitted.
- Provide medical reports and invoices within a specified time frame on request by the Compensation Fund in terms of Section 74 (1) and (2).
- Submit the following additional information on the Medical Service Provider letterhead, Cell phone number, Business contact number, Postal address, Email address. The Fund must be notified in writing of any changes in order to effect necessary changes on the systems.
- The name of the switching house that submit invoices on behalf of the medical service provider. The Fund must be notified in writing when changing from one switching house to another.

All medical service providers will be subjected to the Compensation Fund vetting processes.

The Compensation Fund will withhold payments if medical invoices do not comply with minimum submission and billing requirements as published in the Government Gazette.

REQUIREMENTS FOR SWITCHING MEDICAL INVOICES WITH THE COMPENSATION FUND

The switching provider must comply with the following requirements:

- 1. Registration requirements as an employer with the Compensation Fund.
- 2. Host a secure FTP server to ensure encrypted connectivity with the Fund.
- 3. Submit and complete a successful test file before switching the invoices.
- 4 Validate medical service providers' registration with the Health Professional Council of South Africa.
- 5 Validate medical service providers' registration with the Board of Healthcare Funders of South Africa.
- 5. Ensure elimination of duplicate medical invoices before switching to the Fund.
- 6. Invoices submitted to the Compensation Fund must have Gazetted COIDA Tariffs that are published annually and comply with minimum requirements for submission of medical invoices and billing requirements.
- 7. File must be switched in a gazetted documented file format published annually with COIDA tariffs.
- 8. Single batch submitted must have a maximum of 100 medical invoices.
- 9. File name must include a sequential batch number in the file naming convention.
- 10. File names to include sequential number to determine order of processing.
- 11. Medical Service Providers will be subjected to Compensation Fund vetting processes.
- 12. Provide any information requested by the Fund.
- 13. The switching provider must sign a service level agreement with the Fund.
- 14. Third parties must submit power of attorney.
- 15. Only Pharmacies should claim from the Nappi codes file.

Failure to comply with the above requirements will result in deregistration of the switching house.

	MSP's PAID BY THE COMPENSATION FUND
Discipline Code :	Discipline Description :
4	Chiropractors
9	Ambulance Services - advanced
10	Anesthetists
11	Ambulance Services - Intermediate
12	Dermatology
13	Ambulance Services - Basic
14	General Medical Practice
15	General Medical Practice
16	Obstetrics and Gynecology (work related injuries)
17	Pulmonology
18	Specialist Physician
19	Gastroenterology
20	Neurology
22	Psychiatry
23	Rediation/Medical Oncology
24	Neurosurgery
25	Nuclear Medicine
26	Ophthaimology
28	Orthopedics
30	Otorhinolaryngology
34	Physical Medicine
36	
38	Plastic and Reconstructive Surgery
39	Diagnostic Radiology
40	Radiographers
42	Radiotherapy/Nuclear Medicine/Oncologist
44	Surgery Specialist
46	Cardio Thoracic Surgery
49	Urology
52	Sub-Acute Facilities
54	Pathology Consul Pathology
55	General Dental Practice
56	Mental Health Institutions
57	Provincial Hospitals
58	Private Hospitals
59	Private Hospitals
60	Private Rehab Hospital (Acute)
62	Pharmacies Marilla for it is a local of
64	Maxillo-facial and Oral Surgery
66	Orthodontics
70	Occupational Therapy
72	Optometrists Characterists
75	Physiotherapists
76	Clinical technology (Renal Dialysis only)
77	Unattached operating theatres / Day clinics
78	Approved U O T U / Day clinics Blood transfusion services
82	
84	Speech therapy and Audiology Dieticians
U*	Psychologists Psychologists
88	TE AVAILURE II SIS
86 87	
87	Orthotists & Prosthetists

	GENERAL PRACTITIONER AND SPECIALIST TARIFF OF FEES AS FROM 1 APRIL 2022
	GENERAL RULES
	PLEASE NOTE: The interpretations/comments as published in the SAMA Medical Doctors' Coding Manual (MDCM) must also be adhered to when rendering health care services under the Compensation for Occupational Injuries and Diseases Act, 1993
RULE	DESCRIPTION
A.	Consultations: Definitions (a) New and established patients: A consultation/visit refers to a clinical situation where a medical doctor personally obtains a patient's medical history, performs an appropriate clinical examination and, if indicated, administers treatment, prescribes or assists with advice. These services must be face-to-face with the patient and excludes the time spent doing special investigations which receives additional remuneration. (b) Subsequent visits: Refers to a voluntarily scheduled visit performed within four (4) months after the first visit. It may imply taking down a
	medical history and/or a clinical examination and/or prescribing or administering of treatment and/or counselling. (c) Hospital visits: Where a procedure or operation was done, hospital visits are regarded as part of the normal after-care and not be coded (unless otherwise indicated). Where no procedure or operation was carried out, a hospital visit according to the appropriate hospital or inpatient follow-up visit may be coded.
В,	Normal hours and after hours: Normal working hours comprise the periods 08:00 to 17:00 on Mondays to Fridays, 08:00 to 13:00 on Saturdays, and all other periods voluntarily scheduled (even when for the convenience of the patient) by a medical practitioner for the rendering of services. All other periods are regarded as after hours. Public holidays are not regarded as normal working days and work performed on these days is regarded as after-hours work. Services are scheduled involuntarily for a specific time, if for medical reasons the doctor should not render the service at an earlier or later opportunity. Please note: Items 0146 and 0147 (emergency consultations) as well as modifier 0011 (emergency theatre procedures) are only applicable in the after hours period)
c.	Comparable services: The fee that may be charged in respect of the rendering of a service not listed in this tariff of fees or in the SAMA guideline, shall be based on the fee in respect of a comparable service. For procedures/services not in this tariff of fees but in the SAMA guideline, item 6999 (unlisted procedure or service code), should be used with the SAMA code. Motivation for the use of a comparable item must be provided. Note: Rule C and item 6999 may not be used for comparable pathology services (sections 21, 22 and 23)
D.	Cancellation of appointments: Unless timely steps are taken to cancel an appointment for a consultation the relevant consultation fee may be charged. In the case of an injured employee, the relevant consultation fee is payable by the employee.) In the case of a general practitioner "timely" shall mean two hours and in the case of a specialist 24 hours prior to the appointment. Each case shall, however, be considered on merit and, if circumstances warrant, no fee shall be charged. If a patient has not turned up for a procedure, each member of the surgical team is entitled to charge for a visit at or away from doctor's rooms as the case may be.
E.	Pre-operative visits: The appropriate consultation may be coded for all pre-operative visits with the exception of a routine pre-operative visit at the hospital, since that routine pre-operative visit is included in the global surgical period for the procedure.
F.	Administering of injections and/or infusions: Where applicable, administering injections and/or infusions may only be coded when done by the medical doctor him-/herself.
G.	Post-operative care (a) Unless otherwise stated, the fee in respect of an operation or procedure shall include normal after-care for a period not exceeding THREE (3)months (after-care is excluded from pure diagnostic procedures during which no therapeutic procedures were performed).
	(b) If the normal after-care is delegated to any other registered health professional and not completed by the surgeon it shall be his/her own responsibility to arrange for the service to be rendered without extra charge.
	(c) When the care of post-operative treatment of a prolonged or specialised nature is required, such fee as may be agreed upon between the surgeon and the Compensation Fund may be charged.(d) Normal aftercare refers to uncomplicated post-operative period not requiring any further surgical incision.
	(e) Abnormal aftercare refers to post-operative complications and treatment not requiring any further incisions and will be considered for payment.
н.	Removal of lesions: Items involving removal of lesions include follow-up treatment for four months.
i.	Pathological investigations performed by clinicians: Fees for all pathological investigations performed by members of other disciplines (where permissible) - refer to modifier 0097: Items that resort under Clinical and Anatomical Pathology. See section for Pathology.
J.	Disproportionately low fees: In exceptional cases where the fee is disproportionately low in relation to the actual services rendered by a medical practitioner, a higher fee may be negotiated. Conversely, if the fee is disproportionately high in relation to the actual services rendered, a lower fee than that in the tariff should be charged.

GENERAL PRACTITIONER AND SPECIALIST TARIFF OF FEES AS FROM 1 APRIL 2022 **GENERAL RULES** K. Services of a specialist, upon referral: Save in exceptional cases the services of a specialist shall be available only on the recommendation of the attending general practitioner. Medical practitioners referring cases to other medical practitioners shall, if known to them, indicate in the referral letter that the patient was injured in an "accident" and this shall also apply in respect of specimens sent to pathologists. Procedures performed at time of visits: If a procedure is performed at the time of a consultation/visit, the fee for the visit PLUS the fee for M. Surgical procedure planned to be performed later: In cases where, during a consultation/visit, a surgical procedure is planned to be performed at a later occasion, a visit may not be charged for again, at such a later occasion. N. Rendering of invoices for occupational injuries and diseases (a) "Per consultation": No additional fee may be charged for a service for which the fee is indicated as "per consultation". Such services are regarded as part of the consultation/visit performed at the time the condition is brought to the doctor's attention (b) Where a fee for a service is prescribed in this guideline, the medical practitioner shall not be entitled to payment calculated on a basis of the number of visits or examinations made where such calculation would result in the prescribed fee being exceeded. (c) The number of consultations/visits must be in direct relation to the seriousness of the injury and should more than 20 visits be necessary, the Compensation Fund must be furnished with a detailed motivation (d) A single fee for a consultation/visit shall be paid to a medical practitioner for the once-off treatment of an injured employee who thereafter passes into the permanent care of another medical practitioner, not a partner or assistant of the first. The responsibility of furnishing the First. Medical Report in such a case rests with the second practitioner. O. Costly or prolonged medical services or procedures (a) An employee should be hospitalised only when and for the length of period that his condition justifies full-time medical assistance (b) Occupational therapy/Physiotherapy: The same principals as set out in modifier 0077: Two areas treated simultaneously for totally different conditions, will apply when an employee is referred to a therapist. (c) In case of costly or prolonged medical services or procedures the medical practitioner shall first ascertain in writing from the Compensation Fund if liability is accepted for such treatment. P. (a) Where, in cases of emergency, a practitioner was called out from his residence or rooms to a patient's home or the hospital, travelling fees can be charged according to the section on travelling expenses (section IV) if the practitioner had to travel more than 16 kilometres in total. (b) If more than one patient is attended to during the course of a trip, the full travelling expenses must be divided between the relevant (c) A practitioner is not entitled to charge for any travelling expenses or travelling time to his rooms (d) Where a practitioner's residence is more than 8 kilometres away from a hospital, no travelling fees may be charged for services rendered at such a hospital, except in cases of emergency (services not voluntarily scheduled). (e) Where a practitioner conducts an itinerant practice, he is not entitled to charge fees for travelling expenses except in cases of emergency (services not voluntarily scheduled). INTENSIVE CARE RULES GOVERNING THIS SPECIFIC SECTION OF THE TARIFF CODE Q. Intensive care/High care: Units in respect of item codes 1204 to 1210 (Categories 1 to 3) EXCLUDE the following: (a) Anaesthetic and/or surgical fees for any condition or procedure, as well as a first consultation/visit fee for the initial assessment of the patient, while the daily intensive care/high care fee covers the daily care in the intensive care/high care unit (b) Cost of any drugs and/or materials (c) Any other cost that may be incurred before, during or after the consultation/visit and/or the therapy (d) Blood gases and chemistry tests, including arterial puncture to obtain specimens (e) Procedural item codes 1202 and 1212 to 1221 but INCLUDE the following (f) Performing and interpreting of a resting ECG (g) Interpretation of blood gases, chemistry tests and x-rays (h) Intravenous treatment (item codes 0206 and 0207) R. Multiple organ failure: Units for item codes 1208, 1209 and 1210 (Category 3: Cases with multiple organ failure) include item 1211: Cardiorespiratory resuscitation

	GENERAL PRACTITIONER AND SPECIALIST TARIFF OF FEES AS FROM 1 APRIL 2022
	GENERAL RULES
S.	Ventilation: Units for item codes 1212, 1213 and 1214 (ventilation) include the following:
	(a) Measurement of minute volume vital connectivities and vital connectivity division
	(a) Measurement of minute volume, vital capacity, time- and vital capacity studies
	(b) Testing and connecting the machine
	(c) Setting up and coupling patient to machine: setting machine, synchronising patient with machine
	(d) Instruction to nursing staff
	(e) All subsequent visits for the first 24 hours
т.	Ventilation (item codes 1212 to 1214) does not form part of normal post-operative care, but may not be added to item code 1204: Catogory 1: Cases requiring intensive monitoring.
	RULES GOVERNING THE SECTION RADIOLOGY: MAGNETIC RESONANCE IMAGING
NOTE	In the event of Complex medical cases(Poly-trauma, Traumatic Brain injury, Spinal injuries, etc.), the first Radiological investigations(e.g MRI, CT scan, Ultrasound and Angiography), Authorisation will not be required provided there was a valid indication.
	All second and Subsequent specialised Radiological investigations for Complex medical cases, will need a pre-authorisation.
	Non-Complex medical cases/elective cases will need pre-authorisation for all specialised radiological investigations.
	RULES GOVERNING THE SECTION MEDICAL PSYCHOTHERAPY
	Note
	(a) Prior approval must be obtained from the Compensation Fund before any treatment resorting under this section is carried out
	(b) Where approval has been obtained, treatment must be limited to 12 sessions only, after which the patient must be referred back to the referring doctor for an evaluation and report to the Compensation Fund.
Va.	Electro-convulsive treatment: Visits at hospital or nursing home during a course of electro-convulsive treatment are justified and may be
	charged for in addition to the fees for the procedure.
Vb.	When adding psychotherapy items to a first or follow-up consultation item, the clinician must ensure that the time stipulated in the psychotherapy items are adhered to (i.e. item 2957 - minimum 10 minutes, item 2974 - minimum 30 minutes, and item 2975 - minimum 50 minutes)
_	RULES GOVERNING THE SECTION RADIOLOGY
Z.	No fee is to subject to more than one reduction
AA.	RULE GOVERNING THE SUBSECTION ON DIAGNOSTIC PROCEDURES REQUIRING THE USE OF RADIO-ISOTOPES Procedures exclude the cost of isotope used
	RULE GOVERNING THE SECTION RADIATION ONCOLOGY
BB.	The units in the radiation oncology section do NOT include the cost of radium or isotopes.
	RULE GOVERNING ULTRASOUND EXAMINATIONS
EE.	(a) In case of a referral, the referring doctor must submit a letter of motivation to the radiologist or other practitioner performing the scan. A copy of the letter of motivation must be attached to the first account rendered to the Compensation Fund by the Radiologist.
	(b) In case of a referral to a Radiologist, no motivation is required from the Radiologist himself/herself.
	RULES GOVERNING THE SECTION URINARY SYSTEM
FF.	(a) When a cystoscopy precedes a related operation, modifier 0013: Endoscopic examination done at an operation, applies, e.g.
	cystoscopy followed by transuretral (T U R) prostatectomy. (b) When a cystoscopy preceeds an unrelated operation, modifier 0005: Multiple procedures/operations under the same anaesthetic,
	applies, e.g. cystoscopy for urinary tract infection followed by inguinal hernia repair. (c) No modifier applies to item code 1949: Cystoscopy, when performed together with any of item codes 1951 to 1973
	RULE GOVERNING THE SECTION RADIOLOGY
GG.	Capturing and recording of examinations: Images from all radiological, ultrasound and magnetic resonance imaging procedures must be captured during every examination and a permanent record generated by means of film, paper, or magnetic media. A report of the examination, including the findings and diagnostic comment, must be written and stored for five years.

	MODIFIER DESCRIPTION	NS A	ND STANDARDS					
Addition	This modifier will add a value by using a percentage value or a unit v	alue to	a procedure cod	e. The i	nodifier should be	auated	on a senarate line	with
Modifier (AM)	his own value instead of adding its value to the code.							
Compound modifiers (CM)	The modifier should be quoted on a separate line with its own value a indicated on each procedure code where the modifier is applicable.	at the	end of the invoice	instead	of adding its valu	e to the	code. It should be	
Reduction Modifiers	This modifier reduces the value of a procedure code/s by using a per modifier is applicable.	centa	ge or unit value.lt	should	be quoted on the	procedu	re codes where th	ne
(RM) information Modifier (IM)	Information Modifier (IM)							
vibalise <u>i (IIVI)</u>			T	Τ.			·	_
			Specialist		General Practitioner		Anaesthetic	
MODIFIER	DESCRIPTION	U	R	U	R	υ	R	Т
	MODIFIER GOVERNING THE RADIOLOGY AND RADIATION ONCOLOGY SECTIONS OF THE TARIFF CODES							
0001	Emergency or unscheduled radiological services: For emergency or unscheduled radiological services (Refer to rule B) the additional fee shall be 50% of the fee for the particular service (section 19.12: Portable unit examinations excluded). Emergency and unscheduled MR scans, a maximum levy of 100.00 Radiological units is applicable. MODIFIER GOVERNING A RADIOLOGIST REQUESTED TO	100	2 967.00					
0002	PROVIDE A REPORT ON X-RAYS Written report on X-rays: The lowest level item code for a new patient (consulting rooms) consultation is applicable only when a radiologist is requested to provide a written report on X-rays taken elsewhere and submitted to him. The above mentioned item code and the lowest level item code for an initial hospital consultation are not to be utilised for the routine reporting on X-rays taken elsewhere.							
0005	Multiple therapeutic procedures/operations under the same anaesthetic (a) Unless otherwise identified in the tariff structure, when multiple procedures/operations add significant time and/or complexity, and when each procedure/operation is clearly identifiable and defined, the following values shall prevail: 100% (full value) for the first or major procedure/operation, 75% for the second procedure/operation, 50% for the third procedure/operation, 25% for the fourth and subsequent procedures/operations. This modifier does not apply to purely diagnostic procedures. (b) In case of multiple fractures and/or dislocations the above values also prevail. (c) When purely diagnostic endoscopic procedures or diagnostic endoscopic procedures unrelated to any therapeutic procedure are performed under the same general anaesthetic, modifier 0005 is not applicable to the fees for such diagnostic endoscopic procedures as			i				
	the fees for endoscopic procedures do not provide for after-care. Specify unrelated endoscopic procedures and provide a diagnosis to indicate diagnostic endoscopic procedure(s) unrelated to other therapeutic procedures performed under the same anaesthetic. (d) Please note: When more than one small procedure is performed and the tariff makes provision for item codes for "subsequent" or "maximum for multiple additional procedures" (see Section 2. Integumentary System) modifier 0005 is not applicable as the fee is already a reduced fee. (e) Plus ("+") means that this item is used in addition to another definitive procedure and is therefore not subject to reduction according to modifier 0005 (see also modifier 0082)							
	APPLICATION OF MODIFIER 0005 IN CASES WHERE BONE GRAFT PROCEDURES AND INSTRUMENTATION ARE PERFORMED IN COMBINATION WITH ARTHRODESIS (FUSION) (f) Modifier 0005 (multiple procedures/operations under the same anaesthetic) is not applicable if the following procedures are performed together 1. Bone graft procedures and instrumentation are to be charged in addition to arthrodesis 2. When vertebral procedures are performed by arthrodesis, bone grafts and instrumentation may be charged for additionally.							
	(g) Modifier 0005 (Multiple procedures/operations under the same anaesthetic) would be applicable when an arthrodesis is performed in addition to another procedure, e.g. osteotomy or laminectomy.							

	T							
0006	A 25% reduction in the fee for a subsequent operation for the same condition within one month shall be applicable if the operations are performed by the same surgeon (an operation subsequent to a diagnostic procedure is excluded). After a period of one month the full fee is applicable.							
0007	(a) Use of own monitoring equipment in the rooms: Remuneration for the use of any type of own monitoring equipment in the rooms for procedures performed under intravenous sedation – Add 15.00 clinical procedure units irrespective of the number of items of equipment provided [Modifier 0074 and modifier 0075 may be used in conjunction with modifier 0007(a)].	15	425.55	15	425.55			
l.	(b) Use of own equipment in hospital or unattached theatre unit: Remuneration for the use of any type of own equipment for procedures performed in a hospital theatre or unattached theatre unit when appropriate equipment is not provided by the hospital - Add 15.00 clinical procedure units irrespective of the number of items of equipment provided [Modifier 0074 and modifier 0075 may not be used in conjuction with modifier 0007(b)].							
	(c) Use of own equipment by <u>Audiologists</u> in the rooms: Basic sound booth. Used once per claim for compensation purposes.	4.76	135.04	4.76	135.04			
0008	- To be added to the consultation fee, with a descriptor. Specialist surgeon assistant: The units of the procedure(s) for a specialist surgeon acting as assistant surgeon in procedures of specialised nature, is 40% of the units for the procedure(s) performed by specialist surgeon.							
0009	Assistant: The units for an assistant are 20% of the units of that of a specialist surgeon, with a minimum of 36.00 clinical procedure units. The minimum units payable may not be less than 36.00 clinical procedures units.	36	1 021.32	36	1 021.32			
0010	Local anaesthesic (a) A fee for a local anaesthetic administered by the practitioner may only be charged for (1) an operation or a procedure with a value of greater than 30.00 clinical procedure units (i.e. 31.00 or more clinical procedure units allocated to a single item) or (2) where more than one operation or procedure is done at the same time with a combined value of greater than 50.00 clinical procedure units.	31	879.47	31	879.47			1
	(b) The fee for a local anaesthetic administered shall be calculated according to the basic anaesthetic units for the specific operation. Anaesthetic time may not be charged for, but the minimum fee as per modifier 0035: Anaesthetic administered by an anaesthesiologist/ anaesthetist, shall be applicable in such a case.	50	1 418.50	50	1 418.50			
	(c) The fee for a local anaesthetic administered is not applicable to radiological procedures such as angiography and myelography.							
	(d) No fee may be levied for the topical application of local anaesthetic. (e) Please note: Modifier 0010: Local anaesthetic administered by the operator may not be added onto the surgeon's account for procedures that were performed under general anaesthetic.						3	
0011	Theatre procedures for emergency surgery: Any bona fide, justifiable emergency procedure (all hours) undertaken in an operating theatre and/or in another setting in lieu of an operating theatre, will attract an additional 12.00 clinical procedure units per half-hour or part thereof of the operating time for all members of the surgical team. Modifier 0011 does not apply in respect of patients on scheduled lists. (Definition: A medical emergency is any condition where death or irreparable harm to the patient will result if there are undue delays in receiving appropriate medical treatment).	12	340.44	12	340.44	12	340.44	

0013	Endoscopic examinations done at operations: Where a related endoscopic examination is performed at an operation by the operating surgeon or the attending anaesthesiologist, only 50% of the fee for the endoscopic examination may be coded. Operations previously performed by other surgeons (a) Use modifier 0014(a) for information only as an indicator that the operation was previously performed by another surgeon.					64
	(b) Where an operation is performed which has previously been performed by another surgeon, e.g. a revision or repeat operation, the fee maybe calculated according to the tariff for the full operation plus an additional fee to be negotiated under general rule J: In exceptional cases where the fee is disproportionately low in relation to actual service rendered, except where already specified in the tariff structure. INJECTIONS, INFUSIONS AND INHALATION SEDATION MODIFIERS GOVERNING THIS SPECIFIC SECTION OF THE TARIFF CODE					
0015	Intravenous infusions: Where intravenous infusions (including blood and blood cellular products) are administered as part of the after-treatment after an operation, no extra fees shall be charged as the after-treatment is included in the global fee for the procedure. Should the practitioner performing the operation prefer to request another practitioner to perform post-operative intravenous infusions, the practitioner himself (and not the Compensation Fund) shall be responsible for remunerating such practitioner for the infusions.					
0017	Injections administered by practitioners: When desensitisation, intravenous, intramuscular or subcutaneous injections are administered by the practitioner him-/herself to patients who attend the consulting rooms, a first injection forms part of the consultation/visit and only all subsequent injections as part of a planned series of injections for the same condition should be charged according to item 0131 (not coded together with a consultation item).	_				

	MODIFIER GOVERNING SURGERY ON PERSONS WITH A		1 1		1 1		1
0040	BODY MASS INDEX (BMI) OF MORE THAN 35						
0018	Surgical modifier for persons with a BMI of higher than 35						
	(calculated according to kg/m2 = weight in kilograms divided by height in metres squared): Fee for the procedure +50% of the fee	' i					
	for surgeons; 50% increase in anaesthetic time units for				1 1		
	anaesthesiologists.				1 1		1
	MODIFIERS GOVERNING THE ADMINISTRATION OF						
	ANAESTHESIA FOR ALL THE PROCEDURES AND						
	OPERATIONS INCLUDED IN THIS GUIDE TO TARIFFS						
0021	Determination of anaesthetic fees: Anaesthetic fees are				1 1		
	determined by adding the basic anaesthetic units (allocated to each		1 1		i i		1
	procedure that can be performed under anaesthesia indicated in the anaesthetic column[refer to modifier 0027 for more than one						
	procedure under the same anaesthetic])) and the time units						
	(calculated according to the formula in modifier 0023) and the						
	appropriate modifiers (see modifiers 0037-0044). In case of		l i				1
	operative procedures on the musculo-skeletal system, open		1 1				
	fractures and open reduction of fractures or dislocations, add units						
0023	as laid down by modifiers 5441 to 5448.	1			1 1		
0023	The basic anaesthetic units are laid down in the guide to tariffs and are reflected in the anaesthetic column. These basic anaesthetic	ı			1 1		1
	units reflect the anaesthetic risk, the technical skill required of the						
	anaesthesiologist/anaesthetist and the scope of the surgical						
	procedure, but exclude the value of the actual time spent						
	administering the anaesthetic. The time units (indicated by "T") will						
	be added to the listed basic anaesthetic units in all cases on the following basis.						
	Anaesthetic time: The remuneration for anaesthetic time shall be per 15 minute period or part thereof, calculated from the		2	265.12	2	265.12	
	commencement of the anaesthesia, at 2.00 anaesthetic units is per						
	15 minute period or part thereof for the first hour. Should the						
	duration of the anaesthesia be longer than one (1) hour the number						
	of units shall be increased to 3.00 anaesthetic units per 15 minute						
	period or part thereof after the first hour.						
0024	Pre-operative assessment not followed by a procedure: If a pre-		3				
	operative assessment of a patient by the	1	١٠١	397.68	3	397.68	
	anaesthesiologist/anaesthetist is not followed by an operation, the						
	assessment will be regarded as a consultation at a hospital or		1 1				
	nursing home and the appropriate hospital consultation fee should be charged.				1 1		
0025	Calculation of anaesthesia time: Anaesthesia time is calculated						
	from the time that the anaesthesiologist/ anaesthetist begins to						
	prepare the patient for the induction of anaesthesia in the operating						1
	theatre or in a similar equivalent area and ends when the		1 1		1 1		
	anaesthesiologist/anaesthetist is no longer required to give his/her						
	personal professional attention to the patient, i.e. when the patient						20
	may, with reasonable safety, be placed under the customary post- operative nursing supervision. Where prolonged personal						
	professional attention is necessary for the well-being and safety of a				1 1		1
	patient, the additional time spent can be charged for at the same		1 1		!		
	rate as indicated above for anaesthesia time. The				1		
	anaesthesiologist/anaesthetist must record the exact anaesthesia						
	time and the additional time spent supervising the patient on the invoice submitted.						
	invoice addititied.						
0027	More than one procedure under the same anaesthesia: Where		1 1		1 1		
	more than one operation is performed under the same anaesthesia.						
	the basic anaesthetic units will be that of the operation/procedure						
	with the highest number of anaesthetic units.						
0029	Assistant anaesthesiologists: When it is secured but to						
	Assistant anaesthesiologists: When it is required by the scope of the anaesthesia, an assistant anaesthesiologist/anaesthetist may be						
	employed. The units for the assistant anaesthesiologist/anaesthetist						
	shall be calculated on the same basis as in the case where a	1	1				
	general practitioner administered the anaesthesia.						
0031	Intravengue influcion and transfer in T.						
0031	Intravenous infusion and transfusions:Treatment with intravenous drips and transfusions rendered either prior to, or during actual						
	theatre or operating time, is considered part of the normal treatment						
	in administering an anaesthetic.						
0032	Patients in the prone position: Anaesthesia administered to patients						
	in the prone position shall carry a minimum of 5.00 basic						
	anaesthetic units. When the basic anaesthetic units for the						
	procedure are 3.00, two additional anaesthetic units should be						
	added If the basis special state with a first						
	added. If the basic anaesthetic units for the procedure are 5.00 or more, no additional units should be added.						

0033	Participating in the general care of patients: When an anaesthesiologist/anaesthetist is required to participate in the general care of a patient during a surgical procedure, but does not administer the anaesthesia, such services may be remunerated at full anaesthetic rate, subject to the provisions of modifier 0035; Anaesthetic administered by a specialist anaesthesiologist/ anaesthetist and modifier 0036; Anaesthetic administered by a general practitioner		2	265.12	2	265.12
0034	Head and neck procedures: All anaesthesia administered for diagnostic, surgical or X-ray procedures on the head and neck shall carry a minimum of 4.00 basic anaesthetic units. When the basic anaesthetic units for the procedure are 3.00, one extra anaesthetic unit should be added. If the basic anaesthetic unit sfor the procedure are 4.00 or more, no extra units should be added.		1	132.56	1	132.56
0035	Anaesthesia administered by an anaesthesiologist/ anaesthetist: No anaesthesia administered by an anaesthesiologist/anaesthetist shall carry a total value of less than 7.00 anaesthetic units comprising basic units, time units and the appropriate modifiers.	то	4 7	530.24 927.92	4 7	530.24 927.92
0036	Anaesthesia administered by general practitioners: The anaesthetic units (basic units plus time units plus the appropriate modifiers) used to calculate the fee for anaesthesia administered by a general practitioner lasting one hour or less shall be the same as that for an anaesthesiologist. For anaesthesia lasting more than one hour, the units used to calculate the fee for anaesthesia administered by a general practitioner will be 4/5 (80%) of that applicable to a specialist anaesthesiologist, provided that no anaesthesia lasting longer than one hour shall carry a total value of less than 7.00 anaesthetic unit. Please note that the 4/5 (80%) principle will be applied to all anaesthesia administered by general practitioners with the provision that no anaesthesia totalling more than 11.00 units would be reduced to less than 11.00 units in total. The monetary value of the unit is the same for both anaesthesiologists/anaesthetists.		7	927.92	7	927.92
	Note: Modifying units may be added to the basic anaesthetic unit value according to the following modifiers (0037-0044, 5441-5448).					
0037	Body hypothermia: Utilisation of total body hypothermia: Add 3.00 anaesthetic units.		3	397.68	3	397.68
0038	Peri-operative blood salvage: Add 4.00 anaesthetic units for intra- operative blood salvage and 4.00 anaesthetic units for post- operative blood salvage.		4	530.24	4	530.24
0039	Deliberate control of blood pressure: All cases up to one hour: Add 3.00 anaesthetic units, thereafter add 1 (one) additional anaesthetic unit per quarter hour (15 Min) or part thereof (PLEASE INDICATE THE TIME IN MINUTES).		3	397.68	3	397.68
0041	Hyperbaric pressurisation: Utilisation of hyperbaric pressurisation: Add 3.00 anaesthetic units.	+	3	132.56 397.68	1 3	132.56 397.68
0042	Extracorporeal circulation: Utilisation of extracorporeal circulation: Add 3.00 anaesthetic units.		3	397.68	3	397.68
	MUSCULO-SKELETAL SYSTEM MODIFIERS GOVERNING ANAESTHETIC FEES FOR ORTHOPAEDIC OPERATIONS Modification of the anaesthetic fee in cases of operative procedures on the musculo-skeletal system, open fractures and open reduction of fractures and dislocations is governed by adding units indicated by modifiers 5441 to 5448. (The letter "M" is annotated next to the number of units of the appropriate items, for facilitating identification of the relevant items).					
5441	Add one (1.00) anaesthetic unit, except where the procedure refers to the skeletal bones named in modifiers 5442 to 5448.		1	132.56	1	132.56
5442	Shoulder, scapula, clavicle, humerus, elbow joint, upper 1/3 tibia, knee joint, patella, mandible and tempero-mandibular joint: Add two (2.00) anaesthetic units.		2	265.12	2	265.12
5443	Maxillary and orbital bones: Add three (3.00) anaesthetic units.		3	397.68	3	397.68
5444 5445	Shaft of femur: Add four (4.00) anaesthetic units Spine (except coccyx), pelvis, hip, neck of femur: Add five (5.00)		4	530.24	4	530.24
5448	anaesthetic units.		5	662.80	5	662.80
3440	Sternum and/or ribs and musculo-skeletal procedures which involve an intra-thoracic approach; Add eight (8.00) anaesthetic units.		8	1060.48	8	1060.48

anaesthetic technique (b) When a regional or nerve block procedure is performed in the ward or nursing facility, the appropriate procedure item (items 27 2804) will be charged, provided that it was not the primary anaesthetic technique. (c) When a second medical practitioner has administered the regional or nerve block for post-operative alleviation of pain in the ward or nursing facility, it will be charged according to the particular procedure for instituting therapy. Revisits shall be charged according to the appropriate hospital follow-up visit to patient in or nursing facility. (d) None of the above is applicable for routine post-operative promanagement i.e. intramuscular, intravenous or subcutaneous administration of opiates or NSAID's (non-steroidal anti-inflammatory drugs).	99- e alar vard		
--	--------------------------	--	--

	MODIFIER GOVERNING FEES FOR AN ANAESTHESIOLOGIST UTILISING AN INTRA-AORTIC BALLOON PUMP					\Box		
2400	(CARDIOVASCULAR SYSTEM)							
0100	Intra-aortic balloon pump: Where an anaesthesiologist would be					75	2 127.75	
	responsible for operating an intra-aortic balloon pump, a fee of					1	2 121.70	
	75.00 clinical procedure units is applicable.							
	MUSCULO-SKELETAL SYSTEM					Ιi		
1		1 1						
	MODIFIERS GOVERNING THIS SPECIFIC SECTION OF THE TARIFF	1 1						
0046								
0046	Where in the treatment of a specific fracture or dislocation							
	(compound or closed) an initial procedure is followed within one							
	month by an open reduction, internal fixation, external skeletal	1 1						
	fixation or bone grafting on the same bone, the fee for the initial treatment of that fracture or dislocation shall be reduced by 50%.							
	Please note: This reduction does not include the assistant's fee							1
	where applicable. After one month, the full fee for the initial							
	treatment is applicable.			l i				
0047	A fracture NOT requiring reduction shall be charged on a fee per			1 1				
	service basis PROVIDED that the cumulative amount does NOT							1
	exceed the fee for a reduction.			1 1				
0048	Where in the treatment of a fracture or dislocation an initial closed	27	765.99	27	765.99	1 1		
	reduction is followed within one month by further closed reductions		1 00.00	~·	100.53	1 1		
,	under general anaesthesia, the fee for such subsequent reductions					}		
{	will be 27.00 clinical procedure units (not including after-care).							
0040	First No. 1							
0049	Except where otherwise specified, in cases of compound [open]	77	2 184.49	77	2 184.49			
	fractures, 77.00 clinical procedure units (specialists and general							
	practitioners) are to be added to the units for the fractures including debridement [a fee for the debridement may not be charged for							
1	separately].							
0051	Fractures requiring open reduction, internal fixation, external skeletal		0.404.40					
	fixation and/or bone grafting: Specialists and general practitioners	77	2 184.49	77	2 184.49			
1	add 77.00 clinical procedure units.							
0052	Except where otherwise specified, fracture (traumatic or surgical, ie.	81.1	2 300.81	81.1	2 300.81			
Į	osteotomy) requiring open reduction and/or internal fixation, external		_ 000.01	"	2 300.01			
i	skeletal fixtion/and or bone grafting (excluding fixation with Kirschner							
	wires (refer to modifier 0053), as well as long bone or pelvis							
	fracture/osteotomy (refer to modifier 0051) for specialist and general							
	practitioners for HAND or FOOT fracture/osteotomy: Add to the							
	appropriate procedure code.			1 1				
0053	Fractures requiring percutaneous internal fixation [insertion and	32	00=04					
	removal of fixatives (wires) into of fingersand toes]: Specialists and	32	907.84	32	907.84			
	general practitioners add 32.00 clinical procedure units.							
0055	Dislocation requiring open reduction: Units for the specific joint plus	77	2 184,49	77	2 184.49	1 1		
	77.00 clinical procedure units for specialists and general	1	2 104.43	''	£ 104.49			
	practitioners.					1 }		
0057	Multiple procedures on feet: In multiple procedures on feet, fees for			!		1 1		
	the first foot are calculated according to modifier 0005: Multiple	1 1						
	procedures/operations under the same anaesthetic. Calculate fees					1 1		
	for the second foot in the same way, reduce the total by 50% and add to the total for the first foot.							
0058	Revision operation for total joint replacement and immediate re-			1 1				
3000	substitution (infected or non-infected): Units as for the procedure(s)							
	+ 100% of the units as for the total revision procedure (the units for			1 1				ĺ
	modifier 0058 equals 100% of the procedure(s) performed plus							
	appropriate modifiers)							
	MODIFIER GOVERNING COMBINED PROCEDURES ON THE							[]
	SPINE							
0061	Combined procedures on the spine: In cases of combined							
	procedures on the spine, both the orthopaedic surgeon and the							
	neurosurgeon are entitled to the full units for the relevant part of the							
	operation performed by him/her. Each surgeon may be							
1	remunerated as an assistant for the procedures performed by the							
1	other surgeon, at general practitioner units (refer to modifier 0009).							
1	MODIFIERS GOVERNING THE SUBSECTION DEBY AND ASSESSED.							
	MODIFIERS GOVERNING THE SUBSECTION REPLANTATION SURGEY			1 1				
0063	Where two specialists work together on a replantation procedure,			1				
1	each shall be entitled to two-thirds of the units for the procedure.			1				
	and of the procedure.			1				
0064	Where a replantation procedure (or toe to thumb transfer) is							
	unsuccessful no further surgical fee is payable for amputation of the							
	non-viable parts.							
1								

0067	MODIFIER GOVERNING THE SECTION LARYNX Microsurgery of the larynx: Add 25% to the fee for the procedure performed. (For other operations requiring the use of an operation microscope, the fee shall include the use of the microscope, except where otherwise specified in the Tariff Guide). MODIFIERS GOVERNING NASAL SURGERY When endoscopic instruments are used during intranasal surgery: Add 10% of the fee for the procedure performed. Only applicable to					
0070	items 1025, 1027, 1030, 1033, 1035, 1036, 1039, 1047, 1054 and 1083. MODIFIER GOVERNING OPEN PROCEDURE(S) WHEN PERFORMED THROUGH THORACOSCOPE	,_				
0070	Add 45.00 clinical procedure units to procedure(s) performed through a thoracoscope. MODIFIER GOVERNING FEES FOR ENDOSCOPIC	45	1 276.65	45	1 276.65	
0074	PROCEDURES Endoscopic procedures performed with own equipment: The basic procedure fee plus 33,33% (1/3) of that fee (plus ("+") codes excluded) will apply where endoscopic procedures are performed with own equipment.					
0075	Endoscopic procedures performed in own procedure room: (a)The units plus 21,00 clinical procedure units will apply where endoscopic procedures are performed in own procedure rooms. (b)This modifier is chargeable by medical doctors who own or rent the facility. (c)Please note:Modifier 0075 is not applicable to any of the items for diagnostic procedures in the otorhinolaryngology sections of the tariff guide	21	595.77	21	595.77	
0077	MODIFIER GOVERNING THE SECTION ON PHYSICAL TREATMENT (a) When two separate areas are treated simultaneously for totally different conditions, such treatment shall be regarded as two treatment modalities for which separate fees may be charged (Only applicable if services are provided by a specialist in physical medicine). (b) The number of treatment sessions for a patient for which the Commissioner shall accept responsibility is limited to 20. If further treatment sessions are necessary liability for payment must be arranged in advance with the Compensation Fund. Note: Physiotherapy administered by a non-specialist medical practitioner who is already in charge of the general treatment of the employee concerned, or by any partner, assistant or employee of such practitioner, or any other practitioner or radiologist should be embarked upon only with the express approval of the Commissioner. Such approval should be requested in advance.					
0079	MODIFIER GOVERNING THE SECTION MEDICAL PSYCHOTHERAPY When a first consultation/visit proceeds into, or is immediately followed by a medical psychotherapeutic procedure, fees for the procedure are calculated according to the appropriate individual psychotherapy code (Items 2957, 2974 or 2975): Individual psychotherapy (specify type).					
0080	MODIFIERS GOVERNING THE SECTION DIAGNOSTIC RADIOLOGY Multiple examinations: Full Fee					
	Note in respect of fees payable when X-rays are taken by general practitioners If the services of a radiologist were normally available, it is expected that these should be utilised. Should circumstances be unfavourable for obtaining such services at the time of the first consultation, the general practitioner may take the initial X-ray photograph himself provided he submitted a report to the effect that it was in the best interest of the employee for him to have done so. Subsequent X-ray photographs of the same injury, however, must be taken by a radiologist who has to submit the relevant reports in the normal manner. 1. When a general practitioner takes X-ray photographs with his own equipment, if the services of a specialist radiologist were not available, he may claim at the prescribed fee.					

	2. (i) If a general practitioner ordered an X-ray examination at a					
	provincial hospital where the services of a specialist radiologist are				1 1	
	available, it is expected that the radiologist shall read the				1 1	
	photographs for which he is entitled to one third of the prescribed		f			
	fee.					
					1 1	
	(ii) If the radiographer of the hospital was not available and the				1 1	
	general practitioner had to take the X-ray photographs himself, he				1 1	
	may claim 50% of the prescribed fee for the service. In that case,		- 1		1 1	
	however, he should get written confirmation of his X-ray findings					
			i		1 1	
	from the radiologist as soon as possible. The radiologist may then				1 1	
	claim one third of the prescribed fee for such service.				lí	
			- 1		1 1	
	3. If a general practitioner ordered an X-ray examination at a		- 1		1 1	
	provincial hospital where no specialist radiological services are					
					1 1	
	available, the general practitioner will not be paid for reading the X-		1			
	ray photographs as such a service is considered to be an integral				1 1	
	part of routine diagnosis, but if he was requested by the		- 1		1 1	
	Compensation Fund to submit a written report on the X-ray findings.				1 1	
	he may claim two thirds of the prescribed fee in respect thereof.				1 1	
	The state of the production in respect the ed.				1 1	
	1 18				1 1	
	4. If a general practitioner had to take and read X-ray photographs	1 1			1 1	
	at a provincial hospital where the services of a radiographer and a				1 1	
	specialist radiologist are not available he/she may claim 50% of the				1 1	
	prescribed fee for such service,					
084	Charging for films and thermal paper by non-radiologists: In the					
	case of radiological services rendered by non-radiologists where	1 1		19		
	films, thermal paper or magnetic media are used, these media is	1	- 1		1 1	
	charged for according to the film price of 2007, as compiled by the		- 1		1 1	
	Radiological Society of South Africa (this list is available on request	1 1			1 1	
	at radsoc@lafrica.com).	1			1 1	
085	Left side: Add to items 6500-6519 as appropriate when the left side	i I				
003		1 1		1		
	is examined. The absence of the modifier indicates that the right			l	1 1	
	side is examined.	1 1	- 1		1 1	
		1	1		1 1	
	MODIFIER GOVERNING VASCULAR STUDIES					
086	Vascular groups: "Film series" and "Introduction of Contrast Media"	í l			1 1	
000		1 1			1 1	
	are complementary and together constitute a single examination:				1 1	
	neither fee is therefore subject to an increase in terms of modifier			1		
	0080: Multiple examinations.				1 1	
			1			
	PLEASE NOTE: Modifier 0083 is not applicable to Section 19.8 of				1 1	
	the tariff.					
		1 1				
		1 1				
	Rules applicable to vascular studies					
	Rules applicable to vascular studies (a) The machine fee (items 3536 to 3550) includes the cost of the					
	(a) The machine fee (items 3536 to 3550) includes the cost of the following					
	(a) The machine fee (items 3536 to 3550) includes the cost of the following All runs (runs may not be billed for separately)					
	(a) The machine fee (items 3536 to 3550) includes the cost of the following All runs (runs may not be billed for separately) All film costs (modifier 0084 is not applicable)					
	(a) The machine fee (items 3536 to 3550) includes the cost of the following All runs (runs may not be billed for separately) All film costs (modifier 0084 is not applicable) All fluoroscopies (item 3601 does not apply)					
	(a) The machine fee (items 3536 to 3550) includes the cost of the following All runs (runs may not be billed for separately) All film costs (modifier 0084 is not applicable)					
	(a) The machine fee (items 3536 to 3550) includes the cost of the following All runs (runs may not be billed for separately) All film costs (modifier 0084 is not applicable) All fluoroscopies (item 3601 does not apply) All minor consumables (defined as any item other than catheters,			E		
	(a) The machine fee (items 3536 to 3550) includes the cost of the following All runs (runs may not be billed for separately) All film costs (modifier 0084 is not applicable) All fluoroscopies (item 3601 does not apply) All minor consumables (defined as any item other than catheters, guidewires, introducer sets, specialised catheters, balloon catheters,			-		
	(a) The machine fee (items 3536 to 3550) includes the cost of the following All runs (runs may not be billed for separately) All film costs (modifier 0084 is not applicable) All fluoroscopies (item 3601 does not apply) All minor consumables (defined as any item other than catheters,			E .		
	(a) The machine fee (items 3536 to 3550) includes the cost of the following All runs (runs may not be billed for separately) All film costs (modifier 0084 is not applicable) All fluoroscopies (item 3601 does not apply) All minor consumables (defined as any item other than catheters, guidewires, introducer sets, specialised catheters, balloon catheters, stents, anti-embolic agents, drugs and contrast media).			×		
	(a) The machine fee (items 3536 to 3550) includes the cost of the following All runs (runs may not be billed for separately) All film costs (modifier 0084 is not applicable) All fluoroscopies (item 3601 does not apply) All minor consumables (defined as any item other than catheters, guidewires, introducer sets, specialised catheters, balloon catheters, stents, anti-embolic agents, drugs and contrast media). (b) The machine fee (item codes 3536 to 3550) may only be			-		
	(a) The machine fee (items 3536 to 3550) includes the cost of the following All runs (runs may not be billed for separately) All film costs (modifier 0084 is not applicable) All film costs (modifier 0084 is not applicable) All fluoroscopies (item 3601 does not apply) All minor consumables (defined as any item other than catheters, guidewires, introducer sets, specialised catheters, balloon catheters, stents, anti-embolic agents, drugs and contrast media). (b) The machine fee (item codes 3536 to 3550) may only be charged for once per case per day by the owner of the equipment			e.		
	(a) The machine fee (items 3536 to 3550) includes the cost of the following All runs (runs may not be billed for separately) All film costs (modifier 0084 is not applicable) All fluoroscopies (item 3601 does not apply) All minor consumables (defined as any item other than catheters, guidewires, introducer sets, specialised catheters, balloon catheters, stents, anti-embolic agents, drugs and contrast media). (b) The machine fee (item codes 3536 to 3550) may only be					
	(a) The machine fee (items 3536 to 3550) includes the cost of the following All runs (runs may not be billed for separately) All film costs (modifier 0084 is not applicable) All fluoroscopies (item 3601 does not apply) All minor consumables (defined as any item other than catheters, guidewires, introducer sets, specialised catheters, balloon catheters, stents, anti-embolic agents, drugs and contrast media). (b) The machine fee (item codes 3536 to 3550) may only be charged for once per case per day by the owner of the equipment and is only applicable to radiology practices.					
	(a) The machine fee (items 3536 to 3550) includes the cost of the following All runs (runs may not be billed for separately) All film costs (modifier 0084 is not applicable) All fluoroscopies (item 3601 does not apply) All minor consumables (defined as any item other than catheters, guidewires, introducer sets, specialised catheters, balloon catheters, stents, anti-embolic agents, drugs and contrast media). (b) The machine fee (item codes 3536 to 3550) may only be charged for once per case per day by the owner of the equipment and is only applicable to radiology practices. (c) If a procedure is performed by a non-radiologist together with a					
	(a) The machine fee (items 3536 to 3550) includes the cost of the following All runs (runs may not be billed for separately) All film costs (modifier 0084 is not applicable) All fluoroscopies (item 3601 does not apply) All minor consumables (defined as any item other than catheters, guidewires, introducer sets, specialised catheters, balloon catheters, stents, anti-embolic agents, drugs and contrast media). (b) The machine fee (item codes 3536 to 3550) may only be charged for once per case per day by the owner of the equipment and is only applicable to radiology practices. (c) If a procedure is performed by a non-radiologist together with a radiologist as a team, in a facility owned by the radiologist, each					
	(a) The machine fee (items 3536 to 3550) includes the cost of the following All runs (runs may not be billed for separately) All film costs (modifier 0084 is not applicable) All fluoroscopies (item 3601 does not apply) All minor consumables (defined as any item other than catheters, guidewires, introducer sets, specialised catheters, balloon catheters, stents, anti-embolic agents, drugs and contrast media). (b) The machine fee (item codes 3536 to 3550) may only be charged for once per case per day by the owner of the equipment and is only applicable to radiology practices. (c) If a procedure is performed by a non-radiologist together with a radiologist as a team, in a facility owned by the radiologist, each member of the theam should charge at their respective full rates as			E.		
	(a) The machine fee (items 3536 to 3550) includes the cost of the following All runs (runs may not be billed for separately) All film costs (modifier 0084 is not applicable) All fluoroscopies (item 3601 does not apply) All minor consumables (defined as any item other than catheters, guidewires, introducer sets, specialised catheters, balloon catheters, stents, anti-embolic agents, drugs and contrast media). (b) The machine fee (item codes 3536 to 3550) may only be charged for once per case per day by the owner of the equipment and is only applicable to radiology practices. (c) If a procedure is performed by a non-radiologist together with a radiologist as a team, in a facility owned by the radiologist, each member of the theam should charge at their respective full rates as per modifiers and the applicable codes.			F.		
	(a) The machine fee (items 3536 to 3550) includes the cost of the following All runs (runs may not be billed for separately) All film costs (modifier 0084 is not applicable) All fluoroscopies (item 3601 does not apply) All minor consumables (defined as any item other than catheters, guidewires, introducer sets, specialised catheters, balloon catheters, stents, anti-embolic agents, drugs and contrast media). (b) The machine fee (item codes 3536 to 3550) may only be charged for once per case per day by the owner of the equipment and is only applicable to radiology practices. (c) If a procedure is performed by a non-radiologist together with a radiologist as a team, in a facility owned by the radiologist, each member of the theam should charge at their respective full rates as per modifiers and the applicable codes.					
0097	(a) The machine fee (items 3536 to 3550) includes the cost of the following All runs (runs may not be billed for separately) All film costs (modifier 0084 is not applicable) All fluoroscopies (item 3601 does not apply) All minor consumables (defined as any item other than catheters, guidewires, introducer sets, specialised catheters, balloon catheters, stents, anti-embolic agents, drugs and contrast media). (b) The machine fee (item codes 3536 to 3550) may only be charged for once per case per day by the owner of the equipment and is only applicable to radiology practices. (c) If a procedure is performed by a non-radiologist together with a radiologist as a team, in a facility owned by the radiologist, each member of the theam should charge at their respective full rates as per modifiers and the applicable codes. MODIFIERS GOVERNING THE SECTION PATHOLOGY					
0097	(a) The machine fee (items 3536 to 3550) includes the cost of the following All runs (runs may not be billed for separately) All film costs (modifier 0084 is not applicable) All film costs (modifier 0084 is not applicable) All fluoroscopies (item 3601 does not apply) All minor consumables (defined as any item other than catheters, guidewires, introducer sets, specialised catheters, balloon catheters, stents, anti-embolic agents, drugs and contrast media). (b) The machine fee (item codes 3536 to 3550) may only be charged for once per case per day by the owner of the equipment and is only applicable to radiology practices. (c) If a procedure is performed by a non-radiologist together with a radiologist as a team, in a facility owned by the radiologist, each member of the theam should charge at their respective full rates as per modifiers and the applicable codes. MODIFIERS GOVERNING THE SECTION PATHOLOGY Pathology tests performed by non-pathologists: Where item					
0097	(a) The machine fee (items 3536 to 3550) includes the cost of the following All runs (runs may not be billed for separately) All film costs (modifier 0084 is not applicable) All flim costs (modifier 0084 is not applicable) All fluoroscopies (item 3601 does not apply) All minor consumables (defined as any item other than catheters, guidewires, introducer sets, specialised catheters, balloon catheters, stents, anti-embolic agents, drugs and contrast media). (b) The machine fee (item codes 3536 to 3550) may only be charged for once per case per day by the owner of the equipment and is only applicable to radiology practices. (c) If a procedure is performed by a non-radiologist together with a radiologist as a team, in a facility owned by the radiologist, each member of the theam should charge at their respective full rates as per modifiers and the applicable codes. MODIFIERS GOVERNING THE SECTION PATHOLOGY Pathology tests performed by non-pathologists: Where item codes resorting under Clinical Pathology (section 21) and					
0097	(a) The machine fee (items 3536 to 3550) includes the cost of the following All runs (runs may not be billed for separately) All film costs (modifier 0084 is not applicable) All fluoroscopies (item 3601 does not apply) All fluoroscopies (item 3601 does not apply) All minor consumables (defined as any item other than catheters, guidewires, introducer sets, specialised catheters, balloon catheters, stents, anti-embolic agents, drugs and contrast media). (b) The machine fee (item codes 3536 to 3550) may only be charged for once per case per day by the owner of the equipment and is only applicable to radiology treatices. (c) If a procedure is performed by a non-radiologist together with a radiologist as a team, in a facility owned by the radiologist, each member of the theam should charge at their respective full rates as per modifiers and the applicable codes. MODIFIERS GOVERNING THE SECTION PATHOLOGY Pathology tests performed by non-pathologists: Where item codes resorting under Clinical Pathology (section 21) and Anatomical Pathology (section 22) fall within the province of other					
097	(a) The machine fee (items 3536 to 3550) includes the cost of the following All runs (runs may not be billed for separately) All film costs (modifier 0084 is not applicable) All fluoroscopies (item 3601 does not apply) All minor consumables (defined as any item other than catheters, guidewires, introducer sets, specialised catheters, balloon catheters, stents, anti-embolic agents, drugs and contrast media). (b) The machine fee (item codes 3536 to 3550) may only be charged for once per case per day by the owner of the equipment and is only applicable to radiology practices. (c) If a procedure is performed by a non-radiologist together with a radiologist as a team, in a facility owned by the radiologist, each member of the theam should charge at their respective full rates as per modifiers and the applicable codes. MODIFIERS GOVERNING THE SECTION PATHOLOGY Pathology tests performed by non-pathologists: Where item codes resorting under Clinical Pathology (section 21) and Anatomical Pathology (section 22) fall within the province of other specialists or general practitioners, the fee should be charged at two-					
097	(a) The machine fee (items 3536 to 3550) includes the cost of the following All runs (runs may not be billed for separately) All film costs (modifier 0084 is not applicable) All fluoroscopies (item 3601 does not apply) All fluoroscopies (item 3601 does not apply) All minor consumables (defined as any item other than catheters, guidewires, introducer sets, specialised catheters, balloon catheters, stents, anti-embolic agents, drugs and contrast media). (b) The machine fee (item codes 3536 to 3550) may only be charged for once per case per day by the owner of the equipment and is only applicable to radiology treatices. (c) If a procedure is performed by a non-radiologist together with a radiologist as a team, in a facility owned by the radiologist, each member of the theam should charge at their respective full rates as per modifiers and the applicable codes. MODIFIERS GOVERNING THE SECTION PATHOLOGY Pathology tests performed by non-pathologists: Where item codes resorting under Clinical Pathology (section 21) and Anatomical Pathology (section 22) fall within the province of other					

			Spe	ecialist		neral titioner	Anaesthetic		
CODE	DESCRPTION	+	U	R	U	R	U	R	T
. CONS	ULTATIONS								
	The amounts in this section are calculated according to the Consultation Services unit values, 0181, 0182, 0183, 0184, 0186 and 0151								
GENERAL	PRACTITIONERS AND ALL SPECIALISTS								
	Only one of items 0181-0186 as appropriate may be charged for a single service and not combinations thereof These services must be face-to-face with the patient and excludes the time spent doing special investigations which receive additional								
	remuneration. C. Only litem 0145 may be charged as appropriate thereof. d. A subsequent visit refers to a voluntarily scheduled visit performed for the same condition within four (4) months after the first visit. (although the symptoms or complains may differ from those presented during the first visit.								
	e. Items 0181,0182, 0183, 0184 and 0186 include renumeration for the completion of the first, progress and final medical reports. Item 0186 may be charged for a visit to complete a final medical report								
0181	NEW PATIENT (NB: Indicate time in minutes) Visit for a new problem / new patient with problem focused history, examination and management upo minutes		16.5	476.85	15	433,50			
0182	Visit for a new problem / new patient with problem focused history, examination and management uso minutes		31.5	910.35	30	867.00			
0183	Visit for a new problem / new patient with problem focused history, examination and management u¢5 minutes		36	1 040.40	33	953.70			
0184	FOLLOW-UP VISIT Follow-up visit for the evaluation and management of a patient		16.5	476.85	15	433,50			
0186	FINAL VISIT FOllow-up visit for the evaluation and management of a patient with a Final Medical ReportRule G not applicable)		31.5	910.35	30	867.00			
CONSULT 0145	ATIONS: SPECIALISTS AND GENERAL PRACTITIONERS For consultation / visit away from the doctor's home or rooms: ADD to item 0181. Confirm where visit took place. Please note that item 0145 not applicable for pre-anaesthetic assessments and may not be added to items 0151	+	6	170.22	6	170.22			
0146	Emergency or unscheduled consultation/visit at the doctors home or rooms: ADD to items 0181, 0182 and 0183 as appropriationeral Rule B refers)	+	В	226.96	8	226,96			
0147	For after hours emergency or unscheduled consultation/visit away from the doctor's home or rooms: ADD to items 0181, 0182 and 0183 appropriate (General Rule B refers)	+	14	397.18	14	397.18			
0109	Hospital follow-up visit to patient in ward or nursing facility - Refer to general rule G(a) for post-operative care) (may only be charged once per day) (not to be used with items 0146 or ICU Items 1204-1214)		15	425.55	15	425.65			
	PRE-ANAESTHETIC ASSESSMENT a. Pre-anaesthetic consultations for all major vascular, cardio-thoraciand orthopaedic cases will attract a unit value of at least 32.00 units								
0151	Only item 0146 may be charged Pre-anaesthetic assessment of patient(all hours). Problem focused history, clinical examination and decision making		32	924.80	32	924.80			
0136	GENERAL Special medical examination requested by the Compensation Commissioner (Section 42)		200	5 674.00					
	Note: - Amount applicable from 2003/03/03 until 2005/01/27 (VAT inclusive)			1 100.00					
	- Amount applicable from 2005/01/28 until 31/03/2014 (VAT inclusive)			1 860.00					
	- Amount applicable from 2014/04/01 until 31/03/2019 (VAT inclusive)			3 500.00					

			Specialist		General Practitioner		Anaesthotic		
CODE	DESCRPTION	-	U	R	U	R	U	R	T
II. MEC	DICINE, MATERIAL, AND SUPPLIES Medicine, material and/or unregistered/unscheduled products used during treatment. To be used for all medicine, material and/or						7.0		
0202	unregistered/unscheduled products using in treatment. Setting of sterile tray: A fee of 10,00 clinical procedure units may be charged for the setting of a sterile tray where a sterile procedure is performed in the rooms. Cost of stitching material, if applicable, shall I charged for according to item 0201		10	283.70	10	283.70			
0194	Procurement cost for human donor meterial. No mark up is allowed. Only applicable to Opthalmologist, Invoice to be attached								

		Sp	ecialist	General	Practitioner		Anaesthetic
	-	U	R	U	R	U	RT
III.	PROCEDURES The amounts in this section are calculated according to the Clinical Procedure unit values						N I
6999	UNLISTED PROCEDURE/SERVICE Unlisted procedure/service code: A procedure/service may be provided that is not listed in the Compensation Fund tariffs.Please quote the correct SAMA code with Item 6999			8			
1.	INTRAVENOUS TREATMENT						
1.1 0206	Injections and Infusions Intravenous infusions (push-in) Insertion of cannula - chargeable once per 24 hour	6	170.22	6	170.22		
0207	Intravenous infusions (cut-down): Cut-down and insertion of cannula - chargeable once per 24 hours	8	226.96	8	226,96		
	Note: How to charge for Intravenous Infusions Practitioners are entitled to charge according to the appropriate item whenever they personally insert the cannula (but may only charge for this service once every 24 hours) For managing the infusion as such e.g. checking it when visiting the patient or prescribing the substance, no fee may be charged since this service is regarded as part of the services the doctor renders during consultation				5.9		
0210	Collection of blood specimen(s) by medical practitioner for pathology examination, per venesection (not to be used by pathologists)	3.25	92.20	3.25	92.20		
2.	INTEGUMENTARY SYSTEM						
2.1	Atlergy						
0217	Allergy: Patch tests: First patch	4	113.48	4	113.48		
0219	Allergy: Patch tests: Each additional patch. Add to code 0217, code cannot be billed alone	2	56.74	2	56.74		
0218	Allergy: Skin-prick tests: Skin-prick testing: Insect venom, latex and drugs	2.8	79.44	2.8	79.44		
0220	Allergy: Skin-prick tests: Immediate hypersensitivity testing (Type I reaction): Per antigen: Inhalant and food allergens. Only a maximum of five can be charged.	1.9	53,90	1,9	53.90		
0221	Allergy: Skin-prick tests: Delayed hypersensitivity testing (Type IV reaction): Per antigen Only a maximum of five can be charged.	2.8	79.44	2.8	79.44		
2.2 0255	Skin (general) Drainage of subcutaneous abscess, onychia, paronychia, pulp space or avulsion of nail	20	567.40	20	567.40	3	397.68 +T
0257	Drainage of major hand or foot infection; drainage of major abscess with necrosis of tissue, involving deep fascia or requiring debridement; complete excision of pilonidal cyst or sinus	87	2 468.19	87	2 468.19	3	397.68 +T
0259	Removal of foreign body superficial to deep fascia (except hands)	20	567.40	20	567.40	3	397.68 +T
0260	Incision/removal of foreign body: Subcutaneous tissue, complicated	55.50	1 574.54	55.50	1 574.54	3	397.68 +T
0261	Removal of foreign body deep to deep fascia (except hands).	31	879.47	31	879.47	3	397.68 +T
	Note: See item 0922 and 0923 for removal of foreign bodies in hands						
2.3	Major plastic repair Note: The tariff does not cover elective or cosmetic operations, since these procedures may not have the effect of reducing the percentage of permanent disablement as laid down in the Second Schedule to the Act. It is incumbent upon the treating doctor to obtain the prior consent of the Commissioner before embarking upon such treatment						
0288 0289	Harvesting of graft: Fascia lata graft, complex or sheet Large skin graft, composite skin graft, large full thickness free skin graft	127.40 234	3 614.34 6 638.58	120 187.2	3 404.40 5 310.86	4	530.24 +T 530.24 +T
0290	Reconstructive procedures (including all stages) and skingraft by	410	11 631.70	328	9 305.36	4	530.24 +⊤
0291	myo-cutaneous or fascio-cutaneous flap Reconstructive procedures (Including all stages) grafting by micro- vascular re-anastomosis	800	22 696.00	640	18 156.80	4	530.24 +T
0292	Distant flaps: First stage	206	5 844.22	164.8	4 675.38	,	E20.24 - T
0293	Contour grafts (excluding cost of material)	206	5 844.22	164.8	4 675.38	4	530.24 +T 530.24 +T
0294	Vascularised bone graft with or without soft tissue with one or more	1200	34 044.00	960	27 235.20	6	795.36 +T
	sets micro-vascular anastomoses Local skin flaps (large, complicated)	1		}			

			Sp	ecialist	General	Practitioner		Anaesthetic
296	Other procedures of major technical nature		U 206	R 5 844.22	U 164.8	R 4 675.38	U 4	R T 530.24 +T
862	Full thickness graft of the trunk, freegrafting including direct closure of		136.50	3 872.51	120.00	3 404.40	5	662.80 +T
863	donor site <=20cm ² Full thickness graft of the trunk, freegrafting including closure of donor site, each addditional 20cm ² (modifier 0005 not applicable)		25.60	726.27	25.60	726.27	5	662.80 +T
864	Full thickness graft of the scalp, arms and legs free grafting including		140.30	3 980.31	120.00	3 404.40	5	662.80 +T
865	direct closure of donor site <=20cm ² Full thickness graft of the scalp, arms and legs free grafting including direct closure of donor site, each addditional 20cm ² (modifier 0005 not applicable)		23.00	652.51	23.00	652.51	5	662.80 +T
866	Full thickness graft of the face, neck, axilla, genitalia, hands and /or feet, free grafting including donor site:<=20cm ²		163.40	4 635.66	130.72	3 708.53	5	662.80 +T
867	Full thickness graft of the face, neck, axilla, genitalia, hands and /or feet, free grafting including direct closure of donor site, each additional 20cm ² (modifier 0005 not applicable)		36.20	1 026.99	36.20	1 026.99	5	662.80 +T
868	Full thickness graft of the nose,ears, eyelids, and /or lips free grafting including direct closure of donor site: <=20cm ² ●		183.50	5 205.90	146.80	4 164.72	5	662.80 +T
1869	Full thickness graft of the nose,ears, eyelids, and /or lips free grafting including direct closure of donor site; each additional 20cm ² (modifier 0005 not applicable)		43.10	1 222.75	43.10	1 222.75	5	662.80 +T
2.4 1300	Lacerations, scars, cysts and other skin lesions Stitching of soft-tissue injuries: Stitching of wound (with or without local anaesthesia): Including normal after-care		14	397.18	14	397.18	3	397.68 +T
301	Stitching of soft-tissue injuries: Additional wounds stitched at same session (each)		7	198.59	7	198.59	3	397.6B +T
302	Stitching of soft-tissue injuries: Deep laceration involving limited muscle damage		64	1 815.68	64	1 815.68	4	530.24 +T
303	Stitching of soft-tissue injuries: Deep laceration involving extensive muscle damage and the state of the sta		128	3 631.36	120	3 404,40	4	530.24 +T
	Major debridement of wound, stoughectomy or secondary suture		50	1 418.50	50	1 418.50	3	397.68 +T
1830	Debridement of subcutaneous tissue: INCLUDES epidermis and dermis; <= 20 square cm		13.9	394.34	13.9	394.34	3	397.68 +T
1831	Debridement of subcutaneous tissue: INCLUDES epidermis and dermis; ADD for every additional 20 square cm or part thereof	+	5.3	150.36	5.3	150.36	3	397.68 +T
1832	Debridement of muscle and/or fascia: INCLUDES epidermis, dermis and subcutaneous tissue; <= 20 square cm		36	1 021.32	36	1 021.32	5	662.80 +T
1833	Debridement of muscle and/or fascia: INCLUDES epidernis, dermis and subcutaneous tissue; ADD for every additional 20 square cm or part thereof	+	11.2	317.74	11.2	317.74	5	662.80 +T
1834	Debridement, bone: INCLUDES epidermis, dermis, subcutaneous tissue, muscle and/or fascia; <= 20 square cm		62.5	1 773.13	62.5	1 773.13	6	795.36 +T+f
1835	Debridement, bone: INCLUDES epidermis, dermis, subcutaneous tissue, muscle and/or fascia; ADD for every additional 20 square cm or part thereof	+	19.5	553.22	19.5	553.22	6	795.36 +T+F
0307	Excision and repair by direct suture; excision nail fold or other minor procedures of similar magnitude		27	765.99	27	765.99	3	397.68 +T
)308)310	Each additional small procedure done at the same time Radical excision of naithed		14 38	397.18 1 078.06	14 38	397.18 1 078.06	3	397.68 +T
314	Requiring repair by large skin graft or large local flap or other procedures of similar magnitude		104	2 950.48	104	2 950.48	3	397.68 +T 530.24 +T
315	Requiring repair by small skin graft or small local flap or other procedures of similar magnitude		55	1 560.35	55	1 560.35	3	397.68 +T
1856	Split thickness autograft of the trunk, arms and/or legs <=100 2 cm		153.6	4 357.63	122.88	3 486.11	5	662.80 +T
1857	Split thickness autograft of the trunk, arms and/or legs; each additional 100 ³ cm or part thereof (modifier 0005 not applicable)	+	31.5	893.66	31.5	893.66	5	662.80 +T
1858	Split thickness autograft of the face, scalp, neck, ears, genitalia, hands, feet and/or multiple digits <=100° cm		172	4 879.64	137.6	3 903.71	5	662.80 +T
859	Split thickness autograft of the face, scalp, neck, ears, genitalia, hands, feet and/or multiple digits; each additional 100 2 cm or part thereof (modifier 0005 not applicable) vingers of tone	+	51.6	1 463.89	51.6	1 463.89	5	662.80 +T
1872	Acellular dermal allograft of the trunk, arms and/or legs <=100 ° cm		66.3	1 880.93	66.3	1 880.93	5	662.80 +T
1873	Acellular dermal allograft of the trunk, arms and/or legs; each additional 100 ² cm or part thereof (modifier 0005 not applicable)	+	15.3	434.06	15.3	434.06	5	662.80 +T
1874	Acellular dermal allograft of the face, scalp, neck, ears, genitalia, hands, feet and/or multiple digits <=100 ² cm		74	2 099.38	74	2 099.38	5	662.80 +T
1875	Acellular dermal allograft of the face, scalp, neck, ears, genitalia, hands, feet and/or multiple digits; each additional 100 ² cm or part thereof (modifier 0005 not applicable)	+	21.8	618.47	21.8	618.47	5	662.80 +T

		Sp	ecialist	General	Practitioner		Anaesthetic	С
		U	R	U	R	U	R	T
2.6	Burns					-		·
0345	Minor burns (Discontinued)	1			ĺ	Ιí		
0347	Moderate burns (Discontinued)							
0351	Major burns: Resuscitation (including supervision and intravenous therapy - first 48 hours)	276	7 830.12	220.8	6 264.10	5	662.80	+T
0353	Tangential excision and grafting: Small	100	2 837.00	100	2 837.00	5	662.80	+T
0354	Tangential excision and grafting: Large	200	5 674.00	160	4 539.20	5	662.80	+T
2.7	Hands (skin)				1			
0355	Skin flap in acute hand injuries where a flap is taken from a site remote from the injured finger or in cases of advancement flap e.g. Cutler	147.40	4 181.74	120	3 404.40	4	530.24	+T
0357	Small skin graft in acute hand injury	45	1 276.65	45	1 276.65	3	397.68	+T
0359	Release of extensive skin contracture and/or excision of scar tissue with major skin graft resurfacing	192	5 447.04	153.6	4 357.63	3	397.68	
0361	Z-plasty	220.1	6 244.24	176.08	4 995.39	3	397.68	+T
0363	Local flap and skin graft	150	4 255.50	120	3 404.40	3	397.68	
0365	Cross finger flap (all stages)	192	5 447.04	153.6	4 357.63	3	397.68	
0367	Palmarflap (all stages)	192	5 447.04	153.6	4 357.63	3	397.68	
0369	Distant flap: First stage	158	4 482.46	126.4	3 585.97	3	397.68	
0371	Distant flap: Subsequent stage (not subject to General Modifier 0005)	77	2 184.49	77	2 184.49	3	397.68	
0373	Transfer neurovascular Island flap	230.5	6 539.29	184.4	5 231.43	3	397.68	+T

		Spe	ecialist	General	Practitioner	,	Anaesthetic	3
		U	R	u T	R	<u>י</u>	Ř	
MUSCU	LO-SKELETAL SYSTEM	-	- R	<u> </u>		0	K	T
.1	Bones							
1.1	Fractures							
383	Fracture (reduction under general anaesthetic): Scapula	112.30	3 185.95	112.30	3 185.95	3	397.68	
384	Fracture: Scapula: Open reduction and internal fixation (modifiers	284.2	8 062.75	227.36	6 450.20	3	397.68	+T+M
386	0051, 0052 not applicable) Fracture: Claviclé: Open reduction and internal fixation (modifiers	209.4	5 940.68	167.52	4 752.54	3	397.68	+T+M
	0051, 0052 not applicable)	200.4	0 0 10.00	107.02	4102.01	,	001.00	
387	Fracture (reduction under general anaesthetic): Clavicle	93.80	2 661.11	93.80	2 661.11	3	397.68	+T+M
388	Percutaneous pinning supracondylar fracture elbow - stand alone procedure	175.70	4 984.61	140.56	3 987.69	3	397.68	+T+M
389	Fracture (reduction under general anaesthetic): Humerus	129.60	3 676.75	129.60	3 676.75	3	397.68	+T+M
390	Fracture: Humerus: Open reduction and internal fixation (modifiers	255.3	7 242.86	204.24	5 794.29	3	397.68	
	0051, 0052 not applicable)							
391	Fracture (reduction under general anaesthetic): Radius and/or Ulna	135.7	3 849.81	120	3 404.40	3	397.68	+T+M
392	Open reduction of both radius and ulna (Modifier 0051 not	193.50	5 489.60	154.80	4 391.68	3	397.68	+T+M
	applicable)	100,00	4 100.00	704.00	1 00 1.00	ľ		. ,
401	Fracture: Carpal bone: Open reduction and internal fixation (modifiers	208.7	5 920.82	166.96	4 736.66	3	397.68	+T+M
	0051, 0052 not applicable)							
402 403	Fracture (reduction under general anaesthetic): Carpal bone Bennett's fracture-dislocation	64 84.50	1 815.68 2 397.27	64 84.50	1 815.68 2 397.27	3	397.68 397.68	
404	Fracture: Bennett fracture/dislocation: Open reduction and	179.80	5 100.93	143.84	4 080.74	3	397.68	
	internal fixation (modifiers 0051, 0052, 0055 not applicable)							
405	Fracture reduction under general anaesthetic: Open treatment of	75.40	2 139.10	75.40	2 139.10	3	397.68	+T+M
1406	Metacarpal: Simple	162 60	4 641.33	120.00	3 713.07	3	207.69	ATAM
1400	Fracture: Metacarpal bone: Open reduction and internal fixation (modifier 0052 not applicable)	163.60	4 641.33	130.88	3 / 13,0/	3	387.00	+T+M
1409	Fracture (reduction under general anaesthetic): Finger phalanx:	77	2 184.49	77	2 184.49	3	397.68	+T+M
	Distal: Simple							
0410	Fracture: Finger phalanx, distal, simple: Open reduction and internal	141.10	4 003.01	120	3 404.40	3	397.68	+T+M
0413	fixation (modifier 0052 not applicable) Fracture (reduction under general anaesthetic): Finger phalanx:	50.50	1 432.69	50.50	1 432.69	3	397.68	AT.
7413	Proximal or middle	50.50	1 432.05	50.50	1 432.05	,	387.00	
1414	Fracture: Finger phalanx, proximal or middle: Open reduction and	169.90	4 820.06	135.92	3 856.05	3	397.68	+T
	internal fixation (modifier 0052 not applicable)							
0417	Fracture (reduction under general anaesthetic): Pelvis fracture:	137.20	3 892.36	120	3 404.40	3	397.68	+T
	Closed (modifier 0051 is applicable)							
3419	Fracture (reduction under general anaesthetic): Pelvis: Open	354.49	10 056.88	283.59	8 045.45	3	397.68	+T+M
0420	reduction and internal fixation (modifier 0051 not applicable) Fracture: Acetabulum: Open reduction and internal fixation (modifiers	560	15 887.20	448	12 709.76	3	397 65	+T+M
0-72-0	0051, 0052 not applicable)	000	15 007.20	440	12 700.70	,	337.00	
0421	Fracture (reduction under general anaesthetic): Femur: Neck or Shaft	279.10	7 918.07	223.28	6 334.45	3	397.68	+T+M
		İ						
0422	Fracture: Femur neck or shaft: Open reduction and internal fixation	392.3	11 129.55	313.84	8 903.64	3	397.68	+T+M
0425	(modifiers 0051, 0052 not applicable) Fracture (reduction under general anaesthetic) Patella	82.50	2 340.53	82.50	2 340.53	3	207.65	+T+M
0426	Fracture: Patella: Open reduction and Internal fixation (modifiers	219.5	6 227.22	175.6	4 981.77	3		+T+M
	0051, 0052 not applicable)							
0429	Fracture (reduction under general anaesthetic Tibia with or without	128	3 631.36	120	3 404.40	3	397.68	+T+M
0430	Fracture: Tibia, with or without fibula: Open reduction and internal	202.0	0 240 00	004.50	0.004.47	١.	207.01	
0430	fixation (modifiers 0051, 0052 not applicable)	293.2	8 318.08	234.56	6 654.47	3	397.00	+T+M
0433	Fracture (reduction under general anaesthetic) Fibula shaft	112.40	3 188.79	112.40	3 188.79	3	397.68	+T+M
0434	Fracture: Fibula shaft: Open reduction and internal fixation (modifiers	207	5 872.59	165.6	4 698.07	3	397.68	+T+M
0405	0051, 0052 not applicable)	400.00	0.507.00	100	0.404.40			
0435	Fracture (reduction under general anaesthetic: Malleolus of ankle	126.80	3 597.32	120	3 404.40	3	397.68	+T+M
0436	Fracture: Ankle malleolus: Open reduction and internal fixation	207.1	5 875.43	165.68	4 700.34	3	397.68	+T+M
	(modifiers 0051, 0052 not applicable)							
0437	Fracture-dislocation of ankle	128	3 631.36	120	3 404.40	3		+T+M
0438 0439	Open reduction Talus fracture (Modifier 0051 not applicable)	311.60	8 840.09	249.28	7 072.07	3		8 +T+M
U439	Fracture (reduction under general anaesthetic): Tarsal bones (excluding talus and calcaneus)	76.60	2 173.14	76.60	2 173.14	3	397.68	3 +T+M
0440	Open reduction Calcaneus fracture (Modifier 0051, 0052 not	403.50	11 447.30	322.5	9 149.33	3	397.68	+T+M
	appicable)							
0441	Fracture (reduction under general anaesthetic): Metatarsal	66.80	1 895.12	66.80	1 895.12	3		HT+M
0442	Fracture: Metatarsal bones: Open reduction with internal fixation (modifiers 0051, 0052 not applicable)	154.7	4 388.84	123.76	3 511.07	3	397.68	8 +T+M
0443	Fracture (reduction under general anaesthetic): Toe phalanx: Distal:	66.8	1 895.12	66.80	1 895.12	3	397.68	8 +T
	Simple						7	
0444	Fracture: Toe phalanx, distal: Open reduction with internal fixation	144.5	4 099.47	120	3 404.40	3	397.68	B +T
	(modifier 0052 not applicable) Fracture: Tarsal bones (excluding talus and calcaneus): Open	170 2	5 055.53	142.56	4.044.42	2	207.0	9 AT-14
DARE	ir recture, raisal bolles (excluding talus and calcaneus): Open	178.2	2 022,03	142.56	4 044.43	3	397.68	8 +T+M
0446				1				
0446	reduction with internal fixation (modifiers 0051, 0052 not applicable)							
0446 0447		26	737.62	26	737.62	3	397.68	B +T

		Spe	ecialist	General I	ractitioner	,	Anaesthetic
		<u> </u>					
452	Fracture (reduction under general anaesthetic): Stemum and/or ribs:	230	6 525.10	184	5 220.08	3	R T 397.68 +T+
402	Open reduction and fixation of multiple fractured ribs for flail chest	250	0 023.10	104	3 220.00	3	397.00 +1+
3.1.1.1 1465	Operations for fractures Fractures involving large joints (includes the item for the relative	288	8 170.56	230.4	6 536.45	3	397.68 +T+
1	bone). This item may not be used as a modifier	200	0 170.50	230.4	0 030.40	'adi	397.06 717
1466	Fractures involving digital joints: Includes the metaphysis of the relative bone. Open reduction and internal fixation (modifier 0052 not applicable)	210.90	5 983.23	168.72	4 786.59	3	397.68 +T+
1473	Percutaneous insertion plus subsequent removal of Kirschner wires or Steinmann pin (Not subject to rule G) (Modifier 0005 not applicable)	43	1 219.91	43	1 219.91	3	397.68 +T
0475	Bonegrafting or internal fixation for malunion or non-union: Femur, Tibia, Humerus, Radius and Ulna	328.20	9 311.03	262.56	7 448.83	3	397.68 +T
0479	Bonegrafting or internal fixation for malunion or non-union: Other bones (not applicable to fingers and toes)	154	4 368.98	123.2	3 495.18	3	397.68 +T-
3.1.2 3.1.2.1	Bony operations						
0499	Bone grafting Grafts to cysts: Large bones	192	5 447.04	153.6	4 357.63	3	397.68 +T+
0501	Grafts to cysts: Small bones	128	3 631.36	120	3 404.40	3	397.68 +T
0503	Grafts to cysts: Cartilage graft	206	5 844.22	164.8	4 675.38	3	397.68 +T4
0505	Grafts to cysts: Inter-metacarpal bone graft	147	4 170.39	120	3 404.40	3	397.68 +T
0506	Harvesting of graft: Cartilage graft, costochondral	91.1	2 584.51	91.1	2 584.51	6	795.36 +T
0507	Removal of autogenous bone for grafting (not subject to modifier 0005)	50	1 418.50	50	1 418.50	3	397.68 +T
3.1.2.2 0512	Acute/chronic osteomyelitis Stemum sequestrectomy and drainage: Including FOUR weeks after- care	128	3 631.36	120	3 404.40	3	397.68 +T
3.1.2.3	Osteotomy						
0516	Osteotomy: Pelvic	320	9 078.40	256	7 262.72	3	397.68 +T
0521	Osteotomy: Femoral: Proximal (Modifier 0051 is applicable)	320	9 078.40	256	7 262.72	3	397.68 +T
0527 0528	Osteotomy: Knee region (Modifier 0051 is applicable) Osteotomy: Os Calcis (Dwyer operation) (Modifier 0051 is applicable)	320 115	9 078.40 3 262.55	256 115	7 262.72 3 262.55	3	397.68 +T 397.68 +T
0530	Osteotomy: Metacarpal and phalanx: Corrective for mal-union or rotation (Modifier 0051 is applicable)	120	3 404.40	120	3 404.40	3	397.68 +T
0531 0532	Rotational osteotomy tibia and fibula - stand alone procedure Rotation osteotomy of the Radius, Ulna or Humerus(modifier 0051 is applicable)	278.90 160	7 912.39 4 539.20	223.12 128	6 329.91 3 631.36	3	397.68 +T 397.68 +T
0533 0534	Osteotomy single metatarsal (modifier 0051 is applicable) Multiple metatarsal osteotomies (modifier 0051 is applicable)	60 150	1 702.20 4 255.50	60 120	1 702.20 3 404.40	3	397.68 +T 397.68 +T
3.2	Joints						
3.2.1 0547	Dislocations Dislocation: Clavicle: either end	96.5	2 737.71	96.5	2 737.71	3	397.68 +T
0549	Dislocation: Shoulder	112.10	3 180.28	112.10	3 180.28	3	397.68 +T
0551	Dislocation: Elbow	133.60	3 790.23	120	3 404.40	3	397.68 +T
0552	Dislocation: Wrist	115.50	3 276.74	115.50	3 276.74	3	397.68 +T
0553	Dislocation: Perllunar transscaphoid fracture dislocation	130	3 688.10	120	3 404.40	3	397.68 +T
0555	Dislocation: Lunate	136.30	3 866.83	120.00	3 404.40	3	397.68 +T
0556 0557	Dislocation: Carpo-metacarpo dislocation Dislocation: Metacarpo-phalangeal or interphalangeal joints (hand)	117.20 107.30	3 324.96 3 044.10	117.20 107.30	3 324.96 3 044.10	3	397.68 +T 397.68 +T
0559 0561	Dislocation: Hip Dislocation: Knee, with manipulation	220.50	6 255.59	176.40	5 004.47	3	397.68 +T
0563	Dislocation: Patella	181.20 136.90	5 140.64 3 883.85	144.96 120	4 112.52 3 404.40	3	397.68 +T 397.68 +T
0565	Dislocation: Ankle	98.60	2 797.28	98.60	2 797.28	3	397.68 +T
0567	Dislocation: Sub-Talar dislocation	92	2 610.04	92	2 610.04	3	397.68 +T
0569 0571	Disfocation: Intertarsal or Tarsometatarsal or Mid-tarsal Disfocation: Meta-tarsophalangeal or interphalangeal joints (foot)	77 39.40	2 184.49 1 117.78	77 39.40	2 184.49 1 117.78	3	397.68 +T
3.2.2	Operations for distance						
0578	Operations for dislocations Recurrent dislocation of shoulder	200	5 674.00	160	4 539.20	3	397.68 +T
0579	Recurrent dislocation of all other joints	161	4 567.57	128.8	3 654.06	3	397.68 +T
3.2.3 0582	Capsular operations Capsulotomy or arthrotomy or blopsy or drainage of joint: Small joint	51	1 446.87	51	1 446.87	3	397.68 +T
0583	(Including three weeks after-care) Capsulotomy or arthrotomy or biopsy or drainage of joint: Large joint (including three weeks after-care)	96	2 723.52	96	2 723.52	3	397.68 +T
0585	Capsulotomy or arthrotomy or biopsy or drainage of joint: Capsulectomy digital joint	64	1 815.68	64	1 815.68	3	397.68 +T
0586	Multiple percutaneous capsulotomies of metacarpo-phalangeal joints	90	2 553.30	90	2 553.30	3	397.68 +T
0587	Release of digital joint contracture	128	3 631.36	120	3 404.40	3	397.68 +T

		Spe	cialist	General i	Practitioner	A	naesthetic
		U	R	Ü	R	U	R T
0589	Synovectomy: Digital joint	77	2 184.49	77	2 184,49	3	397.68 +T+M
0592	Synovectomy: Large joint	160	4 539.20	128	3 631.36	3	397.68 +T+M
593	Tendon synovectomy	203.7	5 778.97	162.96	4 623.18	3	397.68 +T+M
3.2.5)597	Arthrodesis Arthrodesis: Shoulder	224	6 354.88	179.2	5 083.90	3	207 C9 ATAM
0598	Arthrodesis: Elbow	180	5 106.60		4 085.28	3	397.68 +T+M 397.68 +T+M
599	Arthrodesis: Wrist	180	5 106.60	144	4 085.28	3	397.68 +T+M
600	Arthrodesis: Digital joint	128	3 631.36	120	3 404.40	3	397.68 +T+M
601	Arthrodesis: Hip	320	9 078.40	256	7 262.72	3	397.68 +T+M
0602	Arthrodesis: Knee	180	5 106.60	144	4 085.28	3	397.68 +T+M
603	Arthrodesis: Ankle	180	5 106.60	144	4 085.28	3	397.68 +T+M
604	Arthrodesis: Sub-talar	130	3 688.10	120	3 404.40	3	397.68 +T+M
605 607	Arthrodesis: Stabilization of foot (triple-arthrodeses) Arthrodesis: Mid-tarsal wedge resection	180 180	5 106.60 5 106.60	144 144	4 085.28 4 085.28	3	397.68 +T+M 397.68 +T+M
3.2.6	Arthroplasty						
614	Arthroplasty: Debridement large joints	160	4 539.20	128	3 631.36	3	397.6B +T+M
0615	Arthroplasty: Excision medial or lateral end of clavicle	116	3 290.92	116	3 290.92	3	397.68 +T+M
617	Shoulder: Acromicplasty	192	5 447.04	153.6	4 357.63	3	397.68 +T+N
619	Shoulder: Partial replacement	277	7 858.49	221.6	6 286.79	5	662.80 +T+N
620	Shoulder: Total replacement	416	11 801.92	332.8	9 441.54	5	662.80 +T+N
621	Elbow: Excision head of radius	96	2 723.52	96	2 723.52	3	397.68 +T+N
622 623	Elbow: Excision Elbow: Partial replacement	192	5 447.04	153.6	4 357.63	3	397.68 +T+N 397.68 +T+N
624	Elbow: Total replacement	188 282	5 333.56 8 000.34	150.4	4 266.85 6 400.27	3	
625	Wrist: Excision distal end of ulna	96	2 723.52	225.6 96	2 723.52	3	397.68 +T+N 397.68 +T+N
626	Wrist: Excision single bone	110	3 120.70	110	3 120.70	3	397.68 +T+N
627	Wrist: Excision proximal row	166	4 709.42	132.8	3 767.54	3	397.68 +T+N
631	Wrist: Total replacement	249	7 064.13	199.2	5 651.30	3	397.68 +T+N
635	Digital joint: Total replacement	192	5 447.04	153.6	4 357.63	3	397.68 +T+1
637	Hip: Total replacement	416	11 801.92	332.8	9 441.54	3	397.68 +T+?
641	Hip: Prosthetic replacement of femoral head	288	8 170.56	230.4	6 536.45	3	397.68 +T+1
643	Hip: Girdlestone	320	9 078.40	256	7 262.72	3	397.68 +T+1
645	Knee: Partial replacement	277	7 858.49	221.6	6 286.79	3	397.68 +T+1
1646 1649	Knee: Total replacement Ankle:Total replacement	416	11 801.92	332.8	9 441.54	3	397.68 +T+N
650	Ankle: Astragalectomy	290.4 154	8 238.65 4 368.98	232.32 123.2	6 590.92 3 495.18	3	397.68 +T+h 397.68 +T+h
3.2.7	Miscellaneous (Joints)						
0658	Aspiration and/or injection: Small joint, bursa (e.g. fingers, toes)	11.40	323.42	11.40	323.42	3	397.68 +T+N
	(excluding aftercare, modifier 0005 not applicable)						
0659	Aspiration and/or injection: Intermediate joint, bursa (e.g. temporomandibular, acromicolavicular, wrist, elbow or ankle, olecranon bursa) (excluding aftercare, modifier 0005 not applicable)	12	340.44	12	340.44	3	397.68 +T+N
0660	Aspiration and/or injection: Major joint, bursa (e.g. shoulder, hip, knee joint, subacromial bursa) (excluding aftercare, modifier 0005 not applicable)	14.60	414.20	14.60	414.20	3	397.68 +T+h
0661	Aspiration of joint or intra-articular injection (not subject to rule G) (Modifier 0005 not applicable)	9	255.33	9	255.33	3	397.68 +T
D668	Manipulation of knee joint under general anaesthesia (includes application of traction or other fixation devices) (excluding aftercare) (modifier 0005 is not applicable)	43.10	1 222.75	43.10	1 222.75	3	397.68 +T
0667	Arthroscopy (excluding after-care), modifiers 0005 and 0013 not applicable	60	1 702,20	60	1 702.20	3	397.68 +T
0669	Manipulation large joint under general anaesthetic (not subject to rule G) (Modifier 0005 not applicable)	14	397.18	14	397.18	4 3	530.24 Hip+ 397.68 Knee Shot
0673	Menisectomy or operation for other internal derangement of knee: Medial OR lateral	185.70	5 268.31	148.56	4 214.65	3	397.68 +T+I
3.2.8	Joint ligament reconstruction or suture		4.55	4		_	
675 676	Joint ligament reconstruction or suture: Ankle: Collateral Joint ligament reconstruction or suture: Ankle (e.g. Watson-Jones	160	4 539.20 5 432.86	128	3 631.36 4 346.28	3	397.68 +T+
1010	type)	191.50	5 432.06	153.20	4 346.28	3	397.68 +T+
1677	Joint ligament reconstruction or suture: Knee: Collateral	196.80	5 583.22	157.44	4 466.57	3	397.68 +T+
0678	Joint ligament reconstruction or suture: Knee: Cruciate	227.60	6 457.01	182.08	5 165.61	3	397.68 +T+
0679 0680	Joint ligament reconstruction or suture: Ligament augmentation procedure of knee Joint ligament reconstruction or suture: Digital joint ligament	324.40 229.80	9 203.23 6 519.43	259.52 183.84	7 362.58 5 215.54	3	397.68 +T+ 397.68 +T+
3.3	Amputations						,
3.3.1	Specific amputations						
0681	Amputation: Humerus, includes primary closure	211.6	6 003.09	169.28	4 802.47	4	530.24 +T+
	Amputation: Fore-quarter amputation	397.80	11 285.59	318.24	9 028.47	9	1193.04 +T+
	14 1484 70 1 1 1		9 163.51	258.40	7 330.81	5	662.80 +T+
0683	Amputation: Through shoulder	323	1		1		
0683 0684	Amputation: Forearm	213.5	6 057.00	170.48	4 836.52	3	397.68 +T+
0682 0683 0684 0686 0687			1		1		397.68 +T+ 530.24 +T+ 397.68 +T+

		Sp	ecialist	General	Practitioner	,	Anaesthetic
		U	R	<u> </u>	R	U	R T
0691	Amputation: Finger or thumb	183.90	5 217.24	146.40	4 153.37	3	397.68 +T+N
692	Scar revision/secondary closure: amputated thigh, through femur, any level	150.7	4 275.36	120.56	3 420.29	3	397.68 +T+N
693	Hindquarter amputation	470.70	40 252 70	470.50	40.000.00	_	
694	Scar revision/secondary closure: amputated leg, through tibia and	470.70 173.9	13 353.76 4 933.54	376.56 139.12	10 683.01 3 946.83	6 3	795.36 +T+N
	fibula, any level	173.9	4 533.54	139.12	3 946.63	3	397.68 +T+N
695	Amputation: Through hip joint region	373.10	10 584.85	298.48	8 467.88	6	795.36 +T+N
696	Re-amputation: Thigh, through femur, any level	217.3	6 164.80	173.84	4 931.84	3	397.68 +T+N
697	Amputation: Through thigh	245	6 950.65	196	5 560.52	6	795.36 +T+N
698	Re-amputation: Leg, through tibia and fibula	198.2	5 622.93	158.56	4 498.35	3	397.68 +T+
1699 1701	Amputation: Below knee, through knee/Syme	277.20	7 864.16	221.76	6 291.33	5	662.80 +1+
705	Amputation: Trans-metatarsal or trans-tarsal Amputation: Toe (skin flap included)	223.80 167.10	6 349.21 4 740.63	179.04	5 079.36 3 792.50	3	397.68 +T+F
	- Marie and American	107.70	4 /40.63	133.68	3 /92.50	3	397.68 +T+F
.3.2	Post-amputation reconstruction						
706	Post-amputation reconstruction: Skin flap taken from a site remote from the injured finger or in cases of an advanced flap e.g. Cutler	186.30	5 285.33	149.04	4 228.26	3	397.68 +T+N
	Note: If not performed on thumb or index finger it must be motivated						
707	Post-amputation reconstruction: Krukenberg reconstruction	331.70	9 410.33	265.36	7 528.26	3	397.68 +T+ñ
711	Post-amputation reconstruction: Politicization of the finger (Prior permission must be obtained from the Commissioner at all times)	455.90	12 933.88	364.72	10 347.11	3	397.68 +T+
712	Post-amputation reconstruction: Toe to thumb transfer (Prior permission must be obtained from the Commissioner at all times)	800	22 696.00	640	18 156.80	3	397.68 +T+!
900	Committee to the control of the cont						
700	Scar revision/secondary closure: Amputated shoulder	128.1	3 634.20	120	3 404.40	3	397.68 +T
702 704	Scar revision/secondary closure: Amputated humerus Scar revision/secondary closure: Amputated forearm	163.1	4 627.15	130.48	3 701.72	3	397.68 +T
708	Re-amputation: Humerus	184.1 223.1	5 222.92 6 329.35	147.28 178.48	4 178.33	3	397.68 +T
710	Re-amputation: Through forearm	206	5 844.22	164.8	5 063.48 4 675.38	6	795.36 +T+ 397.68 +T+
.4	Muscles, tendons and fascias	255		104.0	7 07 0.50		337.00
.4.1	Investigations						
715	Strength duration curve per session	10.5	297.89	10.5	297.89	3	397.68 +T
727	Cranial reflex study (both early and late responses) supra	8	226.96	8	226.96	3	397.68 +T
	occulofacial, corneofacial or flabellofacial: Unilateral						
728	Cranial reflex study (both early and late responses) supra occulofacial, corneofacial or flabellofacial; Bilateral	14	397.18	14	397.18	3	397.68 +T
729	Tendon reflex time	7	198.59	7	198.59	3	397.68 +T
730	Limb-brain somatosensory studies (per limb)	49	1 390.13	49	1 390.13	3	397.68 +T
731	Vision and audiosensory studies	49	1 390.13	49	1 390.13	!	
)733)735	Motor nerve conduction studies (single nerve) Examinations of sensory nerve conduction by sweep averages	26	737.62	26	737.62	1 . 1	
	(single nerve)	31	879.47	31	879.47	3	397.68 +T
3.4.2 5550	Decompression Operations Decompression fasciotomy: Buttock compartment(s): Unilateral	243	6 893.91	194.4	5 515.13	5	662.80 +T+f
5551	Decompression fasciotomy: Leg: Anterior and/or lateral and posterior compartment(s). EXCLUDES debridement of nonviable muscle and/or nerve	151.9	4 309.40	121.52	3 447.52	3	397.68 +T+
5552	Decompression fasciotomy; Leg: Anterior and/or fateral and posterior	253.1	7 180.45	202.48	5 744.36	3	397.68 +T+I
	compartment(s). INCLUDES debridement of nonviable muscle and/or nerve						
5553	Decompression fasciotomy: Leg: Anterior and/or lateral compartment(s) only. EXCLUDES debridement of πonviable muscle and/or nerve	123.7	3 509.37	120	3 404.40	3	397.68 +T+
5554	Decompression fasciotomy: Leg: Anterior and/or lateral compartment(s) only. INCLUDES debridement of nonviable muscle land/or nerve	162.1	4 598.78	129.68	3 679.02	3	397.68 +T+I
5555	Decompression fasciotomy: Leg: Posterior compartment only. EXCLUDES debridement of nonviable muscle and/or nerve	130.8	3 710.80	120	3 404.40	3	397.68 +T+f
5556	Decompression fasciotomy: Leg: Posterior compartment only. INCLUDES debridement of nonviable muscle and/or nerve	171.5	4 865.46	137.2	3 892.36	3	397.68 +T+f
5557	Decompression fasciotomy: Fasciotomy/tenotomy, iliotibial	137.3	3 895.20	120	3 404.40	ا ر ا	E20 04 . T.
5558	Decompression fasciotomy: Fasciotomy: Foot and/or toe	86.6	2 456.84	86.6	2 456.84	3	530.24 +T+i 397.68 +T+i
5559	Decompression fasciotomy: Forearm and/or wrist: Flexor and extensor compartment. EXCLUDES debridement of nonviable	226.3	6 420.13	181.04	5 136.10	3	397.68 +T+
5560	muscle or nerve Decompression fasciotomy: Forearm and/or wrist: Flexor and extensor compartment. INCLUDES debridement of nonviable muscle	354.5	10 057.17	283.6	8 045.73	3	397.68 +T+
5561	or nerve Decompression fasciotomy: Forearm and/or wrist: Flexor or extensor compartment. EXCLUDES debridement of nonviable muscle or nerve	166.8	4 732.12	133.44	3 785.69	3	397.68 +T+

		Sp.	eclalist	General	Practitioner	,	Anaesthetic
5563	Decompression fasciotomy: Fingers and/or hand	165.6	4 698.07	132.48	3 758.46	3	R T 397.68 +T+
3.4.3	Muscle and tendon repair						
0745	Muscle and tendon repair: Biceps humeri	109	3 092.33	400			
0746	Muscle and tendon repair: Removal of calcification in Rotator cuff	96	2 723.52	109 96	3 092.33 2 723.52	3 3	397.68 +T 397.68 +T+
	€-4			""			007104 717
0747	Muscle and tendon repair: Rotator cut!	134	3 801.58	120	3 404.40	4	530.24 +T
0748	Muscle and tendon repair: Debridement rotator cuff	139.7	3 963.29	120	3 404.40	4	530.24 +T
0749	Muscle and tendon repair: Scapulopexy - stand alone procedure	271.90	7 713.80	217.52	6 171.04	4	530.24 +T
0755	Muscle and tendon repair: Infrapatellar or quadriceps tendon	128	3 631.36	120	3 404.40	3	397.68 +T
0757	Muscle and tendon repair: Achilles tendon repair	197.6	5 605.91	158.08	4 484.73	4	530.24 +T
0759	Muscle and tendon repair: Other single tendon	77	2 184.49	77	2 184.49	3	397.68 +T
0760	Hand: Flexor tendon suture: Primary, zone 1 (each) (modifier 0005	220.3	6 249.91	176.24	4 999.93	3	397.68 +T
	applicable)	220.3	0 240.01	170.24	4 355.53	3	391.00 +1
0761	Hand: Flexor tendon repair: Primary, zone 2 (no mans land) (each) (modifier 0005 applicable)	249.6	7 081.15	199.68	5 664.92	3	397.68 +T
0762	Hand: Flexor tendon suture: Primary, zone 3 and 4 (wrist and forearm) (each) (modifier 0005 applicable)	191.30	5 427.18	153.04	4 341.74	3	397.68 +T
0763	Muscle and tendon repair: Tendon or ligament injection	9	255.33	9	255.33	3	397.68 +T
0764	Hand: Flexor tendon repair: Secondary, zone 1	243,9	6 919.44	195.12	5 535.55		397.68 +T
0765	Hand: Flexor tendon repair: Secondary, zone 2 (no mans land)	249.6	7 081.15	199.68	5 664.92	3	397.68 +T
0766	Hand: Flexor tendon repair: Secondary, zone 3 and 4 (wrist and forearm)	190.6	5 407.32	152.48	4 325.86	3	397.68 +T
0768	Repair: Intrinsic muscles of hand (each) (modifier 0005 applicable)	125.3	3 554.76	100.24	2 843.81	3	397.68 +7
0771	Extensor tendon suture: Primary (per tendon, Modifier 0005 not applicable)	129.7	3 679.59	120	3 404.40	3	397.68 +T
0773	Extensor tendon suture: Secondary (per tendon, Modifier 0005 not applicable)	170.00	4 822.90	136	3 858.32	3	397.68 +T
0774	Repair of Boutonnière deformity or Mallet Finger with graft	216.60	6 144.94	216.60	6 144.94	3	397.68 ÷7
3.4.4	Tendon graft						
0775	Free tendon graft	160	4 539.20	128	3 631.36	3	397.68 +T
0776	Reconstruction of pulley for flexor tendon	180.20	5 112.27	144.16	4 089.82	3	397.68 +T
0777	Tendon graft: Finger: Flexor	192	5 447.04	153.6	4 357.63	3	397.68 +T
0779	Tendon graft: Finger: Extensor	122	3 461.14	120	3 404.40	3	397.68 +T
0780	Two stage flexor tendon graft using silastic rod	240	6 808.80	192	5 447.04	3	397.68 +T
3.4.5	Tenolysis						
0781	Tendon freeing operation, except where specified elsewhere	64	1 815.68	64	1 815.68	3	397.68 +T
0782	Carpal tunnel syndrome	123	3 489.51	100	3 404 40		202.00
0783	Tenolysis: De Quervain	38	1 078.06	120	3 404.40	3	397.68 +T
0784	Trigger finger			38	1 078.06	3	397.68 +T
0785	Flexor tendon freeing operation following free tendon graft or suture	38 276.10	1 078.06 7 832.96	38 220.88	1 078.06 6 266.37	3 3	397.68 +T 397.68 +T
0787	Extensor tendon freeing operation following graft or suture in finger,	212.20	6 020.11	170	4 822.90	3	397.68 +T
0788	hand or forearm Intrinsic tendon release per finger	64	1 815.68	64	1 815.68		
3.4.6	Tenodesis	0.,	1 0 13.00	04	1 615.68	3	397.68 +T
3.4.6 0790	Tenodesis: Digital joint (each) (modifier 0005 applicable)	176.20	4 998.79	140.96	3 999.04	3	397.68 +T

		3,	eclalist	General	Practitioner		Anaesthetic
		Ü	R	U	R	U	RT
3.4.7	Muscle, tendon and fascia transfer						
0791	Single tendon transfer					ĺ	
792	Multiple tendon transfer	96	2 723.52	96	2 723.52	3	397.68 +T
0793		128	3 631.36	120	3 404.40	3	397.68 +T
0794	Hamstring to quadriceps transfer	141	4 000.17	120	3 404.40	3	397.68 +T
1194	Pectoralis major or Latissimus dorsi transfer to biceps tendon	320	9 078.40	256	7 262.72	5	662,80 +T
	(44)			1	1		8.4
)795)803	Tendom transfer at elbow Hand tendons: Single transfer (each) (modifier 0005 applicable)	116 216.20	3 290.92 6 133.59	116 172.96	3 290.92 4 906.88	3	397.68 +T
0809	Hand tendons: Substitution for intrinsic paralysis of hand/hand	330.60	9 379.12	264.48	7 503.30	3	397.68 +T
0811	tendon (all four fingers) Hand tendons: Opponens tendon transfer (including obtaining of	220.6	6 258.42	176.48	5 006.74	3	397.68 +T
	graft)						
3.4.8	Muscle slide operations and tendon lengthening			1			
0812	Percutaneous Tenotomy: All sites	140.50	3 985.99	120	3 404.40	3	397.68 +T
DB13	Torticollis	96	2 723.52	96	2 723.52	5	662.80 +T
822	Open release elbow (Mitals) - stand alone procedure	278.20	7 892.53	222.56	6 314.03	3	397.68 +T
823	Excision or slide for Volksmann's Contracture	192	5 447.04	153.6	4 357.63	3	397.68 +T
825	Hip: Open muscle release	116	3 290.92	116	3 290.92	7	927.92 +T
829	Knee: Quadriceps plasty	160	4 539.20	128	3 631.36		
831	Knee: Open tenotomy	141	4 000.17	128		3	397.68 +T
835	Calf				3 404.40	3	397.68 +T
837	Open Elongation Tendon Achilles	96	2 723.52	96	2 723.52	4	530.24 +T
838		96	2 723.52	96	2 723.52	4	530.24 +T
1030	Percutaneous "Hoke" elongation tendoachilles - stand alone procedure	79.30	2 249.74	79.30	2 249.74	4	530.24 +T
3.6	Musculo-skeletal system: Miscellaneous						
3.6.1	Musculo-skeletal system: Miscellaneous: Removal of internal fixatives or prosthesis						
883	Readily accessible					1	
		44.40	1 259.63	44.40	1 259.63	1	As per bon
884	Less accessible	127	3 602.99	120	3 404.40	1	+ M
885	Removal of prosthesis for infection soon after operation	128	3 631.36	120	3 404.40	1	As per bone
9886	Late removal of infected or not infected total joint replacement					l .	
	prosthesis (including six weeks after-care): ADD to the item for total joint replacement of the specific joint	+ 64	1 815.68	64	1 815.68	6	795.36 +T
3.6.2	Musculo-skeletal system: Miscellaneous: Removal of foreign bodies						
0644	Removal of foreign body: Shoulder, subcutaneous Use item 0473 for removal of Kirshner wires and Stelnmann pins post operatively Modifier 0049- 0051, 0055 and 0058 is not applicable.	49.70	1 409.99	49.70	1 409.99	3	397.68 +T
0647	Removal of foreign body: Upper arm or elbow area, subcutaneous Use item 0473 for removal of Kirshner wires and Steinmann pins post operatively Modifier 0049-0051, 0056 and 0058 is not applicable.	41.70	1 183.03	41.70	1 183.03	3	397.68 +T
0648	Removal of foreign body: Upper arm or elbow area, subfascial or	109	3 092.33	109	3 092.33	3	397.68 +T
	Intramuscular Use item 0473 for removal of Kirshner wires and Steinmann pins post operatively Modifier 0049- 0051, 0055 and 0058 is not applicable.				0 002.02		337.00
0651	Exploration with removal of deep foreign body: Forearm or wrist Use item 0473 for removal of Kirshner wires and Steinmann pins post operatively Modifier 0049-0051, 0055 and 0058 is not applicable.	122.80	3 483.84	120	3 404.40	3	397.68 +T
0652	Removal of foreign body: Pelvis or hip, subcutaneous tissue Use item 0473 for removal of Kirshner wires and Steinmann pins post operatively	45.30	1 285.16	45.30	1 285.16	6	795.36 +T
	Modifier 0049- 0051, 0055 and 0058 is not applicable.						
0653	Removal of foreign body: Pelvis or hip, subfascial or intramuscular Use item 0473 for removal of Kirshner wires and Steinmann pins post operatively Modifier 0049-0051, 0055 and 0058 is not applicable.	186.90	5 302.35	149.52	4 241.88	6	795.36 +T
0654	Removal of foreign body: Thigh or knee area, subfascial or intramuscular Use item 0473 for removal of Kirshner wires and Steinmann pins post operatively	120.60	3 421.42	120	3 404.40	4	530.24 +T
1655	Modifier 0049- 0051, 0055 and 0058 is not applicable. Removal of foreign body: Foot, subcutaneous Use Item 0473 for removal of Kirshner wires and Steinmann pins post operatively Modifier 0049- 0051, 0055 and 0058 is not applicable.	40	1 134.80	40	1 134.80	3	397.68 +T

			3þ	eclalist	General	Practitioner	'	Anaesthetic
656	Removal of foreign body: Foot, deep		U	R	U	R	U	R T
0.00	Use item 0473 for removal of Kirshner wires and Steinmann pins		94.20	2 672.45	94.20	2 672.45	3	397.68 +T
	post operatively							
	Modifier 0049- 0051, 0055 and 0058 is not applicable.	1						
657	Removal of foreign body: Foot, complicated		110.50	3 134.89	110.50	3 134.89	3	397.68 +T
	Use item 0473 for removal of Kirshner wires and Steinmann pins							
	post operatively Modifier 0049- 0051, 0055 and 0058 is not applicable.					5.00		
	The same of the sa					35.0		
.7	Plasters (not subject to rule G)							
	Note: The initial application of a plaster cast is included in the							
	scheduled fee							
	Note: The Commissioner will only consider payment i.r.o. splinting							
	material (Scotschcast, Dynacast, etc.) in the following cases (not applicable when Plaster of Paris is used):							
	Where extremity splints are applied for at least five weeks:							
	A maximum of one application for an upper extremity injury							
	A maximum of two applications for a lower extremity injury							
1887	i pag limb and (aududle after and) (additional additional addition						İ	
888	Long limb cast (excluding after-care) (modifier 0005 not applicable)		29.5	836.92	29.5	836.92	3	397.68 +T
0889	Short limb cast (excluding after-care) (modifier 0005 not applicable)		18.40	522.01	18.40	522.01	3	397.68 +T
1892	Spice, plaster jacket or hinged cast brace (excluding aftercare)		41.40	1 174.52	41.40	1 174.52	4	530.24 +T
971	Application of cast: Revision (walker, window, bivalve) (excluding aftercare)		18.90	536.19	18.90	536.19	5	662.80 +T
	Halo-splint and POP jacket including two weeks aftercare		116	3 290.92	116	3 290.92		
8.8	Specific areas							
3.8.1 1912	Replantation							
0913	Replantation of amputated upper limb proximal to wrist joint Replantation of thumb		730	20 710.10	584	16 568.08	3	397.68 +1
914	Replantation of a single digit (to be motivated), for multiple digits,		670 580	19 007.90 16 454.60	536 464	15 206.32 13 163.68	3	397.68 +1 397.68 +1
	modifier 0005 applicable		500	10 454.00	404	13 103.00	3	397.00 +
0915	Replantation operation through the palm		1270	36 029.90	1016	28 823.92	3	397.68 +7
3.8.2	Hands: (Note: Skin: See Integumentary system)							
0924	Crushed hand injuries: Initial extensive soft tissue toilet		37	1 049.69	37	1 049.69		
	under general anaesthetic (sliding scale)							
			to		to			
			110	3 120.70	110	3 120.70	3	397. 68 +7
0925	Crushed hand injuries: Subsequent dressing changes under		40	452.00		450.00		
0323	general anaesthetic		16	453.92	16	453.92	3	397.68 +T
0926	Initial treatment of fractures, tendons, nerves, loss of skin and blood vessels, including removal of dead tissue under general anaesthesia and six weeks after-care		269	7 631.53	215.2	6 105.22	3	397.68 +T
3.8.3	Spine							
0929	Manipulation of spine with anaesthetic (no after-care), modifier 0005		14	397.18	14	397.18	5	662.80 +1
	not applicable			207.10		207.10	,	902,00 +1
0930	Posterior osteolomy of spine: One vertebral segment		339	9 617.43	271.2	7 693.94	3	397.68 +7
931	Posterior spinal fusion: One level		385	10 922.45	308	8 737.96	3	397.68 +7
1932	Posterior osteotomy of spine: Each additional vertebral segment	+	103	2 922.11	103	2 922.11	3	397.68 +7
0933	Anterior spinal osteotomy with disc removal: One vertebral segment		315	8 936.55	252	7 149.24	3	397.68 +7
0936	Anterior spinal osteotomy with disc removal: Each additional	+	+103	2 922.11	+103	2 922.11	3	397.68 +7
000-	vertebral segment							
1938	Anterior fusion base of skull to C2		449	12 738.13	359.2	10 190.50	4	530.24 +1
0939	Trans-abdominal anterior exposure of the spine for spinal-fusion only if done by a second surgeon		160	4 539.20	128	3 631.36	3	397.68 +T
940	Transthoracic anterior exposure of the spine if done by a second		160	4 539.20	128	3 624 20	,	207.00
	surgeon		100	7 035.20	125	3 631.36	3	397.68 +7
0941	Anterior Interbody fusion: One level Anterior tussenwerwel fusie:		360	10 213.20	288	8 170.56	3	397.68 +7
0942	Anterior interbody fusion: Each additional level	+	+ 102	2 893.74	+102	2 893.74	3	397.68 +7
0943	Laminectomy with decompression of nerve roots and disc removal; One level		240	6 808.80	192	5 447.04	3	397.68 +7
0944	Posterior fusion: Occiput to C2		390	11 064.30	312	8 851.44	4	520 24 13
0946	Posterior spinal fusion: Each additional level	+	+111	3 149.07	+111	3 149.07	3	530.24 +1 397.68 +1
0948	Posterior interbody lumbar fusion: One level		364	10 326.68	291.2	8 261.34	3	397.68 +7
0950	Posterior interbody lumbar fusion: Each additional interspace	+	+ 95	2 695.15	+ 95	2 695.15	3	397.68 +7
0959	Excision of coccyx		96	2 723.52	96	2 723.52	3	397.68 +7
0960	Posterior non-segmental Instrumentation		167	4 737.79	133.6	3 790.23	5	662.80 +1
0961	Costo-transversectomy		198	5 617.26	158.4	4 493.81	3	397.68 +1
1962	Posterior segmental Instrumentation: 2 to 6 vertebrae	1	176	4 993.12	140.8	3 994.50	5	662.80 +7

			Specialist		General Practitioner		Anaesthetic	
					-			
963	Antero-lateral decompression of spinal cord or anterior debridement	326	9 248.62	260.8	7 398.90	3	R T 397.68 +T+	
•••								
964 966	Posterior segmental instrumentation: 7 to 12 vertebrae Posterior segmental instrumentation: 13 or more vertebrae	201 245	5 702.37 6 950.65	160.8	4 561.90 5 560.52	5	662.80 +T+	
968	Anterior instrumentation: 2 to 3 vertebrae	159	4 510.83	196 127.2	3 608.66	5	662.80 +T+	
969	Skull or skull-femoral traction including two weeks after-care	64	1 815.68	64	1 815.68		002.00 *!*	
			- mar					
970 972	Anterior instrumentation: 4 to 7 vertebrae Anterior instrumentation: 8 or more vertebrae	185	5 248.45	148	4 198.76	5	662.80 +T+	
974	Additional pelvic fixation of instrumentation other than sacrum	206	5 844.22 3 063.96	164.8	4 675.38 3 063.96	5	662.80 +T+	
750	Reinsertion of instrumentation	108	7 830.12	108		5	662.80 +T-	
751	Removal of posterior non-segmental instrumentation	276 173	7 830.12 4 908.01	220.8 138.4	6 264.10 3 926.41	6	795.36 +T+	
752	Removal of posterior segmental instrumentation	175	4 964.75	140	3 971.80	6	795.36 +T-	
753	Removal of anterior Instrumentation	204	5 787.48	163.2	4 629.98	6	795.36 +T-	
755	Laminectomy for spinal stenosis (exclude diskectomy, foraminotomy	295	8 369.15	236	6 695.32	3	397.68 +T	
	and spondylolisthesis): One or two levels							
757	Laminectomy for decompression without foraminotomy or	321	9 106.77	256.8	7 285.42	3	397.68 +T-	
758	diskectomy more than two levels Laminectomy with decompression of nerve roots and disc removal:	63	1 787.31	63	1 787.31	3	207.60 .T	
,,,,,,	Each additional level	93	1 101.31	63	1707.31	3	397.68 +T	
759	Laminectomy for decompression diskectomy etc., revision operation	352	9 986.24	281.6	7 988.99	4	530.24 +T-	
763	Anterior disc removal and spinal decompression cervical: One level	344	9 759.28	275.2	7 807.42	3	397.68 +T	
764	Anterior disc removal and spinal decompression cervical: Each additional level	81	2 297.97	81	2 297.97	3	397.68 +T	
765	Vertebral corpectomy for spinal decompression: One level	466	13 220.42	372.8	10 576.34	3	397.68 +T	
766	Vertebral corpectomy for spinal decompression; Each additional level	88	2 496.56	88	2 496.56	3	397.68 +T	
770	Use of microscope in spinal and intercranial procedures (modifier 0005 not applicable)	71	2 014.27	71	2 014.27			
1.9	Facial bone procedures Please note: Modifiers 0046 to 0058 are not applicable to section 3.9 of the tariff							
987 1989	Repair of orbital floor (blowout fracture) Open reduction and fixation of central mid-third facial fracture with displacement: Le Fort	184.6 202.2	5 237.10 5 736.41	147.68 161.76	4 189.68 4 589.13	4	530.24 +T 530.24 +T	
990	Open reduction and fixation of central mid-third facial fracture with displacement: Le Fort II	302	8 567.74	241.6	6 854.19	4	530.24 +7	
991	Open reduction and fixation of central mid-third facial fracture with displacement: Le Fort III	433	12 284.21	346.4	9 827.37	4	530.24 +T	
0992	Open reduction and fixation of central mid-third facial fracture with displacement: Le Fort	970	27 518.90	776	22 015.12	4	530.24 +T	
993	Open reduction and fixation of central mid-third facial fracture with displacement: Palatal Osteotomy	302	8 567.74	241.6	6 854.19	4	530.24 +T	
994	Open reduction and fixation of central mid-third facial fracture with displacement: Le Fort II Osteotomy (team fee)	1103	31 292.11	882.4	25 033.69	4	530.24 +T	
995	Open reduction and fixation of central mid-third facial fracture with displacement: Le Fort III Osteotomy (team fee)	1654	46 923.98	1323.2	37 539.18	4	530.24 +7	
996	Open reduction and fixation of central mid-third facial fracture with displacement: Fracture of maxilla without displacement		Φ		Ф			
997	Mandible: Fractured nose and zygoma: Open reduction and fixation	302	8 567.74	241.6	6 854.19	3	397.68 +T	
1999	Mandible: Fractured nose and zygoma: Closed reduction by inter-	184	5 220.08	147.2	4 176.06	3	397.68 +7	
1000	maxillary fixation	404.00	4 000 70	400		_		
1000	Excision facial bone, e.g. osteomyelitis, abscess Manipulation: Immobilisation and follow-up of fractured nose	144.30	4 093.79	120	3 404.40	5	662.80 +T	
1005	Nasal fracture without manipulation	35	992.95 Φ	35	992.95	3	397.68 +7	
1006	Fracture: Nose and septum, open reduction	177.4	5 032.84	141.92	4 026.27	5	662.80 +7	
1007	Mandibulectomy	320	9 078.40	256	7 262.72	5	662.80 +7	
1009	Maxillectomy	382.5	10 851.53	306	8 681.22	4	530.24 +T	
1011	Bone graft to mandible	206	5 844.22	164.8	4 675.38	4	530.24 +T	
1013 1015	Fracture of arch of zygoma without displacement Fracture of arch of zygoma with displacement requiring operative manipulation but not including associated fractures; recent fractures (within four weeks)	131	3 716.47	120	3 404.40	3	397.68 +1	
1017	Fracture of arch of zygomawith displacement requiring operative manipulation (not including associated fractures) (after four weeks)	262	7 432.94	209.6	5 946.35	3	397.68 +T	
4.	RESPIRATORY SYSTEM							
4.1	Nose and sinuses							
1018	Flexible nasopharyngolaryngoscope examination	51.94	1 473.54		(5)			
1019	ENT endoscopy in rooms with rigid endoscope	12	340.44					
1020	Repair of perforated septum: Any method	141.9	4 025.70	120	3 404.40	4	530.24 +T	

		Specialist		General Practitioner		Anaesthetic		
		U	R	U				
1022	Functional reconstruction of nasal septum	121.2	3 438.44	120	3 404.40	U 4	R T 530.24 +T	
1023	Harvesting of graft: Cartilage graft of nasal septum	124.8	3 540.58	120	3 404.40	5	662.80 +T	
024	Insertion of silastic obturator into nasal septum perforation (excluding material)	30	851.10	30	851.10	4	530.24 +T	
1025	Intranasal antrostomy (modifier 0005 to apply to opposite side of nose)	64.6	1 832.70	64.6	1 832.70	4	530.24 +T	
029	Turbinectomy (modifier 0005 to apply to opposite side of nosc)	62.6	1 775.96	62.6	1 775.96	4	530.24 +T	
034	Autogenous nasal bone transplant: Bone removal included	100	2 837.00	100	2 837.00	4	530.24 +T	
035	Unilateral functional endoscopic sinus surgery (unilateral)	140	3 971.80	120	3 404.40	4	530.24 +T	
036	Bilateral functional endoscopic sinus surgery	245	6 950.65	196	5 560.52	4	530.24 +T	
037	Diathermy to nose or pharynx exclusive of consultation fee, uni- or bilateral: Under local anaesthetic	8	226.96	8	226.96			
039	Diathermy to nose or pharynx exclusive of consultation fee, uni- or bilateral: Under general anaesthetic	35	992.95	35	992.95	4	530.24 +7	
042	Repair of CSF leak: Sphenoid region, transnasal endoscopic approach (modifier 0069 is not applicable)	365.50	10 369.24	292.40	8 295.39	5	662.80 +T	
045	Ligation anterior ethmoidal artery	135.4	3 841.30	120	3 404.40	6	795.36 +T	
047	Cladwell-Luc operation (unilateral)	137.3	3 895.20	120	3 404.40	4	530.24 +T	
049 054	Ligation internal maxillary artery Antroscopy through the canine fossa (modifier 0005 to apply to	196 37.3	5 560.52 1 058.20	156.8	4 448.42	6	795.36 +1	
055	opposite side of nose) External frontal ethmoidectorny	190.7	5 410.16	152.56	4 328.13	4	530.24 +T	
057	External ethmoidectomy and/or sphenoidectomy (unilateral)	199.4	5 656.98	159.52	4 525.58	4	530.24 +7	
059	Craniectomy: For osteomyelitis (total procedure)	341.60	9 691.19	273.28	7 752.95	4	530.24 +7	
1061	Lateral rhinotomy	164	4 652.68	131.2	3 722.14	4	530.24 +T	
063	Removal of foreign bodies from nose at rooms	10	283.70	10	283.70			
065	Removal of foreign body from nose under general anaesthetic	38.6	1 095.08	38.6	1 095.08	4	530.24 +7	
067	Proof puncture, unilateral at rooms	10	283.70	10	283.70	4	530.24 +7	
069	Proof puncture, uni- or bilateral under general anaesthetic	35	992.95	35	992.95	4	530.24 +7	
075	Multiple intranasal procedures: Not to exceed (see Modifier 0068)	194	5 503.78	155.2	4 403.02	4	530.24 +7	
077	Septum abscess, at room, including after-care	8	226.96	8	226.96	1		
079	Septum abscess, under general anaesthetic	35	992.95	35	992.95	4	530.24 +7	
1081	Oro-antral fistuia (without Caldwell-Luc)	111.8	3 171.77	111.8	3 171.77	4	530.24 +T	
1085	Total reconstruction of the nose; Including reconstruction of nasal septum (septumplasty) nasal pyramid (osteotomy) and nasal tip	350	9 929.50	280	7 943.60	5	662.80 +T	
1087	Subtotal reconstruction consisting of any two of the following: Septumplasty, osteotomy, nasal tip reconstruction	210	5 957.70	168	4 766.16	5	662.80 +T	
1.3	Larynx							
117	Laryngeal intubation	10	283.70	40	000.70	1 1		
118	Laryngeal stroboscopy with video capture	39	1 106.43	10	283.70	,	705 26 .7	
119	Laryngectomy without block dissection of the neck	430	12 199.10	39	1 106,43	6	795.36 +T	
120	Intubation, endotracheal, emergency procedure Applicable to only situations where intubation does not form part of anaethesia	34	964.58	344 34	9 759.28 964.58	7	927.92 +7	
	a) Routine intubation during anaesthesia b) A second intubation during anaesthesia c) Intubation during resuscitation d) Difficult intubation							
904	Laryngectomy: Total, with radical neck dissection Cannot be used with item 1471	508.7	14 431.82	406.96	11 545.46	7	927.92 +T	
905	Laryngectomy: Subtotal, supraglottic without radical neck dissection Cannot be used with item 1471	434.8	12 335.28	347.84	9 868.22	7	927.92 +T	
906	Laryngectomy: Subtotal, supraglottic with radical neck dissection Cannot be used with item 1471	563.2	15 977.98	450.56	12 782.39	7	927.92 +1	
907	Laryngectorny: Hemilaryngectomy, horizontal Cannot be used with item 1471	429.7	12 190.59	343.76	9 752.47	7	927.92 +T	
908	Laryngectomy: Hemilaryngectomy, laterovertical Cannot be used with item 1471	391	11 092.67	312.8	8 874.14	7	927.92 +T	
909	Laryngectomy: Hemilaryngectomy, anterovertical	405.1	11 492.69	324.08	9 194.15	7	927.92 +T	
910	Laryngectomy: Hemilaryngectomy, antero-lateral-vertical Cannot be used with items 1471	414.2	11 750.85	331.36	9 400.68	7	927.92 +T	
126	Post laryngectomy for voice restoration	139.5	3 957.62	120	3 404.40	9	1193.04 +7	
913	Pharyngolaryngectomy: With radical neck dissection, without reconstruction Cannot be used with item 1471	571.1	16 202.11	456.88	12 961.69	7	927.92 +T	
914	Pharyngolaryngectomy: With radical neck dissection, with reconstruction Cannot be used with item 1471	667.5	18 936.98	534	15 149.58	7	927.92 +T	
				0.40.00				
917	Laryngoplasty: Laryngeal stenosis, with graft or core mold, including tracheotomy	427.6	12 131.01	342.08	9 704.81	9	1193.04 +T	
917		427.6 367.2	12 131.01	293.76	8 333.97	8	1060.48 +T	

		Spe	cialist	General !	Practitioner	-	Anaesthetic
127	Trachenetomy	U	R 2 553.30	U	2 553,30	U	R T 1193.04 +T
27	Tracheostomy Tracheostoma: Revision, without flap rotation, simple	90 102.4	2 905.09	90 102.4	2 553.30	9	1193.04 +T
23	Tracheostoma: Revision, with flap rotation, complex Cannot be used with item 4922	167.3	4 746.30	133.84	3 797.04	9	1193.04 +T
926	Tracheostomy: Fenestration with skin flaps	180.4	5 117.95	144.32	4 094.36	9	1193.04 +T
27	Tracheostomy: Revision of scar	104.5	2 964.67	104.5	2 964.67	9	1193.04 +T
	Not applicable for cosmetic indications						
928	Tracheostomy/fistula: Closure, without plastic repair	104	2 950.48	104	2 950.48	9	1193.04 +T
929	Tracheostomy/fistula: Closure, with plastic repair Cannot be used with item 4928	149.8	4 249.83	120	3 404.40	9	1193.04 +T
932	Tracheobronchoscopy: Through established tracheostomy incision Cannot be used with item 1132	37.7	1 069.55	37.7	1 069.55	6	795.36 +T
933	Tracheoplasty: Cervical	200 4		200.00			1060.48 +T
934	Tracheoplasty: Cervical Tracheoplasty: Tracheopharyngeal fistulisation, per stage	260.1 329		208.08 263.2		8	1060.48 +T
129	External laryngeal operation, e.g. laryngeal stenosis, laryngocele,	294,4	8 352.13	235.52	6 681.70	8	1060.48 +T
129	abductor, paralysis, laryngofissure	294,4	6 332.13	230.02	0 00 1.70	8	1000.40 *1
130	Diagnostic laryngoscopy including biopsy	41.4	1 174.52	41.4	1 174.52	6	795.36 +T
131	Direct laryngoscopy plus foreign body removal	64.6	1 832.70	64.6	1 832.70	6	795.36 +T
131	Direct larying oscopy plus foreign body removal	04.0	1 032.70	04.0	1 632.70		795.30 11
132	Bronchial procedure Bronchoscopy: Diagnostic bronchoscopy without removal of foreign	65	1 844.05	65	1 844.05	6	795.36 +T
	object	55	. 574.00	00		, a	
133	Bronchoscopy: With removal of foreign body	80	2 269.60	80	2 269.60	8	1060.48 +T
134	Bronchoscopy: Bronchoscopy with laser	75	2 127.75			8	1060.48 +T
136	Nebulisation (In rooms)	12	340.44	12	340.44	"	Fees as for
137	Bronchial lavage					8	1060.48 +T
1138	Thoracotomy: for bronchopleural fistula (including ruptured bronchus, any cause)	350	9 929.50	280	7 943.60	12	1590.72 +T
4.5	Pleura						
1139	Pleural needle biopsy (not including aftercare): modifier 0005 not applicable	50	1 418.50	50	1 418.50	3	397.68 +T
1141	Insertion of intercostal catheter (under water drainage)	50	1 418.50	50	1 418.50	6	795.36 +T
1143	Paracentesis chest: Diagnostic	8	226.96	8	226,96	3	397.68 +T
1145	Paracentesis chest: Therapeutic	13	368.81	13	368.81	3	397.68 +T
1147	Pneumothorax: Induction (diagnostic)	25	709.25	25	709.25	-	
1149	Pleurectomy	250	7 092.50	200	5 674.00	11	1458.16 ±T
1151	Decortication of lung	350	9 929.50	280	7 943.60	11	1458.16 +T
1153	Chemical pleurodesis (instillation silver nitrate, tetracycline, talc, etc)	55	1 560.35	55	1 560.35	3	397.68 +T
4.6	Pulmonary procedures						
4.6.1	Surgical				1		
1155	Needle biopsy lung (not including after-care): modifier 0005 not applicable	32	907.84	32	907.84	5	662.80 +T
1157	Pheumonectomy	350	9 929.50	280	7 943.60	11	1458.16 +T
1159	Pulmonary lobectomy	389.5	11 050.12	311.6	8 840.09	11	1458,16 +T
1161	Segmental lobectomy	365	10 355.05	292	8 284.04	11	1458.16 +T
1163	Excision tracheal stenosis: Cervical	375	10 638.75	300	8 511.00	8	1060.48 +T
1164	Excision tracheal stenosis: Intra-thoracic	350	9 929.50	280	7 943.60	12	1590.72 +T
1167	Thoracoplasty associated with lung resection or done by the same	215	6 099.55	172	4 879.64	12	1590.72 +T
	surgeon within FOUR weeks						
1168	Thoracoplasty: Complete	250	7 092.50	200	5 674.00	11	1458.16 +T
	Cannot be used with item 1167 and 1169	-50	1	~~~		1	
1169	Thoracoplasty: Limited (osteoplastic)	200	5 674.00	160	4 539.20	11	1458.16 +T
	Cannot be used with item 1167						
1171	Drainage empyema (including six weeks after-treatment)	170	4 822.90	136	3 858.32	11	1458.16 +T
1173	Drainage of lung abscess (including six weeks after-treatment)	170	4 822.90	136	3 858.32	11	1458.16 +7
1175	Thoracotomy (limited): Limited: For lung or pleural biopsy	115	3 262.55	115	3 262.55	11	1458.16 +T
1177	Thoracotomy: Major: Diagnostic	215	6 099.55	172	4 879.64	11	1458.16 +7
1179	Thoracoscopy	89	2 524.93	89	2 524.93	11	1458.16 +T
4.6.2	Pulmonary function tests		1			1	
1186	Flow volume test: Inspiration/expiration	30	851.10	30	851.10		Fees as fo
1188	Flow volume test: Inspiration/expiration pre- and post-bronchodilator (to be charged for only with first consultation -thereafter item 1186 applies)	50	1 418.50	50	1 418.50		Fees as fo specialist
1189	Forced expirogram only	10	283.70	10	283.70	1	
1191	N2 single breath distribution	10	283.70	10	283.70	1	
1192 1197	Peak expiratory flow only Compliance and resistance, using oesophageal balloon	5 24	141.85 680.88	5 24	141.85 680.88		Fees as fo
- 6							specialist
1198	Prolonged postexposure evaluation of bronchospasm with multiple spirometric determinations after antigen, cold air, methacholine or other chemical agent or after excercise, with subsequent spirometry	55.89	1 585.60	55.89	1 585.60		
1199	Pulmonary stress testing: For determination of VO2 max	96.5	2 737.71	96.5	2 737.71	1	1
11100	i unionally ou coal teating, i or determination of VOZ max	1 90.0	6131.1	1 90.0	L 101.11	1	1

			Sp	ecialist	General	Practitioner		Anaesthetic	
-		_	U	R	U	R	U	RT	F
1201	Maximum Inspiratory/expiratory pressure		5	141.85	5	141.85		Fees as t specialis	

		Sp	ecialist	General	Practitioner		Anaesthetic
		U	R	U	R	U	0 -
		Pulmon	ologists and titioners ited to SATS	Other Sp	ecialists and practitioner	_	R T Anaesthetic
	4 7 7		78	4			
1193	Functional residual capacity or residual volume: helium method,	37.76	R 1 071.25	U	R	U	RT
4405	nitrogen open circuit method, or other method						
1195 1196	Thoracic gas volume Determination of resistance to airflow, oscillatory or	37.93 45.31	1 076.07 1 285.44				
4000	plethysmographic methods						
1200	Carbon monoxide diffusing capacity, any method	38.06	1 079.76				
		Sp	ecialist	General	practitioner		Anaesthetic
4.7		U/E	R	U/E	R	U/E	R T/M
4.7.1	Intensive care (in Intensive care or high care unit): Respiratory, cardiac, general Tariff Items for Intensive care Category 1:Cases requiring intensive monitoring (to include cases where physiological instability is anticipated, e.g. diabetic pre-coma, asthma, gastro-intestinal haemorrhage, etc). Please note that item 1204 may not be charged by the responsible surgeon for monitoring a patient post-operatively in ICU or in the high-care unit since post-operative monitoring is included in the fee for the procedure						
1204	Category 1: Per day	30	851.10	30	851.10		Fees as for specialist
	Category 2Cases requiring active system support (where active specialised intervention is required in cases such as acute myocardial infarction; diabetic coma, head injury, severe asthma, acute pancreatius, eclampsia, fiall chest, etc.) Ventilation may or may not be part of the active system support						
1205	Category 2: First day	100	2 837.00	100	2 837.00		Fees as for specialist
1206	Category 2: Subsequent days, per day	50	1 418.50	50	1 418.50		Fees as for
1207	Category 2: After two weeks, per day	30	851.10	30	851.10		specialist Fees as for
	Category 3 Cases with multiple organ failure or Category 2 patients that may require multidisciplinary intervention						specialist
1208	Category 3: First day (principal practitioner)	137	3 886.69	120	3 404.40		Fees as for
1209	Category 3: First day (per involved practitioner)	58	1 645.46	58	1 645.46		specialist Fees as for
1210	Category 3:Subsequent days (per involved practitioner)	50	1 418.50	50			specialist
1211	Cardio-respiratory resuscitation: Prolonged attendance in cases of emergency (not necessarily in ICU) 50,00 clinical procedure units per half hour or part thereof for the first hour per practitioner, thereafter 25,00 clinical procedure units per half hour up to a maximum of 150,00 clinical procedure units per practitioner. Resuscitation fee includes all necessary additional procedures e.g. Infusion, intubation, etc.		1410.00	30	1 418.50		Fees as for specialist
		50	1 418.50	50	1 418,50		Fees as for
							specialist
		25	709.25	25	709.25		
		150	4 255.50	150	4 255.50		
1212	Ventilation: First day	75	2 127.75	75	2 127.75		Fees as for
1213	Ventilation: Subsequent days	50	1 418.50	50	1 418.50		specialist Fees as for
1214	Ventilation: After two weeks, per day						specialist
		25	709.25	25	709.25		Fees as for specialist
1215	Insertion of arterial pressure cannula	25	709.25	25	709.25		Fees as for specialist

		Sp	recialist	General	Practitioner		Anaesthetic		
1216	Investment Company	U	R	U	R	U	RT		
1217	Insertion of Swan Ganz catheter for haemodynamics monitoring	50	1 418.50	50	1 418.50		Fees as for specialist		
	Insertion of central venous line via peripheral vein	10	283.70	10	283.70		Fees as for specialist		
1218	Insertion of central venous line via subclavian or jugular veins	25	709.25	25	709.25		Fees as for specialist		
1219	Hyperalimentation (daily fee)	15	425.55	15	425.55		Fees as for specialist		
1220	Patient-controlled analgesic pump: Hire fee: Per 24 hours (Cassette to be charged for according to item 0201 per patient)	30	851.10	30	851.10		Fees as for specialist		
1221	Professional fee for managing a patient-controlled analgesic pump: First 24 hours (for subsequent days charge appropriate hospital follow-up consultation)	30	851.10	30	851.10		Fees as for specialist		
4.8 4804	Hyperbaric Oxygen Treatment Monitoring of a patient at the hyperbaric chamber during hyperbaric treatment (includes pre-hyperbaric assessment, monitoring during treatment and post treatment evaluation): Low pressure table (1,5-1,8 ATA x 45-60 min)PROFESSIONAL COMPONENT	30	851.10	30	851.10		15		
4820	Low pressure table (1,5-1,8 ATA x 45-60 min): TECHNICAL COMPONENT	101.13	2 869.06	101.13	2 869.06				
4805	Monitoring of a patient at the hyperbaric chamber during hyperbaric treatment (includes pre-hyperbaric assessment, monitoring during treatment and post treatment evaluation): Routine HBO table (2-2.5 ATA x 90-120 min) PROFESSIONAL COMPONENT	60	1 702,20	60	1 702.20				
4821	Routine HBO table (2-2,5 ATA x 90-120 min): TECHNICAL COMPONENT	131.26	3 723.85	131.26	3 723.85				
4806	Monitoring of a patient at the hyperbaric chamber during hyperbaric treatment (includes pre-hyperbaric assessment monitoring during treatment and post treatment evaluation): Emergancy HBO table (2.5 3 ATA x 90-120 min)PROFESSIONAL COMPONENT	80	2 269.60	80	2 269.60				
4822	Emergency HBO table (2,5-3 ATA x 90-120 min): TECHNICAL COMPONENT	131.26	3 723.85	131.26	3 723.85	i			
4809	Monitoring of a patient at the hyperbaric chamber during hyperbaric treatment (includes pre-hyperbaric assessment, monitoring during treatment and post treatment evaluation): USN TT5 (2.8 ATA x 135 min) PROFESSIONAL COMPONENT	90	2 553.30	90	2 553.30				
4825 4810	USN TT5 (2.8 ATA x 135 min): TECHNICAL COMPONENT Monitoring of a patient at the hyperbaric chamber during hyperbaric treatment (includes pre-hyperbaric assessment, monitoring during treatment and post treatment evaluation): USN TT6 (2.8 ATA x 285 min) PROFESSIONAL COMPONENT	214.18 190	6 076.29 5 390.30	214.18 190	6 076.29 5 390.30				
4826 4811	USN TT6 (2,8 ATA x 285 min): TECHNICAL COMPONENT Monitoring of a patient at the hyperbaric charmber during hyperbaric treatment (includes pre-hyperbaric assessment, monitoring during treatment and post treatment evaluation): USN TT6ext/6A or Cx 30 (2.8-6 ATA x 306-490 min) PROFESSIONAL COMPONENT	386.42 327	10 962.74 9 276.99	386.42 327	10 962.74 9 276.99				
1827	USN TT6ext (2,8-6 ATA x 305-490 min); TECHNICAL COMPONENT	680.85	19 315.71	680.85	19 315.71				
1828	USN 6A (2,8-6 ATA x 305-490 min): TECHNICAL COMPONENT	678.28	19 242.80	678.28	19 242.80				
1829	USN Cx 30 (2,8-6 ATA x 305-490 min); TECHNICAL COMPONENT	671.85	19 060.38	671.85	19 060.38				
1815	Prolonged attendance inside a hyperbaric chamber: 40 clinical procedure units per half hour or part thereof for the first hour. Thereafter 20 clinical procedure units per half hour; minimum 40 clinical procedure units; maximum 320 clinical procedure units (Please Indicate time in minutes and not per half hour)								
5.	MEDIASTINAL PROCEDURES								
1223 1224	Mediastinoscopy Mediastinotomy	95 115	2 695.15 3 262.55	95 115	2 695.15 3 262.55	5 11	662.80 +T 1458.16 +T		
i.	CARDIOVASCULAR SYSTEM								
5.1	General General practitioner's fee for the taking of an ECG only								
	Where an ECG is done by a general practitioner and interpreted by a physician, the general practitioner is entitled to his full consultation fee, plus half of fee determined for ECG								
228	General Practitioner's fee for the taking of an ECG only: Without effort: (1232)		×	4.5	127.67				

		Spe	clalist	General P	ractitioner	Anaesthetic		
		U	R	U T	R	U	R T	
229	General Practitioner's fee for the taking of an ECG only: Without and	-	-"	6.5	184.41			
	with effort: 1/2 (item 1233)							
	Note: Items 1228 and 1229 deal only with the fees for taking of the				Į.			
	ECG, the consultation fee must still be added Physician's fee for interpreting an ECG							
	A specialist physician is entitled to the following fees for			l				
	interpretation of an ECG tracing referred for interpretation			Ì				
230	Physician's fee for interpreting an ECG: Without effort	6	170.22		- 1			
231	Physician's fee for interpreting an ECG: With and without effort	10	283.70					
222	Floring and in super Military to office to	,	255.22		255.33			
232 233	Electrocardiogram: Without effort Electrocardiogram: With and without effort	9	255.33 368.81	9	255.33 368.81			
234	Effort electrocardiogram with the aid of a special bicycle ergometer,	40	1 134.80	40	1 134.80			
	monitoring apparatus and availability of associated apparatus							
235	Multi-stage treadmill	60	1 702.20	60	1 702.20	Ì		
245	Angiography cerebral: First two series	34.3	973.09 709.25	34.3	973.09 709.25	4	530.24 +T	
246 248	Angiography peripheral: Per limb Paracentesis of pericardium	25 50	1 418.50	25 50	1 418.50	4 9	530.24 +T 1193.04 +T	
		50	10.30	30	110.00	"		
.3	Cardiac surgery					_		
311	Pericardial drainage	140	3 971.80	120	3 404.40	13	1723.28 +T	
6.4	Peripheral vascular system							
6.4.1	Peripheral vascular system: Investigations							
1357	Skin temperature test: Response to reflex heating	15	425.55	15	425.55			
1359	Skin temperature test: Response to reflex cooling	15	425.55	15	425.55			
366	Transcutaneous oximetry: Transcutaneous oximetry - single site	26.3	746.13	26.3	746.13			
1367	Doppler blood tests	6	170.22	6	170.22			
5369	Doppler arterial pressures	6	170.22	6	170.22	i l		
5371	Doppler arterial pressures with exercise	10	283.70	10	283.70			
5373	Doppler segmental pressures and wave forms	12	340.44	12	340.44		i	
375	Venous doppler examination (both limbs)	9	255.33	9	255.33			
1376	Aorta bi-femoral graft, including proximal and distal endarterectomy and preparation for anastomosis	594	16 851.78	475.2	13 481.42			
6.4.2	Peripheral vascular system: Arterio-venous-abnormalities							
1369	Fistula or aneurysm (as for grafting of various arteries)							
6.4.3	Arteries							
6.4.3.1	Peripheral vascular system: Arteries: Aorta-Iliac and major branches			İ				
1373	Abdominal aorta and iliac artery: Ruptured	600	17 022.00	480	13 617.60	15	1988.40 +T	
6.4.3.3	Peripheral	1						
1385	Prosthetic grafting	255	7 234.35	204	5 787.48	5	662.80 +7	
1387	Vein grafting proximal to knee joint	300	8 511.00	240	6 808.80	5	662.80 +7	
1388 1393	Vein grafting distal to knee joint Embolectomy: Peripheral embolectomy transfemoral	444 168	12 596.28 4 766.16	355.2 134.4	10 077.02 3 812.93	5 5	662.80 +1 662.80 +1	
1395	Miscellaneous arterial procedures: Arterial suture: Trauma	125	3 546.25	100	2 837.00	5	662.80 +1	
1396	Suture major blood vessel (artery or vein) - trauma (major blood	264	7 489.68	211.2	5 991.74	15	1988.40 +7	
	vessels are defined as aorta, innominate artery, carotid artery and							
	vertebral artery, subclavian artery, axillary artery, illiac artery, common			Į .				
	included because of the relevant inaccessibility of the arteries and					-		
	difficult surgical exposure)							
400-								
1397	Profundoplasty	210	5 957.70	168	4 766.16	5	662.80 +	
1399 1401	Distal tibial (ankle region) Femoro-femoral	456 254	12 936.72 7 205.98	364.8 203.2	10 349.38 5 764.78	5	662.80 +**	
1402	Carotid-subclavian	288	8 170.56	230.4	6 536.45	8	1060.48 +	
1403	Axillo-femoral (Bifemoral + 50% of the fee)	288	8 170.56	230.4	6 536.45	8	1060.48 +	
044)			1				
6.4.4 1408	Veins Placement of Hickman catheter or similar	91	2 581.67	91	2 581.67	4	530.24 +	
1410	Litigation of inferior vena cava: Abdominal	180	5 106.60	144	4 085.28	8	1060.48 +	
1425	Thrombectomy: Inferior vena cava (Trans-abdominal)	240	6 808.80	192	5 447.04	11	1458.16 +	
1427	Thrombectorny; ilio-femoral	175	4 964.75	140	3 971.80	6	795.36 +	
7.	LYMPHO RETICULAR SYSTEM							
7.1	Spieen							
1435	Splenectomy (trauma)	221.3	6 278.28	177.04	5 022.62	9	1193.04 +	
1436	Splenorrhaphy	231.80	6 576.17	185.44	5 260.93	9	1193.04 +	
7.2	Lymph nodes and lymphatic channels							
1439	Excision of lymph node for biopsy; Neck or axilla	65	1 844.05	65	1 844.05			
1441	Excision of lymph node for biopsy: Groin	65	1 844.05	65	1 844.05	4	530.24 +	
		1 00				1 7	. STRIET	

			Spe	clalist	General I	ractitioner	Anaestheti		c	
		\pm	U	R	U	R	U	R	Т	
	DIGESTIVE SYSTEM									
.1 462	Oral cavity Removal of embedded foreign body: Vestibule of mouth, simple		41.1	1 166.01	41.1	1 166.01	5	662.80	ΔT	
464	Removal of embedded foreign body. Vestibule of mouth; simple		73.1	2 073.85	73.1	2 073.85	5	662.80		
466	Removal of embedded foreign body: Dentoalveolar structures, soft		52.8	1 497.94	52.8	1 497.94	5	662.80		
467	tissues Drainage of intra-oral abscess		31	879.47	31	879.47	4	530.24		
469	Local excision of mucosal lesion of oral cavity		23	652.51	23	652.51	4	530.24		
471	Resection of malignant lesion of buccal mucosa including radical neck dissection (Commando operation), but not including reconstructive plastic procedure		549	15 575.13	439.2	12 460.10	7	927.92	+T	
1478	Velopharyngeal reconstruction with myoneuro-vascular transfer (dynamic repair)		240	6 808.80	192	5 447.04	6	795.36	+T	
479	Velopharyngeal reconstruction with or without pharyngeal flap (static repair)		227	6 439.99	181.6	5 151.99	6	795.36	+T	
1480	Repair of oronasal fistula (large), e.g. distant flap Item 1480 canot be used with items 1481 and 1482.		227	6 439.99	181.6	5 151.99	6	795.36	+T	
1481	Repair of oronasal fistula (small), e.g. trapdoor: One stage or first stage		138	3 915.06	120	3 404.40	5	662.80	+T	
1482	Item 1481 canot be used with items 1480 and 1482. Repair of oronasal fistula (large): Second stage Item 1482 canot be used with items 1480 and 1481.		138	3 915.06	120	3 404.40	5	662.80	+T	
1483	Alveolar periosteal or other flaps for arch closure		138	3 915.06	120	3 404.40	4	530.24	+T	
1486	Closure of anterior nasal floor		138	3 915.06	120	3 404.40	5	662.80		
8.2	Lips									
1485 1499	Local excision of benign lesion of lip		27	765.99 2 995.87	27	765.99 2 995.87	4	530.24 530.24		
499 501	Lip reconstruction following an injury: Directed repair Lip reconstruction following an injury only: Flap repair		105.6 206	2 995.87 5 844.22	105.6	4 675.38	4	530.24		
503	Lip reconstruction following an injury only: Total reconstruction (first istage)		206	5 844.22	164.8	4 675.38	4	530.24		
1504	Lip reconstruction following an injury only: Subsequent stages (see item 0297)		104	2 950.48	104	2 950.48	4	530.24	+T	
8.3 1505	Tongue Partial glossectomy	'	225	6 383.25	180	5 106.60	6	795.36	+T	
1507	Local excision of lesion of tongue		27	765.99	27	765.99	4	530.24		
8.4 1531	Palate, uvula and salivary gland Drainage of parotid abscess		25	709.25	25	709.25	4	530.24	+T	
8.5	Oesophagus									
1545	Oesophagoscopy with rigid instrument: First and subsequent		47	1 333.39	47	1 333.39	4	530.24	+ +⊤	
1550	Oesophagoscopy with removal of foreign body Oesophageal dilatation		70 40	1 985.90 1 134.80	70 40	1 985.90 1 134.80	4	530.24 530.24		
1557	Can be used with item 1587									
8.6 1587	Stomach Upper gastro-intestinal endoscopy: Using hospital equipment		48.75	1 383.04	48.75	1 383.04	4	530,24	4 +T	
1589	Endoscopic control of gastrointestinal haemorrhage from upper gastrointestinal tract, intestines or large bowel by injection of vasoconstrictor and/or schlerosis (endoscopic haemostasis) to be added to gastroscopy (item 1587) or colonoscopy (item 1653)	+	34	964.58	34	964.58	6	795.3		
1591	Plus removal of foreign bodies (stomach): ADD to gastro-intestinal lendoscopy (item 1687)	+	+25	709.25	+25	709.25	4	530.2	4 +T	
1597	Gastrostomy or Gastrotomy		147.5	4 184.58	120	3 404.40	6	795.3		
1613 1615	Gastroenterostomy Suture of perforated gastric or duedenal ulcer or wound or injury		203.60 200	5 776.13 5 674.00	162.88 160	4 620.91 4 539.20	6 7	795.3 927.9		
1617	Partial gastrectomy		328.3	9 313.87	262.64	7 451.10	7	927.9	2 +1	
1619	Total gastrectomy		384.43	10 906.28	307.54	8 724.91	7	927.9	2 +1	
1621	Revision of gastrectomy or gastro-enterostomy		375	10 638.75	300	8 511.00	7	927.9	2 +1	
8.7 1626	Duodenum Endoscopic examination of the small bowel beyond the duodenojejunal flexure with biopsy with or without polypectomy with or without arrest of haemorrhage (enteroscopy)		120	3 404.40	120	3 404.40	6	795.3	6 +T	
1627	Duodenal intubation (under X-ray screening)		8	226.96						
8.8	Intestines									
1634	Enterotomy or Enterostomy		202.6	5 747.76	162.08	4 598.21	6	795.3		
1637	Operation for relief of intestinal obstruction	- 1	240	6 808.80	192	5 447.04	7	927.9	2 +1	

			Spe	cialist	General F	ractitioner	A	naesthetic
		4	U	R	Ü	R	U	R T
642	GastroIntestinal tract imaging, Intraluminal (e.g. video capsule endoscopy): Hire fee (item 0201 applicable for video capsule - disposable single patient use) - (Please note: All patients should have had a normal gastroscopy and colonoscopy)		150	4 255.50	120	3 404.40		<u> </u>
343	Gastrointestinal tract imaging, intraluminal (e.g. video capsule endoscopy), oesophagus through iteum: Doctor interpretation and		90	2 553.30	90	2 553.30	2	
345	report Suture of intestine (small or large): Wound or injury		185.2	5 254.12	148.16	4 203.30	6	795.36 +T
347	Closure of intestinal fistula		258	7 319.46	206.4	5 855.57	6	795.36 +T
553	Total colonoscopy with hospital equipment		90	2 553.30	90	2 553.30	4	530.24 +T
656	Left-sided colonoscopy		60	1 702.20	60	1 702.20	4	530.24 +T
657	Right or left hemicolectomy or segmental colectomy		325	9 220.25	260	7 376.20	6	795.36 +T
661	Colotomy: including removal of foreign body	-	205.7	5 835.71	164.56	4 668.57	6	795.36 +T
663	Total colectomy	ı	390	11 064.30	312	8 851.44	6	795.36 +T
665	Colostomy or ileostomy isolated procedure		233.8	6 632.91	187.04	5 306.32	6	795.36 +T
666	Continent ileostomy pouch (all types)		300	8 511.00	240	6 808.80	6	795.36 +T
667	Colostomy; Closure		179.1	5 081.07	143.28	4 064.85	5	662.80 +T
668 676	Revision of fleostomy pouch Flexible sigmoldoscopy (including rectum and anus): Using hospital equipment		375 48.75	10 638.75 1 383.04	300 48.75	8 511.00 1 383.04	6 3	795.36 +T 397.68 +T
.9	Rectum and anus							
1705	Incision and drainage of submucous abscess	.	40	1 134.80	40	1 134.80	3	397.68 +T
707	Drainage of submucous abscess	Ì	40	1 134.80	40	1 134.80	3	397.68 +T
i.10 744	Liver Extensive debridement, haemostasis and packing of liver wound or injury		483.80	13 725.41	387.04	10 980.32	13	1723.28 +T
747	Drainage of liver abscess	l	179.1	5 081.07	143.28	4 064.85	7	927.92 +T
749	Hemi-hepatectomy: Right		564	16 000.68	451.2	12 800.54	9	1193.04 +T
751	Hemi-hepatectomy; Left		521.1	14 783.61	416.88	11 826.89	9	1193.04 +T
752	Extended right or left hepatectomy		570.9	16 196.43	456.72	12 957.15	9	1193.04 +T
753 757	Partial or segmental hepatectomy	li	378	10 723.86	302.4	8 579.09	9	1193.04 +T
1758	Suture of liver wound or injury Complex suture of liver wound or injury, including hepatic artery ligation Cannot be used with item 1757		214.2 296.60	6 076.85 8 414.54	171.36 237.28	4 861.48 6 731.63	9 13	1193.04 +T 1723.28 +T
8.11 1780	Pancreas Gastric and duodenal intubation Code is not appropriate if gastric intubation forms part of anaesthetic		8	226.96	8	226.96		
	indications							
B.12	Peritoneal cavity	'						
1797	Pneumo-peritoneum: First		13	368.81	13	368.81	4	530.24 +1
1799	Pneumo-peritoneum: Repeat		6	170.22	6	170.22	4	530.24 +1
1800	Peritoneal lavage		20	567.40	20	567.40		
1801 1803	Diagnostic paracentesis: Abdomen Therapeutic paracentesis; Abdomen		8 13	226.96 368.81	8 13	226.96 368.81		
1807	Add to open procedure where procedure was performed through a laparoscope (for anaesthetic refer to modifier 0027)	+	45	1 276.65	45	1 276.65	5	662.80 +7
1809	Laparotomy		196	5 560.52	156.8	4 448.42	4	530.24 +1
1811	Suture of burst abdomen		188.3	5 342.07	150.64	4 273.66	7	927.92 +
1812	Laparotomy for control of surgical haemorrhage		105	2 978.85	105	2 978.85	9	1193.04 +
1813	Drainage of sub-phrenic abscess	1	180	5 106.60	144	4 085.28	7	927.92 +
1815	Orainage of other intraperitoneal abscess (excluding appendix	1	248.4	7 047.11	198.72	5 637.69	5	662.80 +1
1817	abscess): Transabdominal Transrectal drainage of pelvic abscess		75	2 127.75	75	2 127.75	4	530.24 +
9.	HERNIA							
1819	Inguinal or femoral hemia +		125	3 546.25	120	3 404.40	4	530.24 +
1825	Recurrent ingulnal or femoral hernia		155	4 397.35	124	3 517.88	4	530.24 +
1827	Strangulated hernia or femoral hernia		238	6 752.06	190.4	5 401.65	7	927.92 +
1831	Umbilical hernia		140	3 971.80	120	3 404.40	4	530.24 +7
1835	Incisional hernia		166.8	4 732.12	133.44	3 785.69	4	530.24 +1
1836	Implantation of mesh or other prosthesis for incisional or ventral hemia repair (List separately in addition to code for the incisional or ventral hemia repair)	+	77	2 184.49	77	2 184.49	4	530.24 +
10.	URINARY SYSTEM							
10.1	Kidney		[1
1839	Renal biopsy, per kidney, open		71	2 014.27	71	2 014.27	5	662.80 +
1841	Renal biopsy (needle)		30	851.10	30	851.10	3	397.68 +
1843	Peritoneal dialysis: First day	1	33	936.21	33	936.21		
1845	Peritoneal dialysis: Every subsequent day		33	936.21	33	936.21		
1847 1849	Haemodialysis: Per hour or part thereof Haemodialysis: Maximum: Eight hours		21 168	595.77 4 766.16	21 134.4	595.77 3 812.93		•

			Sı	pecialist	Genera	Practitioner		Anaesthetic	;
1852		L	U	R	U	R	U	R	T
60Z	Continuous haemodiafiltration per day in intensive or high care unit		33	936.21	33	936.21			_
853	Primary nephrectomy		225	6 383.25	180	5 106.60			- 700
355	Secondary nephrectomy		267	7 574.79	213.6	6 059.83	5	662.80 662.80	
363	Nephro-ureterectomy		305	8 652.85	244	6 922.28	5	662.80	
65	Nephrotomy with drainage nephrostomy	ľ	189	5 361.93	151.2	4 289.54	6	795.36	
73	Suture renal laceration (renorraphy)		193	5 475.41	1454.4	4 380.33	6	795.36	
379	Closure of renal fistula	1	189	5 361.93	151.2	4 289.54	5	662.80	
381	Pyeloplasty	1	252	7 149.24	201.6	5 719.39	5	662.80	
383	Pyelostomy		189	5 361.93	151.20	4 289.54	5	662.80	
391	Perinephric abscess or renal abscess: Drainage		200	5 674.00	160	4 539.20	7	927.92	+T
0.2	Ureter		J	ļ					
397 398	Ureteromaphy: Suture of ureter		147	4 170.39	120	3 404.40	5	662.80	+7
199 199	Ureterorraphy: Lumbar approach		189	5 361.93	151.2	4 289.54	5	662.80	
103	Ureteroplasty		181	5 134.97	144.8	4 107.98	5	662.80	+T
07	Ureteractomy only		137	3 886.69	120	3 404.40	5	662.80	+T
111	Cutaneous ureterostomy: Unilateral Uretero-enterostomy: Unilateral		108	3 063.96	108	3 063.96	5	662.80	+T
115	Uretero-tireterostomy	1	137	3 886.69	120	3 404.40	5	662.80	+T
25	Uretero-pyelostomy		137	3 886.69	120	3 404.40	5	662.80	+Ţ
941	Ureterostomy-in-situ: Unllateral		252	7 149.24	201.6	5 719.39	5	662.80	÷Ţ
			100	2 837.00	100	2 837.00	5	662.80	÷Τ
).3 49	Bladder Cystoscopy: Hospital equipment								
51	And retrograde pyelography or retrograde ureteral catheterisation:	1.1	44	1 248.28	44	1 248.28	3	397.68	
	Unitateral or bilateral	+	10	283.70	10	283.70	3	397.68	+T
54	Ureteroscopy	+	35	992.95					
55	And bilateral ureteric catheterisation with differential function studies	+	35	992.95	25		3	397.68	
	requiring additional attention time Add to item 1949 or 1954 if appropriate		30	992.90	35	992.95	3	397.68	+T
61	With removal of foreign body or calculus from urethra or bladder	+	00	507.40					
64	And control of haemorrhage and blood clot evacuation		20	567.40	20	567.40	3	397.68 -	+T
95	Percutaneous aspiration of bladder	+	15	425.55	15	425.55	3	397.68 -	+T
96	Bladder catheterisation - male (not at operation)	ll	10	283.70	10	283.70	3	397.68 -	
97	Bladder catheterisation - female (not at operation)		6	170.22	6	170.22	3	397.68 -	+ T
99	Percutaneous cystostomy		3	85.11	3	85.11			
15	Suprapubic cystostomy		24 67	680.88 1 900.79	24	680.88	3	397.68	
35	Cutaneous vesicostomy	il	118	3 347.66	67	1 900.79	5	662.80	
39	Operation for ruptured bladder		137	3 886.69	118	3 347.66	5	662.80	
47	Drainage of perivesical or prevesical abscess	ΙI	105	2 978.85	120	3 404.40	6	795.36	
49	Evacuation of clots from bladder: Other than post-operative	Ιí	132.10	3 747.68	105 120	2 978.85	5	662.80	
50	Evacuation of clots from bladder: Post-operative		702.10	5747.00	120	3 404.40	3	397.68	
51	Simple bladder lavage: Including catheterisation		12	340.44	12	340.44	3	530.24 ± 397.68 ±	
.4 71	Urethra								
81	Urethrorraphy: Suture of urethral wound or injury		139	3 943.43	120	3 404.40	4	530.24 +	+Ţ
83	Reconstruction or repair of male anterior urethra (one stage)		261.6	7 421.59	209.28	5 937.27	4	530.24 4	₽Ţ.
	Reconstruction or repair of prostatic or membranous urethra: First stage		168	4 766.16	134.4	3 812.93	6	795.36 +	ŧŢ
85	Reconstruction or repair of prostatic or membranous urethra: Second stage		168	4 766.16	134.4	3 812.93	6	795.36 +	۴T
86	Reconstruction or repair of prostatic or membranous urethra: If done in one stage		294	8 340.78	235.2	6 672.62	6	795.36 +	ŧΤ
03	Simple urethral meatotomy								
05	Incision of deep peri-urethral abscess: Female		26.3	746.13	26.3	746.13	3	397.68 +	
07	Incision of deep peri-urethral abscess: Mate		123.1	3 492.35	120	3 404.40	3	397.68 +	
16	Urethral meatoplasty		123.1	3 492.35	120	3 404.40	3	397.68 +	
17	Closure of urethrostomy or urethrocutaneous fistula (independent		101.5 150.3	2 879.56 4 264.01	101.50 120.24	2 879.56 3 411.21	3	397.68 +	
	procedure) MALE GENITAL SYSTEM								
			ı						
.1	Penis								
47	Reconstructive operation of penis: for injury: Including fracture of penis and skin graft if required		168	4 766.16	134.4	3 812.93	3	397.68 +	Ť
61	Total amputation of penis: Without gland dissection		210	5 957.70	100	4 700 /-	,		-
67	Partial amputation of penis: Without gland-dissection		84	2 383.08	168	4 766.16	4	530.24 +	
72	Removal foreign body: Deep penile tissue (e.g. plastic implant)		123.1	3 492.35	84 120	2 383.08	4	530.24 +	
28	Removal of foreign body: Scrotum		104.9	2 976.01	104.9	3 404.40 2 976.01	3	397.68 +	
2	Tortic and spididusts							997.00 T	1
2	Testis and epididymis					J			
91	Orchidectomy (total or subcapsular): Unilateral		98	2 780.26	98	2 780.26	3	397.68 +	т
13 15	Suture or repair of testicular injury		110.3	3 129.21	110.3	3 129.21	4	530.24 +	
10	Incision and Drainage of testis or epididymis e.g. abscess or		90	2 553.30	90	2 553.30	4	530.24 +	
	haematoma						-		
27	incision and drainage of scrotal wall abscess		42.7	1 211 40	127	1 214 40	ا ر	207 00	т.
27	Incision and drainage of scrotal wall abscess NERVOUS SYSTEM		42.7	1 211.40	42.7	1 211,40	3	397.6B +	Т

			Sp	ecialist	General	Practitioner		Anaesthetic
			u -	R	U	R	U	
2685 2686	Electro-oculography: Unilateral Electro-oculography: Bilateral		30 53	851.10 1 503.61			-	RT
2708	Cannot be used with item 2685 Evaluation of cognitive evoked potential with visual or audiology		80	2 269.60				
2709	stimulus Full spinogram including bilateral median and posterior-tibial		140	3 971.80				
2711	studies Electro-encephalogram (EEG): 20-40 minutes record: Equipment cost for taking of record (Technical component) (refer to item 2712 for interpretation and report)	¥,	105.60	2 995.87	105.60	2 995.87		
2712	Clinical interpretation and report of item 2711: Electro- encephalogram (EEG): 20-40 minutes record (Professional component)		16.60	470.94	16.60	470.94		
2713	Spinal (lumbar) puncture. For diagnosis, for drainage of spinal fluid or for therapeutic indications		18.4	522.01	18.4	522.01		
2714	Cisternal or lateral cervical (C1-C2) puncture: Without injection - stand-alone procedure		32	907.84	32	907.84		
2735	Air encephalography and posterior fossa tomography: Posterior fossa tomography attendance by clinician		31.50	893.66				
2737	Air encephalography and posterior fossa tomography: Visual field charting on Bjerrum Screen		7	198.59	7	198.59		
2739 2741	Ventricular needling without burring: Tapping only Ventricular needling without burring: Plus introduction of air and/or		16	453.92 1 219.91	16	453.92	4	530.24 +T
2743	contrast dye for ventriculography Subdural tapping: First sitting		43		43	1 219.91	4	530.24 +T
14.2			15	425.55	15	425.55	4	530.24 +T
2747	Introduction of burr holes for Burr hole(s): Ventricular puncture, Includes Injection of gas, contrast media, dye or radioactive material		223.80	6 349.21	179.04	5 079.36	8	1060.48 +T
2749 2752	Catheterisation for ventriculography and/or drainage Twist drill hole(s): Includes subdural, intracerebral or ventricular		150	4 255.50 7 722.31	120	3 404.40	8	1060.48 +T
	puncture for evacuation and/or drainage of subdural haematoma		272.20	1 122.31	217.76	6 177.85	9	1193.04 +T
2753	Burr hole(s). Includes evacuation and/or drainage of haematoma: Extradural or subdural		379.40	10 763.58	303.52	8 610.86	9	1193.04 +T
2754	Burr hole(s) or trephine: includes subsequent tapping (aspiration) of intracranial abscess		296.40	8 498.87	237.12	6 727.09	9	1193.04 +T
2755	Burr hole(s): Includes aspiration of haematoma or cyst, intracerebral (total procedure)		369.90	10 494.06	295.92	8 395.25	9	1193.04 +T
2757	Burr hole(s) or trephine: Includes drainage of brain abscess or cyst (total procedure)		402.80	11 427.44	322.24	9 141.95	9	1193.04 +T
2760	Burr hole(s) or trephine: Supratentorial, exploratory, not followed by other surgery		255.90	7 259.88	204.72	5 807.91	9	1193.04 +T
2761	Burr hole(s) or trephine: Infratentorial, unllateral or bilateral Use once per service		218.90	6 210.19	175.12	4 968.15	9	1193.04 +T
14.3 2765	Nerve procedures Nerve conduction studies (see items 0733 and 3285)		26	737.62	26	737.62	4	530.24 ±T
14.3.1	Nerve repair of suture							
2767 2769	Suture Brachial Plexus (see also items 2837 and 2839) Suture: Large nerve: Primary		379	10 752.23	303.20	8 601.78	6	795.36 +T
2771	Suture: Large nerve: Secondary		297.70 202	8 445.75 5 730.74	238.16 161.60	6 756.60 4 584.59	5	662.80 +T 662.80 +T
2773	Suture: Digital nerve: Primary		199	5 645.63	159.20	4 516.50	3	397.68 +T
2775	Suture: Digital nerve: Secondary		96	2 723.52	96	2 723.52	3	397.68 +T
2777 2779	Nerve graft: Simple Fascicular: First fasciculus		309	8 766.33	247.20	7 013.06	4	530.24 +T
2781	Fascicular: Each additional fasciculus		202 50	5 730.74 1 418.50	161.6	4 584.59	4	530.24 +T
2782	Nerve pedicle transfer: First stage (not to be used together with item 2783)		309.10	8 769.17	50 247.28	1 418.50 7 015.33	4	530.24 +T 530.24 +T
2783 2784	Fascicular: Nerve flap: To include all stages Nerve pedicle transfer: Second stage (not to be used together with item 2783)		224 338.30	6 354.88 9 597.57	179.2 270.64	5 083.90 7 678.06	4	530.24 +T 530.24 +T
2785	Fascicular: Facio-accessory or facio-hypoglossal anastomosis		124	3 517.88	120	3 404.40	6	795.36 +T
2787	Fascicular: Grafting of facial nerve		215	6 099.55	172	4 879.64	5	662.80 +T
14.3.2 2795	Neurectomy Procedures for pain relief: Paravertebral facet joint nerve: Destruction by neurolytic agent, lumbar spine/sacral, one level (unilateral or bilateral)		45.4	1 288.00	45.4	1 288.00	5	662.80 +T
2796	Procedures for pain relief: Paravertebral facet joint nerve: Destruction by neurolytic agent, lumbar spine/sacral, each additional level each additional level (unilateral or bilateral)	+	16.3	462.43	16.3	462.43	5	662.80 +T
2797	Procedures for pain relief: Paravertebral facet joint nerve: Destruction by neurolytic agent, cervical/thoracic, one level (unilateral or bilateral)		44	1 248.28	44	1 248.28	5	662.80 +T
2798	Procedures for pain relief: Paravertebral facet joint nerve: Destruction by neurolytic agent, cervical/thoracic, each additional level (unilateral or bilateral)	+	15	425.55	15	425.55	5	662.80 +T
2799	Intrathecal injections for pain		36	1 021.32	36	1 021.32	4	530.24 +T

			Spe	ecialist	General i	Practitioner	A	inaesthetic
			n I					
800	Plexus nerve block - as part of treatment refer to annexture c on the		ນ 36	R 1 021.32	U 36	R 1 021,32	υ	R T Fees as for
	back of this gazette(motivation to be supplied by treating doctor)							specialist
301	Epidural injection, plexus nerve block or peripheral nerve block for		36	1 021.32	36	1 021.32		Fees as for
	pain refer to annexture c on the back of this gazettemotivation to		50	1021.02	30	1 021.32		specialist
	be supplied by treating doctor (see modifier 0045 for post-operative							
	pain relief) (refer to modifier 0021 for epidura! anaesthetic)							
802	Peripheral nerve block - as part of treatment (motivation to be		25	709.25	25	709.25		Fees as for
	supplied)							specialist
BO3 BO4	Alcohol injection in peripheral nerves for pain: Unilateral Inserting an indwelling nerve catheter (includes removal of catheter)	+	20	567.40	20	567.40	3	397.68 +T
0V4	(not for bolus technique) To be used only with items 2799, 2800,	+	10	283.70	10	283.70		Fees as for specialist
	2801 or 2802						ł	·
805 809	Alcohol injection in peripheral nerves for pain: Bilateral		35	992.95	35	992.95	3	397.68 +T
913	Peripheral nerve section for pain Obturator or Stoffels		45 96	1 276.65 2 723.52	45 96	1 276.65 2 723.52	3	397.68 +T 397.68 +T
815	Excision interdigital neuroma - Morton		82.3	2 334.85	82.3	2 334.85	3	397.68 +T
	lau.							
4.3.3 827	Other nerve procedures Transposition of ulnar nerve		170	4 822.90	136	3 858.32	3	397.68 +T
829	Neurolysis: Minor		51	1 446.87	51	1 446.87	3	397.68 +T
831	Neurolysis: Major		141	4 000.17	120	3 404.40	3	397.68 +T
1833 1837	Neurolysis: Digital		141	4 000.17	120	3 404.40	3	397.68 +T
837	Brachial plexus, suture or neurolysis (item 2767) Total brachial plexus exposure with graft, neurolysis and	1	300 895.2	8 511.00 25 396.82	240 716.16	6 808.80 20 317.46	6	795.36 +T 795.36 +T
	transplantation		000.2		7.00.70	20 011170		750.00
849	Sympathetic block: Other levels: Unilateral		20	567.40	20	567.40	3	397.68 +T
851	Sympathetic block: Other levels: Bilateral	1	35	992.95	35	992.95	3	397.68 +T
14.4	Skull procedures							
859	Depressed skull fracture: Elevation of fracture, compound or		377.90	10 721.02	302.32	8 576.82	9	1193.04 +T
860	comminuted, extradural (total procedure) Depressed skull fracture: Elevation of fracture, simple, extradural		307.10	8 712.43	245.68	6 969.94	9	1193.04 +T
.000	(total procedure)		307.10	0 / 12,43	243.00	0 909.94	9	1193.04 11
2862	Depressed skull fracture: Elevation of fracture with repair of dura		455.10	12 911.19	364.08	10 328.95	11	1458.16 +T
	and/or debridement of brain (total procedure)			l				
2863	Cranioplasty: Skuli defect =<5 cm diameter: With/without prosthesis		309.10	8 769.17	247.28	7 015.33	9	1193.04 +T
2875	Theco-peritoneal C.S.F. shunt		280	7 943.60	224	6 354.88	8	1060.48 +T
6043	Cranioplasty: Skull defect; >5 cm diameter		340.80	9 668.50	272.64	7 734.80	9	1193.04 +T
6044	Removal of bone flap or prosthetic plate of skull: For		264.90	7 515.21	211.92	6 012.17	9	1193.04 +T
	malignancy/acquired deformity of head/infection or inflammatory reaction due to device, implant and/or graft							
6045	Replacement of bone flap or prostnetic plate of skull: For		311.40	8 834.42	249.12	7 067.53	g	1193.04 +T
	malignancy/acquired deformity of head/open fracture /late effect of							
	fracture/ infection or inflammatory reaction due to device, implant or graft (total procedure)						1	
6046	Cranioplasty: Skull defect, with reparative brain surgery: With/without		421.70	11 963.63	337.36	9 570.90	11	1458.16 +T
	prosthesis	1						
CO 47	Cannot be used with items 6047 to 6048		074 40	40 500 00	007.40			
6047	Cranioplasty: Includes autograft and obtaining bone grafts; =<5 cm diameter (total procedure)		371.40	10 536.62	297,12	8 429.29	9	1193.04 +T
	Cannot be used with Items 6046 and 6048							
6048	Cranloplasty: includes autograft and obtaining bone grafts; >5 cm		432.70	12 275.70	346.16	9 820.56	9	1193.04 +T
	diameter (total procedure) Cannot be used with items 6046 to 6047							
6049	Incision and retrieval: Cranial bone graft for cranioplasty,		37.30	1 058.20	37.30	1 058.20		+T
	subcutaneous. ADD to primary procedure 6046 to 6048							
6061	Creation of subarachnoid/subdural-peritoneal shunt: Pleural or		290.80	8 250.00	232.64	6 600.00	10	1325.60 +T
	peritoneal space or other terminus, through burr hole and directing and tunneling the distal end of the shunt subcutaneously towards the							
	draining site (non-neuroendoscopic procedure) (total procedure)							
			1					
6062	Replacement or irrigation: Subarachnoid or subdural catheter, non- neuroendoscopic procedure (total procedure)		111.40	3 160.42	111.40	3 160.42	10	1325.60 +T
6063	Ventriculocisternostomy of the third ventricle: Stereotactic,		358.80	10 179.16	287.04	8 143.32	10	1325.60 +T
	neuroendoscopic method (under CT guidance for stereotactic							
	positioning) (items 6055 and 6148 may not be added)							
6064	Replacement/irrigation: Previously placed intraoperative ventricular		158.30	4 490.97	126.64	3 592.78	10	1325.60 +T
	catheter		1.55.55					
6065	Replacement/revision: Cerebrospinal fluid (CSF) shunt/obstructed	1	252.30	7 157.75	201.84	5 726.20	10	1325.60 +T
6066	valve/distal catheter in shunt system Reprogramming of programmable cerebrospinal shunt, at the time		26.00	737.62	26.00	737.62	10	1325.60 +T
	of a routine office visit		20.00	101.02	20.00	107.02	'0	1923.00 1
		- 1	400.00	5 106.60	144.00	4 085.28	10	1325.60 +T
6067	Removal: Complete cerebrospinal fluid shunt system only (non-		180.00	0 100.00	1.4.4.00		1	
6067 6068	Removal: Complete cerebrospinal fluid shunt system only (non- neuroendoscopic procedure) Cerebrospinal fluid (CSF) shunt system: Complete removal, with		335.50	9 518.14	268.40	7 614.51	10	1325.60 +T

		S	ecialist	General	Practitioner	,	Anaesthetic
		U	R	U	R	U I	R T
14.6	Shunt procedures and neuroendoscopy		<u> </u>	U	, n	-	K I
2869	Ventriculocistemostomy: From the third ventricle to the cisterna	409.00		327.20			
2871	magna (total procedure) Creation of shunt: Ventriculo-atrial, -jugular, -auricular	307.20		245.76			
	Cannot be used with item 2873	1		- 10.110			
2873	Creation of shunt: Ventriculo-peritoneal, -pleural, other terminus Cannot be useਖ with item 2871	315.40		252.32			
6055	Neuroendoscopy: Intracranial placement or replacement of ventricular catheter and attachment to shunt system or external drainage. ADD to main procedure	56.00		56.00			
6058	Neuroendoscopy: Intracranial, with retrieval of foreign body	364.80	10 349.38	291.84	8 279.50		
14.7	Posterior fossa surgery						
2879 2881	Glosso-pharyngeal nerve	480	13 617.60 13 617.60	384 384	10 894.08 10 894.08	6	795.36 +T 1060.48 +T
2001	Eighth nerve: Intracrantal	480	13 617.60	384	10 094.00	8	1000.48 *1
14.7.1 2892	Supratentorial procedures Micro vascular decompression of cranial nerve (suboccipital)	553	15 688.61	442	12 539.54	6	795.36 +T
2893	Craniectomy for excision of brain abscess: Infratentorial or posterior fossa for excision of brain abscess	648.30	18 392.27	518.64	14 713.82	13	1723.28 +T
2899	Craniectomy for extra-dural haematoma or empyema	375	10 638.75	300	8 511.00	11	1458.16 +T
14.8 6 085	Cranlotomy for Cranlectomy/craniotomy: With exploration of the infratentorial area (below the tentorium of the cerebeilum), posterior fossa (total procedure)	596.40	16 919.87	477.12	13 535.89	13	1723.28 +T
6086	Cranlectomy/craniotomy: With evacuation of infratentorial, intracerebellar haematoma (total procedure)	614.30	17 427.69	491.44	13 942.15	13	1723.28 +T
6087	Craniectomy/craniotomy: With drainage of intracranial abscess in the infratentorial region with suction and irrigating the area while monitoring for haemorrhage (total procedure)	631.80	17 924,17	505.44	14 339.33	13	1723.28 +⊤
6088	Cranial decompression caused by excess fluid (e.g. blood and pathological tissue), using posterior fossa approach by drilling/sawing through the occipital bone (total procedure)	605.10	17 166.69	484.08	13 733.35	13	1723.28 +T
6090	Craniectomy at base of skull (suboccipital): With freeing and section of one or more cranial nerves (total procedure)	624	17 702,88	499.20	14 162.30	11	1458.16 +T
6115	Craniectomy/craniotomy: Supratentorial exploration	487.1	13 819.03	389.68	11 055.22	11	1458.16 +T
6116	Incision and subcutaneous placement of cranial bone graft (e.g. split- or full thickness); shaving graft or bone dust; with donor site already exposed for the main procedure.	25.9	734.78	25.9	734.78	11	1458.16 +T
6117	Craniectomy/craniotomy: Drainage of intracranial abscess in the supratentorial region (total procedure)	564.7	16 020.54	451.76	12 816.43	11	1458.16 +T
6118	Decompressive craniectomy/craniotomy: With or without duraplasty, for treating intracranial hypertension (most commonly caused by severe closed-head trauma) without evacuation of associated intraparenchymal haematoma or lobectomy	705.1	20 003.69	564.08	16 002.95	11	1458.16 +T
6120	Decompression of (roof of) orbit only: Transcranial approach (total procedure)	548.6	15 563.78	438.88	12 451.03	11	1458.16 +T
6125	Cranlectomy/trephination (bone flap cranlotomy): Supratentorial excision of brain abscess	566.2	16 063.09	452.96	12 850.48	11	1458.16 +T
6141	Craniectomy/craniotomy: Excision of foreign body from brain	554.3	15 725.49	443.44	12 580.39	11	1458.16 +T
6142	Craniectomy/craniotomy: Treatment of penetrating wound of brain	589.9	16 735.46	471.92	13 388.37	11	1458.16 +T
2904	Craniectomy/craniotomy: With evacuation of supratentorial, intracerebral haematoma	590.20	16 743.97	472.16	13 3 9 5.18	11	1458.16 +T
2905	Craniotomy with elevation of bone flap: Excision of epileptogenic focus without electrocorticography during surgery	489	13 872.93	391.20	11 098.34	11	1458.16 +T
2909	CSF-leaks	450	12 766.50	360	10 213.20	11	1458.16 +T
14.8.1 2918	Stereo-tactic cerebral and spinal cord procedures (code moved to consultation section)						
14.8.2	Repair and/or Reconstruction of Surgical Defects of Skull Base						
6196	Repair of dura for cerebrospinal fluid (CSF) leak: Secondary repair, anterior, middle or posterior cranial fossa following surgery of the skull base, by free tissue graft (e.g. pericranium, fascia, tensor fascia lata, adipose tissue, homologous or synthetic grafts) Cannot be used with Item 6197	388.7	11 027.42	310.96	8 821.94	11	1458.16 +T

		Sp	ecialist	General	Practitioner	Anaesthetic	
		U	R	U	R	U	R T
6197	Repair of dura for cerebrospinal fluid (CSF) leak: Secondary anterior, middle or posterior cranial fossa following surgery of the skull base; by local or regionalised vascularised pedicle flap or myocutaneous flap (including galea, temporalis, frontalis or occipitalis muscle) Cannot be used with item 6196	437.8	12 420.39	350.24	9 936.31	11	1458.16 +T
14.9	Spinal operations				1500		
	Note: See section 3.8.7 for laminectomy procedures						
2923	Chordotomy: Unliateral	178	5 049.86	142.4	4 039.89	3	397.68 +T+M
2925	Chordotomy: Open	350	9 929.50	280	7 943.60	3	397.68 +T+M
2927	Rhizotomy: Extradural, but intraspinal	320	9 078.40	256	7 262.72	3	397.68 +T+M
2928	Rhizotomy: Intradural	350	9 929.50	280	7 943.60	3	397.68 +T+M
14.10	Arterial ligations						
2951	Carotis: Trauma	120	3 404.40	120	3 404.40	8	1060.48 +T

	9		Sp	ecialist	General	Practitioner	Anaesthetic		tic
		4	U	R	II .	R	ü	R	T
				chiatrist	Other Sp	ecialists and Practitioner		Anaesthe	
			U	R	U.S.	R	U	R	Ť
14.11 2957	Medical Psychotherapy Individual psychotherapy (specific psychotherapy with approved evidence based method) - per short session (10-20 minutes)		20	567.40	16	453.92			
2968	Group therapy: Adults (5 per group): Code per person per 80-minute session Use once per day only.		8	226.96	8	226.96			
2974	Individual psychotherapy (specific psychotherapy with approved evidence based method) - per intermediate session (21-40 minutes)		40	1 134.80	32	907.84			
2975	Individual psychotherapy (specific psychotherapy with approved evidence based method) - per extended session (41 minutes or longer)		60	1 702.20	48	1 361.76			
14.12 2970	Physical treatment methods Electro-convulsive treatment (ECT) - each time (see rule Va)		17	482.29	17	482.29	3	397.6	8 +T

		s	pecialist	General	Practitioner		Anaesthetic
		U	R	U	R	U	RT
		s	pecialist	General	practitioner		Anaesthetic
5.		U	R	U	R	U	RT
ə .	GENERAL	francis Sign					
6.	EYE						
6.1 6.1.1	Procedures performed in rooms						!
0.1.1	Eye Investigations Note: Not more that three (3) Items in this section may be charged						
	during one visit						
	Eye investigations and photography refer to one or both eyes except where otherwise indicated						
	Material used is excluded						
	The tariff for photography is not related to the number of photographs taken			į			
8003	Fundus contact lens or 90D lens examination(not to be charged	7	198.59	7	198.59		
1004	with Item 3004 and/or item 3012 Peripheral fundus examination with indirect ophthalmoscope (not to	_	400.50	_			
1004	be charged with item 3003 and/or item 302)	7	198.59	7	198.59		
8008	Contrast sensitivity test	7	198.59	7	198.59		
1009	Basic capital equipment used in own rooms by Ophthalmologists, Only to be charged at first and follow-up consultations. Not to be	+ 11.68	331.36	-			
	charged for post-operative follow-up consultations						
3112	Fitting of contact lens for treatment of disease including supply of	12.2	346.11	12.2	346.11		
	lens. Bandage contact lens in pathological comeal conditions such as: comeal erosion, ulcer, abrasion or corneal wound						
	Cannot be used with item 3113						
6.1.2	Special eye investigations						
029	Anterior segment microphotography	21	595.77	21	595.77		
1032 1034	Eyelid and orbit photography Determination of lens implant power per eye	9	255.33 425.55	9	255.33		
3035	Where a minor procedure usually done in the consulting rooms	15 22	624.14	15 22	425.55 624,14		As per proced
	requires a general anaesthetic or use of an operating theatre, an additional fee may be charged						
16.2	Retina						
3037	Surgical treatment of retinal detachment including vitreous replacement but excluding vitrectomy	306.9	8 706.75	245.52	6 965.40	6	795.36 +T
	representative out excitating vincesonly						
16.3	Cataract						
3060	Use of own surgical microscope for surgery or examination (not for slit lamp microscope) (for use by ophthalmologists only)	4	113.48				
16.4	Intra-ocular foreign body						
3071	Intra-ocular foreign body: Anterior to iris	127	3 602.99	120	3 404.40	4	530.24 +T
3073	Intra-ocular foreign body: Posterior to Iris (including prophylactic thermal treatment to retina)	210	5 957.70	168	4 766.16	6	795.36 +T
	Diemai teatheir to regna)					}	
16.5	Globe						
3080	Examination of eyes under general anaesthetic where no surgery is done	80	2 269.60	80	2 269.60	4	530.24 +T
3081	Treatment of minor perforating injury	161.6	4 584.59	129.28	3 667.67	6	795.36 +T
3083	Treatment of major perforating injury	267.5	7 588.98	214	6 071.18	6	795.36 +T
3085 3087	Enucleation or Evisceration Enucleation or Evisceration with mobile implant: Excluding cost of	105 160	2 978.85 4 539.20	105	2 978.85	5	662.80 +T
	implant and prosthesis	100	4 338.20	128	3 631.36	5	662.80 +T
3088 3089	Hydroxyapetite insertion (Additional to item 3087) Subconjunctival injection if not done at time of operation	+ 40	1 134.80	40	1 134.80	5	662.80 +T
3091	Retrobulbar injection (if not done at time of operation)	10 16	283.70 453.92	10	283.70 453.92	5	662.80 +T 530.24 +T
3097	Anterior vitrectomy	280	7 943.60	224	6 354.88	6	795.36 +T
3099	Posterior vitrectomy including anterior vitrectomy, encircling of globe and vitreous replacement	419	11 887.03	335.2	9 509.62	6	795.36 +T
3100	Lensectomy done at time of posterior vitrectomy	30	851.10	30	851.10	7	927.92 +T
16.6	Octiv						
16.6 3101	Orbit Drainage of orbital abscess	105	2 978.85	105	2 978.85	5	662.80 +T
3104	Removal orbital prosthesis	212.7	6 034.30	170.16	4 827.44	5	662.80 +T
3105 3107	Exenteration Orbitotomy requiring bone flap	275	7 801.75	220	6 241.40	5	662.80 +T
3108	Eye socket reconstruction	393 206	11 149.41 5 844.22	314.40 164.8	8 919.53 4 675.38	5 5	662.80 +T 662.80 +T
3109	Hydroxyapetite implantation in eye cavity when evisceration or	300	8 511.00	240	6 808.80	5	662.80 +T
3110	enucleation was done previously Second stage hydroxyapetite implantation	446	3 400 50	4.0	2 400 70		
	a seem a dage myeroxyapente impidit@@00	110	3 120.70	110	3 120.70	5	662.80 +T

		Spi	ecialist	General	Practitioner	Anaesthetic	
3111	Contact lenses: Assessment involving preliminary fittings and	U 15	R 425.55	U 10	R 283.70	U	R T
3113	tolerance Fitting of contact lenses and instructions to patient: Includes eye examination, first fittings of the contact lenses and further post-fitting visits for one year	200	5 674.00	160	4 539.20		
3115	Fitting of only one cantact lens and instructions to the patient: Eye examination, first fitting of the contact lens and further post-fitting visits for one year included	166	4 709.42	132.8	3 767.54		
3117	Removal of foreign body: On the basis of fee per consultation	31.5	893.66	30	851.10	4	530.24 +T
3118	Curettage of comea after removal of foreign body(aftercare excluded)	10	283.70	10	283.70		
3119	Tattooing	26	737.62	26	737.62	4	530.24 +T
3121 3136	Corneal graft (Lamellar or full thickness) Conjunctival flap or graft. Not for use with pterigium surgery	289 95.7	8 198.93 2 715.01	231.2 95.7	6 559.14 2 715.01	6	795.36 +T 795.36 +T
		00.7	2710.01	55.7	2715.01		183.30 11
16.8 3145	Ducts Repair of caniculus: Primary procedure	132	3 744.84	120	3 404.40	4	530.24 +T
3147	Repair of caniculus; Secondary procedure	175	4 964.75	140	3 971.80	4	530.24 +T
16.9	Iris						
3157 3158	Division of anterior synechlae as isolated procedure Repair Iris as in dialysis. Anterior chamber reconstruction	132 142.4	3 744.84 4 039.89	120 120	3 404.40 3 404.40	4 4	530.24 +T 530.24 +T
40.40							
16.10 31 6 5	Lids Repair of skin laceration of the lid. Simple	27.3	774.50	27.3	774.50	4	530.24 +⊤
3176	Lid operation for facial nerve paralysis including tarsorrhaphy but excluding cost of material	187	5 305.19	149.6	4 244.15	4	530.24 +T
16.10.1 3185	Reconstruction of eyelid Staged procedure for partial or total loss of eyelid: First stage	259	7 347.83	207.2	5 878.26	4	530.24 +T
3187	Staged procedure for partial or total loss of eyelid: Subsequent stage	206	5 844,22	164.8	4 675.38	4	530.24 +T
3189	Full thickness eyelid laceration for injury: Direct repair	136.5	3 872.51	120	3 404.40	4	530.24 +T
40.48.0	Provide Control of th						
16.10.2 3193	Ptosis Repair by superior rectus, levator or frontalis muscle, brow ptosis or lower lid ptosis operation	190	5 390.30	152	4 312.24	4	530.24 +T
3195 3197	Ptosis: By lesser procedure, e.g. sling operation: Unilateral Ptosis: By lesser procedure, e.g. sling operation: Bilateral	137.6 166	3 903.71 4 709.42	120 132.8	3 404.40 3 767.54	4	530.24 +T 530.24 +T
16.11	Conjunctiva						
3199 3200	Repair of conjuctiva by grafting Repair of lacerated conjunctiva	132 47	3 744.84 1 333.39	120 47	3 404.40 1 333.39	4	530.24 +T 530.24 +T
16.12 3196	General Diamond knife: Use of own diamond knife during intraocular surgery	12	340.44				
3203	Vitrectomy apparatus (hire fee)	120	3 404.40				
17.	EAR	120	3 404.40				
17.1							
5170	External Ear (Pinna) Drainage: Haematorna or abscess of external ear	34.80	987.28	34.80	987.28	5	662.80 +T
5171	Drainage: Abscess of external auditory canal	21	595.77	21	595.77	5	662.80 +T
17.2	External ear canal						
3204	Removal of foreign body at rooms with the use of a microscope (excludes loupe) - not to be used combined with item 3206	21.58	612.22				
3205	External ear canal: Removal of foreign body: Under general anaesthetic	21	595.77	21	595.77	4	530.24 +T
17.3	Middle ear						
3214	Reconstruction of middle ear ossicles (ossiculoplasty)	255	7 234.35	204	5 787.48	5	662.80 +T
3237 3245	Explaratory tympanotomy Functional reconstruction of tympanic membrane	158.9 277	4 507.99 7 858.49	127.12 221.6	3 606.39 6 286.79	5 5	662.80 +T 662.80 +T
17.4	Facial nerve						
17.4.1 3223	Facial nerve tests Percutaneous stimulation of the facial nerve	9	255.33	9	255.33	4	530.24 +T
3224	Electroneurography (ENOG)	75	2 127.75	75	2 127.75	4	530.24 +T
17.4.2	Facial nerve surgery						
3227	Exploration of facial nerve: Exploration of tympano mastoid segment	297	8 425.89	237.6	6 740.71	5	662.80 +T

l'as

			Sp	ecialist	General	Practitioner	Anaesthetic		
		L	U	R	U	·		T = -	
230	Exploration of facial nerve: Extratemporal grafting of the facial nerve	\vdash	436	12 369.32	348.8	9 895.46	5	662.80 +	
232	Exploration of facial nerve: Facio-assessory or facio-hypoglossal anastomosis		124	3 517.88	120	3 404.40	6	795.36 +	Т
7.5	Inner ear								
7.5.1 1273	Audiometry (A)								
3274	Pure tone audiometry (air conduction) Pure tone audiometry (bone conduction with masking)		6.5	184.41 184.41	6.5	184.41			
3275	Impedance audiometry (tympanometry)		6.5	184.41	6.5 6.5	184.41 184.41			
3276	Impedance audiometry (stapedial reflex) - no code for volume, compliance etc.		6.5	184.41	6.5	184.41			
3277	Speech audiometry: Fee includes speech audiogram, speech reception threshold, discrimination score		10	283.70	10	283.70			
17.5.2 2691	Inner ear: Balance tests Short latency brainstem evoked potentials (AEP) neurological		50.00	1 418.50					
	examination, single decibel: Unileterat								
2692	Short latency brainstern evoked potentials (AEP) neurological examination, single decibel: Bilateral Cannot be used with item 2691		88.00	2 496.56					
2693	AEP: Audiological examination: Unilateral at a minimum of 4 decibels		60.00	1 702.20					
2694	AEP: Audiological examination: Bilateral at a minimum of 4 decibels Cannot be used with item 2693		105.00	2 978.85					
2695	Audiology 40Hz response: Unilateral		20.00	251.62					
2696	Audiology 40Hz response: Onliateral Audiology 40Hz response: Bilateral		30.00 53.00	851.10				1	
2697	Mid- and long latency auditory evoked potentials: Unitateral	1	30.00	1 503.61 851.10					
2698	Mid- and long latency auditory evoked potentials: Bilateral		53.00	1 503.61					
2702	Total code for audiological evaluation including bilateral AEP and bilateral electro-cochleography		140.00	3 971.80			4	530.20 +	Т
3273	Pure tone audiometry (air conduction)		6.50	184.41	6.50	184.41			
	Note: Skull base surgery, used for the management of lesions, often requires the skills of medical doctors of different disciplines working together during the operation. The procedures are categorised in three parts: 1. The approach in order to expose the area in which the lesion is situated. 2. The definitive procedure which involves the repair, biopsy, resection or excision of the lesion. It also involves the primary closure of the dura, nucous membranes and skin. 3. Repair/reconstruction procedure: is coded separately if extensive dural grafting cranioplasty, local or regional myocutaneous pedical flaps, or extensive skin grafts are performed. Note codes for repair and closure with local, pedicled or free flaps and grafts can be found in the relevant sections of the coding structure								
17.6.1	Middle fossa approach (i.e. transtemporal or supralabyrinthine)								
3229 5221	Facial nerve: Exploration of the labyrinthine segment Facial nerve: Grafting of labyrinthine segment (graft removal and exploration of labyrinthine segment are included)		420 510	11 915.40 14 468.70	336 408	9 532.32 11 574.96	5 11	662.80 + 1458.16 +	
5222	Facial nerve surgery inside the internal auditory canal (if grafting is required, the grafting and harvesting of graft are included)		620	17 589.40	496	14 071.52	11	1458.16 +	Т
17.6.2 5247	Subtotal petrosectomy Subtotal petrosectomy for CSF leak and/or for total obliteration of the mestoid cavity		480	13 617.60	384	10 894.08	11	1458.16 +	т
				to specialist in al Medicine		ecialists and Practitioner		Anaesthetic	
18.	PHYSICAL TREATMENT		U	R	U	R	U	R	Т
3279	Domiciliary or nursing home treatment (only applicable where a patient is physically incapable of attending the rooms, and the equipment has to be transported to the patient)	+	0.75	21.28					

		Sp	ecialist	General	Practitioner		Anaesthetic
		U	R	U	R	U	RT
3280	Consultation units for specialists in physical medicine when treatment is given (per treatment)	13.5	383.00			Ť	
3281	Ultrasonic therapy	10	283.70				
3282	Shortwave diathermy	10	283.70				
3284	Sensory nerve conduction studies	31	879.47				
3285	Motor nerve conduction studies	26	737.62				
3287	Spinal joint and ligament injection	20	567.40	20	567.40	Pal	
3288	Epidural injection	36	1 021.32	20	307.40	2	
3289	Multiple injections - First joint	7.5	212.78			1500	ì
3290	Each additional joint	4.5	127.67				
3291	Tendon or ligament injection	9	255.33				
3292	Aspiration of joint or interarticular injection	9	255.33				
3293	Aspiration or injection of bursa or ganglion	9	255.33				
3294	Paracervical (neck) nerve block	20	567.40	20	567.40		
3295	Paravertebral root block - unilateral	20	567.40		007.40		
3296	Paravertebral root block - bilateral	30	851.10				
3297	Manipulation of spine performed by a specialist in Physical Medicine	14	397.18				
3298	Spinal traction	6	170,22				
3299	Manipulation large joint under general anaesthetic (not subject to	14	397.18	14	397.18	4	530.24 Hip+T
	rule G) (Modifier 0005 not applicable)					3	397.68 Knee / Should
3300	Manipulation of large joints without anaesthetic						er+T
3302	Strength duration curve per session	10.5	297.89		"		
3304	All other physical treatments carried out: Complete physical	10.5	283.70	10	283.70	ĺ	1
	treatment: Specify treatment (for subsequent treatments by a general practitioner, for the same condition within 4 months after initial treatment: A fee for the treatment only is applicable: See rules L and M)	,,	_43,70	,,,	203.70		

			Specialist General Radiologist Practitioner			General actitioner	Anaesthetic		
		+	U	l R	U	R	-	RT	
19.	RADIOLOGY The amounts in this section are calculated according to the Radiology unit values (unless otherwise specified)						-	RT	
19.1 19.1.1	Skeleton								
	Limbs								
3305 6500	Finger, toe		l		6.3	186.92	1]	
6500 6501	Hand				7.7	228.46		ľ	
6503	Wrist (specify region) Scaphoid				7.7	228.46			
6504	Radius and Ulna			ļ	7.7	228.46			
6505	Elbow		l	1	7.7	228.46			
6506	Humerus				7.7	228.46	1		
6507	Shoulder				7.7	228.46 228.46		ì	
6508	Acromio-Clavicula joint	1			7.7	228,46			
6509	Clavicle				7.7	228.46			
6510	Scapula			1	7.7	228.46			
6511	Foot	ŀ			7.7	228.46			
6512	Ankle				7,7	228.46		ĺ	
6513	Calcaneus	1			7.7	228.46			
6514	Tibia and fibula				7.7	228.46			
6515 6546	Knee				7.7	228.46			
6516 6517	Patella			ł	7.7	228.46			
651 <i>7</i> 6518	Femur Hip		<u> </u>	1	7.7	228.46	1	ŀ	
6519	Sesamoid Bone			1	7.7	228.46	1		
3309	Smith-Petersen or equivalent controle, in theatre			1	7.7	228.46	1		
3311	Stress studies, e.g. joint			1	38.7	1 148.23	1		
3313	Full length study, both legs			1	7.7	228.46	1		
3317	Skeletal survey		1	1	15.5	459.89		J	
3319	Arthrography per joint				28	830.76			
3320	Introduction of contrast medium or air: Add	+		İ	15.4 13.8	456.92 409.45			
19.1.2	Spinal column	ł							
3321	Per region, cervical, sacral, coccygeal, one region thoracic				11	326.37			
3325	Stress studies				11	326.37			
3331	Pelvis (Sacro-itiac or hip joints to be added where an extra set of views is required)	į.			11	326.37			
3333	Myelography: Lumbar			ļ	28.9	857,46	4	530.24 +T	
3334	Myelography: Thoracic				22.2	658.67	4	530.24 +T	
3335 3336	Myelography: Cervical Multiple (lumbar, thoracic, cervical): Same fee as for first segment (no additional introduction of contrast medium)				35.5	1 053,29	4	530.24 +T 530.24 +T	
3344	Introduction of contrast medium				40.7	55400			
3345	Discography				18.7 34.6	554.83 1 026.58	4	E20.04 . T	
3347	Introduction of contrast medium per disc level: Add	+			28.2	836.69	"	530.24 +T -	
19.1.3	Skull								
3349	Skull studies				15.7	465.82	[
3351	Paranasal sinuses			1	11	465.82 326.37			
3353	Facial bones and/or orbits				12.6	373.84			
3355	Mandible			1	9.4	278.90			
3357	Nasal bone				7.8	231.43			
359	Mastoid: Bilateral			1	18	534.06			
3361 3363	Teeth: One quadrant				3.7	109.78			
365	Teeth: Two quadrants Teeth: Full mouth				6.3	186.92]		
3366	Teeth; Rotation tomography of the teeth and jaws				11	326,37			
367	Teeth: Rotation tomography of the teeth and jaws Teeth:Temporo-mandibular joints: Per side				13.3	394.61			
369	Teeth:Tomography: Per side				11	326.37			
3371	Localisation of foreign body in the eye				11	326.37			
3381	Ventriculography				15.7	465.82	.		
385	Post-nasal studies: Lateral neck				27.3 6.3	809.99 186.92	4	530.24 +T	
3391						100.92			

			1	pecialist diologist		General actitioner		Anaesthetic
			U	R	U	R	U	l R T
19.2	Alimentary tract	1					-	 ``
3397	Introduction of contrast medium (plus 80% for each additional gland - add)	÷		ļ	11	326.37		ł
399	Pharynx and oesophagus							
3403	Oesophagus, stomach and duodenum (control film of abdomen				12.7 20	376.81 593.40		
	included) and limited follow through				20	333,40		
3405 3406	Double contrast: Add	+			7.3	216,59	ĺ	
3400	Small bowel meal (control film of abdomen included except when part of item 3408)				20	593,40		1
3408	Barium meal and dedicated gastro-intestinal tract follow through				28.9	857.46		•
	(including control film of the abdomen, oesophagus, duodenum,				20.9	657.46		
3409	small bowel and colon)							
3411	Barium enema (control film of abdomen included) Air contrast study (add)				18.3	542.96		
	Note: For items 3415 and 3416: Endoscopy (See item 1778)	+			19.3	572.63	ĺ	
	and the same stay (coo hall 1770)							
3417	Gastric/oesophageal/duodenal intubation control				5.9	175,05		[
3419	Gastric/oesophageal intubation insertion of tube (add)	+			5.6	166.15		
3421 3423	Duodenal intubation: Insertion of tube (add)	+			11	326.37		
3423	Hypotonic duodenography (3403 and 3405 included) (add)	+			29.3	869.33		
							ł	
19.4 3443	Chest					1]
3445	Larynx (Tomography included) Chest (item 3601 included)	H		2	12.5	370.88		f
3449	Ribs	H			9.4	278.90		
3451	Stemum or stemoclavicular joints	H			12.3 12.6	364.94 373.84		
3453	Bronchography: Unilateral	H			12.6	373.84	8	1060.48 +T
3455 3457	Bronchography: Bilateral	Ш			22.1	655.71	8	1060.48 +T
3461	Introduction of contrast medium included Pleurography				35.7	1 059.22		
3463	For introduction of contrast medium: Add	.			12.6	373.84	3	397.68 +T
3465	Laryngography				2.8 11	83.08 326.37		
3467	For introduction of contrast medium: Add	+			10	296.70		
3468	Thoracic Inlet				6.3	186.92		
19,5	Abdomen							
3477	Control films of the abdomen (not being part of examination for				9.4	278.90		
	barium meal, barium enema, pyelogram, cholecystogram,				•			
3479	cholangiogram etc.) Acute abdomen or equivalent studies							
	A said abdomen of equivalent studies				15.7	465.82		
19.6	Urinary tract							
3487	Excretonary urogram: Control film included and bladder views before				25.1	744.72		
	and after micturition (intravenous pyelogram) (item 0206 not				23,1	144.12		
3493	applicable) Waterload test: Add							
3497	Cystography only or urethrography only (retrograde)	+			12.2	361.97		
3499	Cysto-urethrography: Retrograde				19.3	572.63		
3503	Cysto-urethrography: Introduction of contrast medium: Add	+			31.9 3.7	946.47 109.78		
3505	Retrograde-prograde pyelography				18.3	542.96	3	397.68 +T
3513	Tomography of renal tract: Add	+			9.4	278.90		
9.8.1	Vascular Studies							
3545	Venography: Per limb				16.5	489,56		
3557	Catheterisation aorta or vena cava, any level, any route, with				48.6	1 441.96	4	530.24 +T
3558	aortogram/cavogram							
3559	Translumbar aortic puncture, with full study Selective first order catheterisation, arterial or venous, with				69.6	2 065.03	5	662.80 +T
	angiogram/veлogram				57	1 691.19	4	530.24 +T
3560	Selective second order catheterisation, arterial or venous, with				65.4	1 940.42	4	530.24 +T
)ECA	angiogram/venogram						_	550.24 TI
3562	Selective third order catheterisation, arterial or venous, with anglogram/venogram				73.2	2 171.84	4	530.24 +T
3570	Microcatheter insertion, any cranial vessel and/or pulmonary vessel,				4000	0.000.00	ایا	
	arterial or venous (including guiding catheter placement)				130.8	3 880.84	5	662.80 +T
574	Spinal angiogram (global fee) including all selective catheterisations				480	14 241.60	5	662.80 +T

			pecialist diologist		ieneral ctitioner	,	Anaesthe	etic
		U	R	U	R	Ü	R	Т
19.8.2	Introduction of contrast medium Section 19.8.2 has been discontinued.							

							Anaesthetic			
		Н	Radiologist			R	τ			
			_		-	Seneral	_	Anaesthe		
		Н	U	R			 	R	İΤ	
19.11	Ultrasonic investigations The amounts in this section are calculated according to the Ultrasound unit values (unless otherwise specified)					· ·		- K		
3612	Ultrasonic bone densitometry				19	532.57				
3596	Intravascular ultrasound per case, arterial or venous, for intervention				30	840.90				
3627	Ultrasound examination includes whole abdomen and pelvic organs, where pelvic organs are clinically indicated (including liver, gall bladder, spleen, pancreas, abdominal vascular anatomy, para-aortic area, renal tract, pelvic organs)				60	1 681.80				
5102	Ultrasound of joints (eg shoulder hip knee), per joint				50	1 401 50				
5103	Ultrasound soft tissue, any region	П								
3628	Renal tract									
3631	Ophthalmic examination									
3632	Axial length measurement and calculation of intra-ocular lens power. Per eye. Not to be used with item 3034	Ш			50	1 401.50				
3634	Peripheral vascular study, B mode only	Ш								
5110	Carotid ultrasound vascular study; B mode, pulsed and colour doppler; bilateral study, internal, external and common carotid flow and anatomy									
5111	Full ultrasonic and colour Doppler evaluation of entire extracranial vascular tree; carotids, vertebral and subclavian vessels (not to be used together with items 5110, 5112, 5113, 5114)				164,8	4 619.34				
5112	Peripheral arterial ultrasound vascular study; B mode, pulsed and colour doppler; per limb; to include waveforms at minimum of three levels, pressure studies at two levels and full interpretation of results				117	3 279.51				
5113	Peripheral venous ultrasound vascular study; B mode, pulsed and colour doppler, to evaluate deep vein thrombosis				117	3 279.51				
5114	Peripheral venous ultrasound vascular study; B mode, pulsed and colour Doppler in erect and supine position including compression manoeuvres and reflux in superficial and deep systems, bilaterally				142.4	3 991.47				
3635 3637	Plus (+) Doppler Plus (+) Colour Doppler (may be added onto any other regional exam, but not to be added to items 5110, 5111, 5112, 5113 or 5114)									
		-			and	d General	-	Anaesthe	tic	
			U	R			U	R	T	
19.12	Portable unit examinations	ĺ								
3639 3640	Where X-ray unit is kept and used in the hospital: Add Theatre investigations (with fixed installation): Add	+								
3641	Tracer test	+								
3642	Repeat of further tracer tests for same investigation; half of tracer									
	test (item 3641) fee									
3643	If both tracer and therapeutic procedures are done, half fee of tracer test to be charged plus therapeutic fee	l		1						

		Specialist Radiologist		General Practitioner		Anaesthetic		
		U	R	U	R	U	R T	
3645	Other organ scanning with use of relevant radio isotopes			54.8	1 625.92			

				pecialist diologist		ieneral ctitioner	7	Anaesthetic		
			U	R	U	R	U	RT		
			Radio	pecialist plogist with n facility	radiolo ow (calcula	diologist or secialist sgist without n facility ate at 60% of ne fee)		Anaesthetic		
			U	R	U	R	U	RT		
19.14 5016	Interventional radiological procedures									
5018	Aspiration thrombectomy (per vessel)				131.4	3 898.64				
5033	On-table thrombolysis/transcatheter infusion performed in	ĺ		ļ	106.8	3 168.76	5	662.80 +T		
5036	Percutaneous cystostomy in radiology suite	l			30	890.10				
3036	Percutaneous Abdominal / pelvic / other drain insertion, any modality				34.2	1 014.71		ļ		
5041	Balloon occlusion / Wada test	l			106.8	3 168.76	9	1193.04 +T		
5072	Tunnelled/Subcutaneous arteria/venous line performed in radiology suite				82.2	2 438.87	5	662.80 +T		
5074	IVC filter insertion jugular or femoral route			ł	156	4 628.52	9	1193.04 +T		
5076	intravascular foreign body removal, arterial or venous, any route				204.6	6 070.48	9	1193.04 +T		
5088	Oesophageal stent insertion in radiology suite				102.6	3 044.14	6	795.36 +T		
5090	Trachial stent insertion				102.6	3 044.14	6	795.36 +T		
5091	GIT Balloon dilatation under fluoroscopy				66.6	1 976.02	6	795.36 +T		
5092	Other GIT stent insertion				102.6	3 044.14	6	795.36 +T		
5093	Percutaneous gastrostomy in radiology suite			ĺ	85.8	2 545.69		100.00		
5095	Chest drain insertion in radiology suite				32.4	961.31				

This schedule must be used in conjunction with the Radiological Society of S.A. Guidelines. Please refer to the PET This schedule is for the exclusive use of registered specialist radiology practices (Pr No \"038\") and nuclear medicine practices (Pr No \"025\"). "025" practices may only charge the codes with a 3rd digit of 9. "038" practices may charge all codes except codes with a 3rd digit of 9. Practitioners registered as both radiologists and nuclear physicians may charge all codes. Neurosurgeons accredited by the RSSA may charge for the neuro-interventional studies at 100% of the published radiology rate subject to preauthorisation and this excludes equipment fees or any other claims for the same event Code Structure Framework a. The tariff code consists of 5 digits i.1st digit indicates the main anatomical region or procedural category. •0 = Gener •1 = Head ral (non specific) •2 = Neck +3 = Thorax 4 = Abdomen and Pelvis (soft tissue) •5 = Spine, Pelvis and Hips •6 = Upper limbs •7 = Lower limbs •8 = Interventional 9 = Soft tissue regions (nuclear medicine) eg "Head" = 1xxxx ii.2nd digit indicates the sub region within a main region or category eg. "Head / Skull and Brain" = 10xxx iii.3rd digit indicates modality
•1 = General (Black and White) x-rays •2 = Ultrasound 3 = Computed Tomography 4 = Magnetic Resonance Imaging -5 = Angiography -6 = Interventional radiology -9 = Nuclear Medicine (Isotopes) eg: "Head / Skull and Brain / General x-ray" = 101xx iv.4th and 5th digits are specific to a procedure / examination, e "Head / Skull and Brain / General / X-ray of the skull" = 10100. Guidelines for use of coding structure

The vast majority of the codes describe complete procedures / examination and their use for the appropriate studies is self-explanatory. Some codes may have multiple applications and their use is described in notes associated with each code •Codes 00510 to 00560 (Angiography machine codes) may only be used by owners of the equipment and who have registered such equipment with the Board of Healthcare Funders / RSSA. •The machine codes 00510, 00520, 00530, 00540, 00550, 00560 may not be added to 60540, 60550, 70530, 70535 (Antegrade Venography, upper and lower limbs) Where public sector hospital equipment is used for a procedure, the units will be reduced by 33.33% Consumables Contrast Medium Prior to the implementation of Act 90, contrast will be billed according to the official 2004 RSSA reimbursement price list, without mark up. of the the implementation of Act 90, contrast medium will be billed according to the suppliers' list price, without mark up.

Angiography catheters, angioplasty balloons, stents, coils and other embolisation materials, guide wires and drains are to be billed at net acquisition cost, without mark up, until the implementation of Act 90.

All other consumables are to be billed at net acquisition price, until the implementation of Act 90. Thereafter Act 90 The cost of film is included in the comprehensive procedure codes and is not billed for separately Appropriate codes must be provided for consumables. General Comments on Procedural Codes All x-ray tomography codes are stand alone studies and may be used as a unique study or in combination with the appropriate regional study if done simultaneously. May not be added to 20130, 42110, 42115.

-Setting of sterile tray is included in all appropriate procedure codes.

-Where introduction of contrast is necessary eg. sitalography, arthrography, angiography, etc, the codes used for the procedures are comprehensive and include the introduction of contrast or isotopes. procedures are comprehensive and include the introduction of volumes, or induspose.

The use of Doppler or Colour Doppler as an adjunct to a study (eg small parts thyroid) is included in the code for that -CT Angiography (10330, 20330, 32300, 32310, 44300, 44310, 44320, 44330, 60310, 70310, 70320) are stand alone studies and may not be added to the regional contrasted studies (see 10335, 20340, 20350, 44325 for combined studies) Angiography and interventional procedures include selective and super selective catheterization of vessels as are necessary to perform the procedures. Codes 00230 (Ultrasound guidance), 00320 (CT guidance) and 00430 (MR guidance) are stand alone procedures that include the regional study and may not be added to any of the ultrasound, CT or MR regional studies General Codes Modifiers 00091 Radiology and nuclear medicine services rendered to hospital inpatients 00092 Radiology and nuclear medicine services rendered to outpatients A reduction of one third (33.33%) will apply to radiological examinations where hospital equipment it used Equipment / Diagnostic Consumables used in radiology procedures: cost price PLUS 26% (up to a maximum of R26,00). (Where applicable, VAT should be added to the above). 00090 Appropriate code to be provided. See separate codes for contrast and isotopes 6.26 00110 X-ray skeletal survey under five years

			025 - Nuclear Medicine		038 -	Radiology
			U	R	U	R
00090	Consumables used in radiology procedures				 	
00091	Radiology and nuclear medicine services rendered to hospital inpatients					
00092	Radiology and nuclear medicine services rendered to outpatients A reduction of one third (33.33%) will apply to radiological			!		
00093	examinations where hospital equipment it used					
00115	X-ray skeletal survey over five years					
00120	X-ray sinogram any region			-	10.40	2 012.3
00130	X-ray with mobile unit in other facility				10.89	2 107.
	To be added to applicable procedure codes eg 30100.		1	-	1.90	367.0
00135	X-ray control view in theatre any region			•		
00140	X-ray fluoroscopy any region		-	-	5.26 2.26	1 017.7 437.2
	May only be added to the examination when fluoroscopy is not included in the standard procedure code. May not be added to: • any angiography, venography, lymphangiography or interventional codes. • any contrasted fluoroscopy examination.					
00145	X-ray fluoroscopy guidance for biopsy, any region		-	-	1 1	
	Add to the procedure eg. 80600, 80605, 80610.		-		5.30	1 025.5
00150	X-ray C-Arm (equipment fee only, not procedure) per half hour		-	-		
	Only to be used if equipment is owned by the radiologist.		-	-	2.42	468.2
	only to be used if equipment is owned by the radiologist.		-	•		
00155	X-ray C-arm fluoroscopy in theatre per half hour (procedure only)				0.00	
0160	X-ray fixed theatre installation (equipment fee only)			-	2.30	445.0
	Only to be used if equipment is owned by the radiologist.			-	2.26	437.2
00190	X-ray examination contrast material			-		
	Identification code for the use of contrast with a procedure.					
	Appropriate codes to be supplied.		- 1	-	1	
00210	Ultrasound with mobile unit in other facility		-		1.84	356,0
	Add to the relevant ultrasound examination codes eg 10200.		-		1.04	300,0
00220	Ultrasound intra-operative study		- 1		7.32	1 416.3
	Covers all regions studied. Single code per operative procedure.				7.02	1 410.5
00230	Ultrasound guidance		-			
	guidance. Guided procedure code to be added eg. 80600, 80605,		-	-	12.10	2 341.2
	80610.					
00240	Ultrasound guidance for tissue ablation		-	-	11.24	2 174.8
	Comprehensive ultrasound code including regional study and guidance. Radiologist assistance (01030) may be added if procedure is performed by a non-radiologist. Guided procedure code to be added if performed by a radiologist. 80620 or 80630.					
30250	Ultrasound limited Doppler study any region				6.50	1 257.6
	Stand alone code may not be added to any other code.		_		0.50	1 237.0
0290	Ultrasound examination contrast material Identification code for the use of contrast with a procedure.		-	-		
	Appropriate codes to be supplied.		-1			
00310 00320	CT planning study for radiotherapy CT guidance (separate procedure)		-	-	21.37	4 134.8
	o i guidance (separate proceduje)		-		16.92	3 273.8
	Comprehensive CT code including regional study and guidance.					
	Guided procedure code to be added eg 80600, 80605, and 80610.		_	-		
0330	CT guidance, with diagnostic procedure To be added to the diagnostic procedure code. Guided procedure		*		8.46	1 636.9
	code to be added eg 80600, 80605, 80610.]			
00340	CT guidance and monitoring for tissue ablation		- 1		21.15	4 092,3
	May only be used once per procedure for a region. Radiologist assistance (01030) may be added if procedure is performed by a non-radiologist. If performed by radiologist, add procedural code	20			21.13	4 032.3
	80620, or 80630.					
0390	CT examination contrast material] []	-		
	Identification code for the use of contrast with a procedure.		[_ [•	[
MARS	Appropriate codes to be supplied.		-			
0420	MR Spectroscopy any region				28.90	5 591,8
0422	May be added to the regional study, once only.	j				
0430	MR guidance for needle replacement		-	-	42.56	8 234.9
	Comprehensive MRI code including region studied and guidance. Guided procedure code to be added eg 80600, 80605, 80610.					
	MR low field strength imaging of peripheral joint any region		-	-	- 1	
0440	INIC IOW REIG SITERIOR IMPARING OF DERINDERS LIGHT SEU COSIGN				12.00	

		025 - Nuclear Medicine		038 -	Radiology
	MD electronic L.C. In it	U	R	U	R
00455	MR planning study for radiotherapy or surgical procedure, with contrast			47.00	
00490	MR examination contrast material			47.00	9 094.0
	Identification code for the use of contrast with a procedure.		-		
	Appropriate codes to be supplied.	_			
0510	Analogue monoplane screening table	_	-	41.01	7 935.0
	A machine code may be added once per complete procedure / patient visit.				
0520	I'	-	-		
,0320	Analogue monoplane table with DSA attachment A machine code may be added once per complete procedure / patient visit.	-	٠	47.50	9 190.7
	Dedicated angiography suite: Analogue monoplane unit. Once off		•		
00530	charge per patient by owner of equipment.		-	47.50	9 190.7
	A machine code may be added once per complete procedure / patient visit.				
0540	Digital monoplane screening table	-	-		
	A machine code may be added once per complete procedure /	-	-	79.92	15 463.7
	patient visit.				
	Dodinated engineers to a the Division		-		
0550	Dedicated angiography suite: Digital monoplane unit. Once off charge per patient by owner of equipment.				
	A machine code may be added once per complete procedure /	î	-	93.03	18 000.3
	patient visit.		_		
	Dedicated angiography suite: Digital bi-plane unit. Once off charge				
00560	per patient by owner of equipment.			405.00	
	A machine code may be added once per complete procedure /		•	125.00	24 186.2
	patient visit.	-,	-		
00590	Angiography and interventional examination contrast material	_			
	Identification code for the use of contrast with a procedure.				
	Appropriate codes to be supplied.	-	-		
0900	Nuclear Medicine study - Bone, whole body, appendicular and axial skeleton	24.00			
	Nuclear Medicine study - Bone, whole body, appendicular and axial	34.92	6 756.67		
00903	skeleton and SPECT	48.33	9 351,37		
00906	Nuclear Medicine study - Venous thrombosis regional	21.54	4 167.77		
00909	Nuclear Medicine study - Tumour whole body	_		34.15	6 607.6
00912	Nuclear Medicine study - Tumour whole body multiple studies		_	47.56	9 202.3
00915	Nuclear Medicine study - Tumour whole body and SPECT	-	-	47.56	9 202.3
00918	Nuclear Medicine study - Turnour whole body multiple studies &				
0921	SPECT	-	-	60.98	11 799.0
00921	Nuclear Medicine study – Infection whole body	31.45	6 085.26	-	
00924	Nuclear Medicine study infection whole body with SPECT	44.86	8 679.96	-	
00927	Nuclear Medicine study – infection whole body multiple studies				
		4400			
		44.86	8 679.96	-	
00930	Nuclear Medicine study – infection whole body with SPECT multiple studies			-	
	studies	58.27	11 274.66	-	
10933	studies Nuclear Medicine study - Bone marrow imaging limited area	58.27 24.10	11 274.66 4 663.11	•	
00933 00936	Studies Nuclear Medicine study - Bone marrow imaging limited area Nuclear Medicine study - Bone marrow imaging whole body Nuclear Medicine study - Bone marrow imaging limited area multiple	58.27	11 274.66	-	
00930 00933 00936 00939	studies Nuclear Medicine study - Bone marrow imaging limited area Nuclear Medicine study - Bone marrow imaging whole body Nuclear Medicine study - Bone marrow imaging limited area multiple studies	58.27 24.10	11 274.66 4 663.11	-	
00933 00936	Studies Nuclear Medicine study - Bone marrow imaging limited area Nuclear Medicine study - Bone marrow imaging whole body Nuclear Medicine study - Bone marrow imaging limited area multiple	58.27 24.10 97.51 37.51	11 274.66 4 663.11 7 257.81 7 257.81		
00933 00936 00939	studies Nuclear Medicine study - Bone marrow imaging limited area Nuclear Medicine study - Bone marrow imaging whole body Nuclear Medicine study - Bone marrow imaging limited area multiple studies Nuclear Medicine study - Bone marrow imaging whole body multiple	58.27 24.10 37.51	11 274.66 4 663.11 7 257.81	-	
00933 00936 00939 00942	studies Nuclear Medicine study - Bone marrow imaging limited area Nuclear Medicine study - Bone marrow imaging whole body Nuclear Medicine study - Bone marrow imaging limited area multiple studies Nuclear Medicine study - Bone marrow imaging whole body multiple	58.27 24.10 37.51 37.51 50.92	11 274.66 4 663.11 7 257.81 7 257.81 9 852.51		
00933 00936 00939 00942 00945 00960	studies Nuclear Medicine study - Bone marrow imaging limited area Nuclear Medicine study - Bone marrow imaging whole body Nuclear Medicine study - Bone marrow imaging limited area multiple studies Nuclear Medicine study - Bone marrow imaging whole body multiple studies Nuclear Medicine study - Spleen imaging only - haematopoietic Nuclear Medicine therapy — Hyperthyroidism	58.27 24.10 37.51 37.51 50.92 24.10	11 274.66 4 663.11 7 257.81 7 257.81 9 852.51 4 663.11		
00933 00936 00939 00942 00945 00960	studies Nuclear Medicine study - Bone marrow imaging limited area Nuclear Medicine study - Bone marrow imaging whole body Nuclear Medicine study - Bone marrow imaging limited area multiple studies Nuclear Medicine study - Bone marrow imaging whole body multiple studies Nuclear Medicine study - Spleen imaging only - haematopoietic	58.27 24.10 37.51 37.51 50.92	11 274.66 4 663.11 7 257.81 7 257.81 9 852.51 4 663.11 2 319.95	1 2 1 2	
00933 00936 00939	studies Nuclear Medicine study - Bone marrow imaging limited area Nuclear Medicine study - Bone marrow imaging whole body Nuclear Medicine study - Bone marrow imaging limited area multiple studies Nuclear Medicine study - Bone marrow imaging whole body multiple studies Nuclear Medicine study - Spleen imaging only - haematopoietic Nuclear Medicine therapy — Hyperthyroidism	58.27 24.10 37.51 37.51 50.92 24.10 11.99	11 274.66 4 663.11 7 257.81 7 257.81 9 852.51 4 663.11	1 2 1 2	
00933 00936 00939 00942 00945 00960 00965	studies Nuclear Medicine study - Bone marrow imaging limited area Nuclear Medicine study - Bone marrow imaging whole body Nuclear Medicine study - Bone marrow imaging limited area multiple studies Nuclear Medicine study - Bone marrow imaging whole body muttiple studies Nuclear Medicine study - Spleen imaging only - haematopoietic Nuclear Medicine therapy - Hyperthyroidism Nuclear Medicine therapy - Thyroid carcinoma and metastases Nuclear Medicine therapy - Intra-cavity radio-active colloid therapy	58.27 24.10 37.51 37.51 50.92 24.10 11.99 6.47	11 274.66 4 663.11 7 257.81 7 257.81 9 852.51 4 663.11 2 319.95 1 251.88	-	
00933 00936 00939 00942 00945 00960 00965	studies Nuclear Medicine study - Bone marrow imaging limited area Nuclear Medicine study - Bone marrow imaging whole body Nuclear Medicine study - Bone marrow imaging limited area multiple studies Nuclear Medicine study - Bone marrow imaging whole body muttiple studies Nuclear Medicine study - Spleen imaging only - haematopoietic Nuclear Medicine therapy - Hyperthyroidism Nuclear Medicine therapy - Thyroid carcinoma and metastases Nuclear Medicine therapy - Intra-cavity radio-active colloid therapy Nuclear Medicine therapy - Interstitial radio-active colloid therapy	58.27 24.10 97.51 37.51 50.92 24.10 11.99 6.47	11 274.66 4 663.11 7 257.81 7 257.81 9 852.51 4 663.11 2 319.95 1 251.88	-	
10933 10936 10939 10942 10945 10960 10965 10970	studies Nuclear Medicine study - Bone marrow imaging limited area Nuclear Medicine study - Bone marrow imaging whole body Nuclear Medicine study - Bone marrow imaging limited area multiple studies Nuclear Medicine study - Bone marrow imaging whole body muttiple studies Nuclear Medicine study - Spleen imaging only - haematopoietic Nuclear Medicine therapy - Hyperthyroidism Nuclear Medicine therapy - Thyroid carcinoma and metastases Nuclear Medicine therapy - Intra-cavity radio-active colloid therapy	58.27 24.10 37.51 37.51 50.92 24.10 11.99 6.47 6.47	11 274.66 4 663.11 7 257.81 7 257.81 9 852.51 4 663.11 2 319.95 1 251.88 1 251.88	-	
10933 10936 10939 10942 10945 10960 10965 10970	studies Nuclear Medicine study - Bone marrow imaging limited area Nuclear Medicine study - Bone marrow imaging whole body Nuclear Medicine study - Bone marrow imaging limited area multiple studies Nuclear Medicine study - Bone marrow imaging whole body multiple studies Nuclear Medicine study - Spleen imaging only - haematopoietic Nuclear Medicine study - Hyperthyroidism Nuclear Medicine therapy - Thyroid carcinoma and metastases Nuclear Medicine therapy - Intra-cavity radio-active colloid therapy Nuclear Medicine therapy - Intravascular radio pharmaceutical therapy particulate	58.27 24.10 37.51 37.51 50.92 24.10 11.99 6.47	11 274.66 4 663.11 7 257.81 7 257.81 9 852.51 4 663.11 2 319.95 1 251.88	-	
10933 10936 10939 10942 10945 10960 10965 10970	studies Nuclear Medicine study - Bone marrow imaging limited area Nuclear Medicine study - Bone marrow imaging whole body Nuclear Medicine study - Bone marrow imaging limited area multiple studies Nuclear Medicine study - Bone marrow imaging whole body multiple studies Nuclear Medicine study - Spleen imaging only - haematopoietic Nuclear Medicine therapy - Hyperthyroidism Nuclear Medicine therapy - Thyroid carcinoma and metastases Nuclear Medicine therapy - Intra-cavity radio-active colloid therapy Nuclear Medicine therapy - Interstitial radio-active colloid therapy Nuclear Medicine therapy - Intravascular radio pharmaceutical	58.27 24.10 37.51 37.51 50.92 24.10 11.99 6.47 6.47	11 274.66 4 663.11 7 257.81 7 257.81 9 852.51 4 663.11 2 319.95 1 251.88 1 251.88	-	
00933 00936 00939 00942 00945 00960 00965 00970	studies Nuclear Medicine study - Bone marrow imaging limited area Nuclear Medicine study - Bone marrow imaging whole body Nuclear Medicine study - Bone marrow imaging limited area multiple studies Nuclear Medicine study - Bone marrow imaging whole body multiple studies Nuclear Medicine study - Spleen imaging only - haematopoietic Nuclear Medicine therapy - Hyperthyroidism Nuclear Medicine therapy - Thyroid carcinoma and metastases Nuclear Medicine therapy - Intra-cavity radio-active colloid therapy Nuclear Medicine therapy - Intra-cavity radio-active colloid therapy Nuclear Medicine therapy - Intra-cavity radio pharmaceutical therapy particulate Nuclear Medicine therapy - Intra-articular radio pharmaceutical therapy Nuclear Medicine therapy - Intra-articular radio pharmaceutical therapy Nuclear Medicine Isotope	58.27 24.10 37.51 37.51 50.92 24.10 11.99 6.47 6.47 6.47	11 274.66 4 663.11 7 257.81 9 852.51 4 663.11 2 319.95 1 251.88 1 251.88 1 251.88	-	
0933 0936 0939 0942 0945 0960 0965 0970	studies Nuclear Medicine study - Bone marrow imaging limited area Nuclear Medicine study - Bone marrow imaging whole body Nuclear Medicine study - Bone marrow imaging limited area multiple studies Nuclear Medicine study - Bone marrow imaging whole body multiple studies Nuclear Medicine study - Spleen imaging only - haematopoietic Nuclear Medicine therapy - Hyperthyroidism Nuclear Medicine therapy - Thyroid carcinoma and metastases Nuclear Medicine therapy - Intra-cavity radio-active colloid therapy Nuclear Medicine therapy - Interstitial radio-active colloid therapy Nuclear Medicine therapy - Intra-vascular radio pharmaceutical therapy particulate Nuclear Medicine therapy - Intra-articular radio pharmaceutical therapy Nuclear Medicine therapy - Intra-articular radio pharmaceutical therapy Nuclear Medicine lisotope Identification code for the use of isotope with a procedure.	58.27 24.10 37.51 37.51 50.92 24.10 11.99 6.47 6.47 6.47	11 274.66 4 663.11 7 257.81 9 852.51 4 663.11 2 319.95 1 251.88 1 251.88 1 251.88	-	
0933 0936 0939 0942 0945 0960 0965 0970 0975 0980	studies Nuclear Medicine study - Bone marrow imaging limited area Nuclear Medicine study - Bone marrow imaging whole body Nuclear Medicine study - Bone marrow imaging limited area multiple studies Nuclear Medicine study - Bone marrow imaging whole body multiple studies Nuclear Medicine study - Spleen imaging only - haematopoietic Nuclear Medicine therapy - Hyperthyroidism Nuclear Medicine therapy - Thyroid carcinoma and metastases Nuclear Medicine therapy - Intra-cavity radio-active colloid therapy Nuclear Medicine therapy - Intra-cavity radio-active colloid therapy Nuclear Medicine therapy - Intravascular radio pharmaceutical therapy particulate Nuclear Medicine therapy - Intra-articular radio pharmaceutical therapy Nuclear Medicine lisotope Identification code for the use of isotope with a procedure. Appropriate codes to be supplied.	58.27 24.10 37.51 37.51 50.92 24.10 11.99 6.47 6.47 6.47	11 274.66 4 663.11 7 257.81 9 852.51 4 663.11 2 319.95 1 251.88 1 251.88 1 251.88	-	
10933 10936 10939 10942 10945 10960 10965 10970 10975 10980 10985 10990	studies Nuclear Medicine study - Bone marrow imaging limited area Nuclear Medicine study - Bone marrow imaging whole body Nuclear Medicine study - Bone marrow imaging limited area multiple studies Nuclear Medicine study - Bone marrow imaging whole body multiple studies Nuclear Medicine study - Spleen imaging only - haematopoietic Nuclear Medicine therapy - Hyperthyroidism Nuclear Medicine therapy - Thyroid carcinoma and metastases Nuclear Medicine therapy - Intra-cavity radio-active colloid therapy Nuclear Medicine therapy - Intravascular radio pharmaceutical therapy particulate Nuclear Medicine therapy - Intra-articular radio pharmaceutical therapy Nuclear Medicine therapy - Intra-articular radio pharmaceutical therapy Nuclear Medicine Isotope Identification code for the use of isotope with a procedure. Appropriate codes to be supplied. Nuclear Medicine Substrate	58.27 24.10 37.51 37.51 50.92 24.10 11.99 6.47 6.47 6.47	11 274.66 4 663.11 7 257.81 9 852.51 4 663.11 2 319.95 1 251.88 1 251.88 1 251.88	-	
10933 10936 10939 10942 10945 10960 10965 10970 10985 10980 10985	studies Nuclear Medicine study - Bone marrow imaging limited area Nuclear Medicine study - Bone marrow imaging whole body Nuclear Medicine study - Bone marrow imaging limited area multiple studies Nuclear Medicine study - Bone marrow imaging whole body muttiple studies Nuclear Medicine study - Spleen imaging only - haematopoietic Nuclear Medicine therapy - Hyperthyroidism Nuclear Medicine therapy - Thyroid carcinoma and metastases Nuclear Medicine therapy - Intra-cavity radio-active colloid therapy Nuclear Medicine therapy - Intravascular radio pharmaceutical therapy particulate Nuclear Medicine therapy - Intra-articular radio pharmaceutical therapy Nuclear Medicine therapy - Intra-articular radio pharmaceutical therapy Nuclear Medicine Isotope Identification code for the use of isotope with a procedure. Appropriate codes to be supplied. Nuclear Medicine Substrate PET/CT scan whole body without contrast	58.27 24.10 37.51 37.51 50.92 24.10 11.99 6.47 6.47 6.47	11 274.66 4 663.11 7 257.81 9 852.51 4 663.11 2 319.95 1 251.88 1 251.88 1 251.88		
10933 10936 10939 10942 10945 10960 10965 10970 10980 10985 10990	studies Nuclear Medicine study - Bone marrow imaging limited area Nuclear Medicine study - Bone marrow imaging whole body Nuclear Medicine study - Bone marrow imaging limited area multiple studies Nuclear Medicine study - Bone marrow imaging whole body muttiple studies Nuclear Medicine study - Spleen imaging only - haematopoietic Nuclear Medicine therapy - Hyperthyroidism Nuclear Medicine therapy - Intra-cavity radio-active colloid therapy Nuclear Medicine therapy - Intra-cavity radio-active colloid therapy Nuclear Medicine therapy - Intravascular radio pharmaceutical therapy particulate Nuclear Medicine therapy - Intra-articular radio pharmaceutical therapy particulate Nuclear Medicine Isotope Identification code for the use of isotope with a procedure. Appropriate codes to be supplied. Nuclear Medicine Substrate PET/CT scan whole body with contrast	58.27 24.10 37.51 37.51 50.92 24.10 11.99 6.47 6.47 6.47 6.47	11 274.66 4 663.11 7 257.81 7 257.81 9 852.51 4 663.11 2 319.95 1 251.88 1 251.88 1 251.88		
00933 00936 00939 00942 00945 00960 00965	studies Nuclear Medicine study - Bone marrow imaging limited area Nuclear Medicine study - Bone marrow imaging whole body Nuclear Medicine study - Bone marrow imaging limited area multiple studies Nuclear Medicine study - Bone marrow imaging whole body muttiple studies Nuclear Medicine study - Spleen imaging only - haematopoietic Nuclear Medicine therapy - Hyperthyroidism Nuclear Medicine therapy - Thyroid carcinoma and metastases Nuclear Medicine therapy - Intra-cavity radio-active colloid therapy Nuclear Medicine therapy - Intravascular radio pharmaceutical therapy particulate Nuclear Medicine therapy - Intra-articular radio pharmaceutical therapy Nuclear Medicine therapy - Intra-articular radio pharmaceutical therapy Nuclear Medicine Isotope Identification code for the use of isotope with a procedure. Appropriate codes to be supplied. Nuclear Medicine Substrate PET/CT scan whole body without contrast	58.27 24.10 37.51 37.51 50.92 24.10 11.99 6.47 6.47 6.47 6.47	11 274.66 4 663.11 7 257.81 9 852.51 4 663.11 2 319.95 1 251.88 1 251.88 1 251.88 1 251.88		

			025 - Nuclear Medicine		038 - 1	Radiology
			U	R	U	R
		ĺ				
	•Emergency call out code 01010 only to be used if radiologist is					
	called out to the rooms to report on an examination after normal working hours. May not be used for routine reporting during		•			
	extended working hours.					
	-Emergency call out code 01020 only to be used when a radiologist					
	reports on subsequent cases after having been called out to the rooms to report an initial after hours procedure. This code may also		i			
	be used for home tele-radiology reporting of an emergency					
	procedure. May not be used for routine reporting during normal or					
	extended working hours. •Radiologist assistance in theatre code 01030 only to be used if the					
	radiologist is actively involved in assisting another radiologist or					
	clinician with a procedure.					
	Radiographer assistance in theatre 01040 may not be used for procedures performed in facilities owned by the radiologist; ie only					
	for attendance in hospital theatres etc. Does not apply to Bed Side					
	Unit (BSU) examinations.					
	*Second opinion consultations only to be used if a written report is provided as indicated in codes 01050, 01055, 01060. Not intended					
	for ad hoc verbal consultations.			_		
1010	Emergency call out fee, first case		-	-	3.00	580,4
1020	Emergency call out fee, subsequent cases same trip				2.00	386.9
1030	Radiologist assistance in theatre, per half hour		-		6.00	1 160.9
1040	Radiographer attendance in theatre, per half hour				1.60	309,5
1050	Written report on study done elsewhere, short				1.50	290.2
1055	Written report on study done elsewhere, extensive		_ [4,20	812.6
1060	Written report for medico legal purposes, per hour				9.72	1 880.7
1070	Consultation for pre-assessment of interventional procedure		_		4.86	940.3
1100	X-ray procedure after hours, per procedure			_	2.00	386.9
1200	Ultrasound procedure after hours, per procedure				4.00	773.9
1300	CT procedure after hours, per procedure	55		_	10.00	1 934.
1400	MR procedure after hours, per procedure				14.00	2 708.8
1500	Angiography procedure after hours, per procedure				20.00	3 869.8
1600	Interventional procedure after hours, per procedure		1 -1		26.00	5 030.7
1970	Consultation for nuclear medicine study		2.20	425.68		
	Monitoring			-		
	•ECG / Pulse oximetry monitoring (02010). Use for monitoring	ŀ	1			
	patients requiring conscious sedation during imaging procedure. Not to be used as a routine.					
2010	ECG/pulse Oximeter monitoring			-	2.00	200
	Head			-	2.00	386.
	Skull and Brain			•		
	Codes 10100 (skull) and 10110 (tomography) may be combined.		-			
10100	X-ray of the skull		=	-	3.86	746.8
10110	X-ray tomography of the skull		-	-	4.30	832.0
0120	X-ray shuntogram for VP shunt		=		15.36	2 972.0
10200	Ultrasound of the brain – Neonatal		-	-	7.38	1 427.9
10210	Ultrasound of the brain including doppler		-	-	13.22	2 557.9
10220	Ultrasound of the intracrantal vasculature, including B mode, pulse and colour doppler					
10300	CT Brain uncontrasted		-	•	15.04	2 910.0
10300	CT Brain with contrast only		- 1	-	22.65	4 382.
0320	CT Brain pre and post contrast		- 1	-	33.28	6 439.3
0325			-	-	40.48	7 832.
10325	CT brain pre and post contrast for perfusion studies		-		49.10	9 500.
	Stand alone code may not be added to any other CT studies of the brain, except for code 10330		-1			
10330	CT anglography of the brain		1 1		77.50	45.040
0335	CT of the brain pre and post contrast with angiography			•	77.58	15 010.
0340	CT brain for cranto-stenosis including 3D		- []	-	97.91	18 944.
0350	CT Brain stereotactic localisation		-		34.16	6 609.
10360	CT base of skull coronal high resolution study for CSF leak		[•	19.36	3 745.
10400	MR of the brain, limited study		-	-	34.90	6 752.
10410	MR of the brain uncontrasted			•	43.56	8 428.
10420	MR of the brain with contrast		-	•	63.80	12 344.
10430	MR of the brain pre and post contrast			-	75.94 104.04	14 693.
10440	MR of the brain pre and post contrast, for perfusion studies		-	-		20 130.
	MR of the brain plus angiography	1			107.44 92.20	20 788.
10450						17 839.
10450 10460						
	MR of the brain pre and post contrast plus angiography MR angiography of the brain uncontrasted		-	-	121.23 58.50	23 456. 11 319.

			025 - Nuclear Medicine		038 -	Radiology
			U	R	U	R
10485 10490	MR of the brain, with diffusion studies		-		79.00	15 285.7
10490	MR of the brain, pre and post contrast, with diffusion studies,		-	-	110.64	21 407.73
10492	MR study of the brain plus angiography plus diffusion, uncontrasted MR of the brain pre and post contrast plus angiography and				95.00	18 381.5
10495	diffusion					
10500	Arteriography of intracranial vessels: 1 - 2 vessels			-	125.44	24 271.39
0510	Arteriography of intracranial vessels: 3 - 4 vessels			-	48.60	9 403.61
0520	Arteriography of extra-cranial (non-cervical) vessels				82.33	15 930.03
0530	Arteriography of intracranial and extra-cranial (non-cervical) vessels			_	48.44	9 372.66
0540	Artenography of intracranial vessels (4) plus 3 D rotational angiography		_		118.09 97.57	22 849.23 18 878.82
0550	Arteriography of intracranial vessels (1) plus 3D rotational angiography					
10560	Venography of dural sinuses		- 1	-	37.29	7 215.24
0900	Nuclear Medicine study – Bone regional, static		21 50		52.23	10 105.98
0905	Nuclear Medicine study – Bone regional, static, with flow		21.50	4 160.04		
0910	Nuclear Medicine study – Bone regional, static with SPECT		27,53 34,92	5 326.78		
0915	Nuclear Medicine study – Bone regional, static, with flow, with SPECT		40.94	6 756.67		
0920	Nuclear Medicine study – Brain, planar, complete, static		16.92	7 921.48 3 273.85		
			10.02	3 2/ 3.00		
0925	Nuclear Medicine study Brain complete static with vascular flow Nuclear Medicine study Brain, planar, complete, static, with		22.95	4 440.60		
0930	SPECT Nuclear Medicine study – Brain, planar, complete, static, with flow,		30.33	5 868.55		
10935	with SPECT		36.36	7 035.30		
10940	Nuclear Medicine study - CSF flow imaging cisternography		21.60	4 179.38		
0945	Nuclear Medicine study Ventriculography		13.41	2 594.70		
0950	Nuclear Medicine study - Shunt evaluation static, planar		13.41	2 594.70		
0955	Nuclear Medicine study - CFS leakage detection and localisation		13,41	2 594,70		
0960	Nuclear medicine study - CSF SPECT		13.41	2 594.70		
0971	PET/CT scan of the brain uncontrasted	1	-	2 004.70	110.12	21 307.12
0972	PET/CT of the brain contrasted		-		116.11	22 466.12
0981	PET/CT perfusion scan of the brain		-		131.07	25 360.73
	Facial bones and nasal bones Codes 11100 (facial bones) and 11110 (tomography) may be		-	-		25 000.10
	combined		-		i	
1100	X-ray of the facial bones		-		3.93	760.42
1110	X-ray tomography of the facial bones		_		4.30	832.01
1120	X-ray of the nasal bones		-	-	2.39	462.44
1300	CT of the facial bones					
			-			
1310	CT of the facial bones with 3D reconstructions		-		20.96	4 055.55
1310 1320	CT of the facial bones/soft tissue, pre and post contrast		-	-	20.96 30.40	4 055.55 5 882.10
1310 1320 1400	CT of the facial bones/soft tissue, pre and post contrast MR of the facial soft tissue		-	-	20.96 30.40 41.26	4 055.55 5 882.10 7 983.40
1310 1320 1400 1410	CT of the facial bones/soft tissue, pre and post contrast MR of the facial soft tissue MR of the facial soft tissue pre and post contrast		-	-	20.96 30.40 41.26 62.40	4 055.55 5 882.10 7 983.40 12 073.78
1310 1320 1400 1410 1420	CT of the facial bones/soft tissue, pre and post contrast MR of the facial soft tissue MR of the facial soft tissue pre and post contrast MR of the facial soft tissue plus angiography, with contrast	!	-	-	20.96 30.40 41.26 62.40 100.60	4 055.55 5 882.10 7 983.40 12 073.78 19 465.09
1310 1320 1400	CT of the facial bones/soft tissue, pre and post contrast MR of the facial soft tissue MR of the facial soft tissue pre and post contrast MR of the facial soft tissue plus angiography, with contrast MR angiography of the facial soft tissue		-		20.96 30.40 41.26 62.40 100.60 110.30	4 055.55 5 882.10 7 983.40 12 073.78 19 465.09 21 341.95
1310 1320 1400 1410 1420	CT of the facial bones/soft tissue, pre and post contrast MR of the facial soft tissue MR of the facial soft tissue pre and post contrast MR of the facial soft tissue plus angiography, with contrast MR angiography of the facial soft tissue Orbits, lacrimal glands and tear ducts Code 12130 (tomography) may be added to 12100 or 12110 or				20.96 30.40 41.26 62.40 100.60	4 055.55 5 882.10 7 983.40 12 073.78 19 465.09 21 341.95
1310 1320 1400 1410 1420 1430	CT of the facial bones/soft tissue, pre and post contrast MR of the facial soft tissue MR of the facial soft tissue pre and post contrast MR of the facial soft tissue plus angiography, with contrast MR angiography of the facial soft tissue Orbits, facrimal glands and tear ducts Code 12130 (tomography) may be added to 12100 or 12110 or 12120 (orbits) or 12140 (dacrocystography).				20.96 30.40 41.26 62.40 100.60 110.30	4 055.55 5 882.10 7 983.40 12 073.78 19 465.09 21 341.95
1310 1320 1400 1410 1420 1430	CT of the facial bones/soft tissue, pre and post contrast MR of the facial soft tissue MR of the facial soft tissue pre and post contrast MR of the facial soft tissue plus angiography, with contrast MR angiography of the facial soft tissue Orbits, tacrimal glands and tear ducts Code 12130 (tomography) may be added to 12100 or 12110 or 12120 (orbits) or 12140 (dacrocystography). X-ray orbits less than three views				20.96 30.40 41.26 62.40 100.60 110.30	4 055.55 5 882.10 7 983.40 12 073.78 19 465.09 21 341.95 14 322.13
1310 1320 1400 1410 1420 1430 2100 2110	CT of the facial bones/soft tissue, pre and post contrast MR of the facial soft tissue pre and post contrast MR of the facial soft tissue pre and post contrast MR of the facial soft tissue plus angiography, with contrast MR angiography of the facial soft tissue Orbits, lacrimal glands and tear ducts Code 12130 (tomography) may be added to 12100 or 12110 or 12120 (orbits) or 12140 (dacrocystography). X-ray orbits less than three views X-ray of the orbits, three or more views, including foramina				20.96 30.40 41.26 62.40 100.60 110.30 74.02	4 055.55 5 882.10 7 983.40 12 073.78 19 465.09 21 341.95 14 322.13
1310 1320 1400 1410 1420 1430 2100 2110	CT of the facial bones/soft tissue, pre and post contrast MR of the facial soft tissue pre and post contrast MR of the facial soft tissue pre and post contrast MR of the facial soft tissue plus angiography, with contrast MR angiography of the facial soft tissue Orbits, iacrimal glands and tear ducts Code 12130 (tomography) may be added to 12100 or 12110 or 12120 (orbits) or 12140 (dacrocystography). X-ray orbits less than three views X-ray of the orbits, three or more views, including foramina X-ray of the orbits for foreign body				20.96 30.40 41.26 62.40 100.60 110.30 74.02	4 055.55 5 882.10 7 983.40 12 073.78 19 465.09 21 341.95 14 322.13 688.82 1 025.50
1310 1320 1400 1410 1420 1430 2100 2110 2120 2130	CT of the facial bones/soft tissue, pre and post contrast MR of the facial soft tissue pre and post contrast MR of the facial soft tissue pre and post contrast MR of the facial soft tissue plus angiography, with contrast MR angiography of the facial soft tissue Orbits, iacrimal glands and tear ducts Code 12130 (tomography) may be added to 12100 or 12110 or 12120 (orbits) or 12140 (dacrocystography). X-ray orbits less than three views X-ray of the orbits, three or more views, including foramina X-ray of the orbits for foreign body X-ray tomography of the orbits				20.96 30.40 41.26 62.40 100.60 110.30 74.02	4 055.55 5 882.10 7 983.40 12 073.78 19 465.09 21 341.95 14 322.13 688.82 1 025.50 688.82
1310 1320 1400 1410 1420 1430 2100 2110 2120 2130 2140	CT of the facial bones/soft tissue, pre and post contrast MR of the facial soft tissue MR of the facial soft tissue pre and post contrast MR of the facial soft tissue plus angiography, with contrast MR angiography of the facial soft tissue Orbits, lacrimal glands and tear ducts Code 12130 (tomography) may be added to 12100 or 12110 or 12120 (orbits) or 12140 (dacrocystography). X-ray orbits less than three views X-ray of the orbits, three or more views, including foramina X-ray of the orbits for foreign body X-ray tomography of the orbits X-ray dacrocystography				20.96 30.40 41.26 62.40 100.60 110.30 74.02 3.56 5.30 3.56	4 055.55 5 882.10 7 983.40 12 073.78 19 465.09 21 341.95 14 322.13
1310 1320 1400 1410 1420 1430 2100 2110 2120 2130 2140 2220	CT of the facial bones/soft tissue, pre and post contrast MR of the facial soft tissue pre and post contrast MR of the facial soft tissue pre and post contrast MR of the facial soft tissue plus angiography, with contrast MR angiography of the facial soft tissue Orbits, iacrimal glands and tear ducts Code 12130 (tomography) may be added to 12100 or 12110 or 12120 (orbits) or 12140 (dacrocystography). X-ray orbits less than three views X-ray of the orbits, three or more views, including foramina X-ray of the orbits for foreign body X-ray tomography of the orbits X-ray dacrocystography Ultrasound of the orbit/eye				20.96 30.40 41.26 62.40 100.60 110.30 74.02 3.56 5.30 3.56 4.30	4 055.55 5 882.10 7 983.40 12 073.78 19 465.09 21 341.95 14 322.13 688.82 1 025.50 688.82 832.01 2 167.09
1310 1320 1400 1410 1420 1430 2100 2110 2120 2130 2140 2200 2210	CT of the facial bones/soft tissue, pre and post contrast MR of the facial soft tissue MR of the facial soft tissue pre and post contrast MR of the facial soft tissue plus angiography, with contrast MR angiography of the facial soft tissue Orbits, lacrimal glands and tear ducts Code 12130 (tomography) may be added to 12100 or 12110 or 12120 (orbits) or 12140 (dacrocystography). X-ray orbits less than three views X-ray of the orbits, three or more views, including foramina X-ray of the orbits for foreign body X-ray tomography of the orbits X-ray dacrocystography Ultrasound of the orbit/eye Ultrasound of the orbit/eye including doppler				20.96 30.40 41.26 62.40 100.60 110.30 74.02 3.56 5.30 3.56 4.30 11.20	4 055.55 5 882.10 7 983.40 12 073.78 19 465.05 21 341.98 14 322.13 688.82 1 025.50 688.82 832.01 2 167.05 992.60
1310 1320 1400 1410 1420 1430 2100 2110 2120 2130 2140 2200 2210 2300	CT of the facial bones/soft tissue, pre and post contrast MR of the facial soft tissue MR of the facial soft tissue pre and post contrast MR of the facial soft tissue pre and post contrast MR of the facial soft tissue plus angiography, with contrast MR angiography of the facial soft tissue Orbits, facrimal glands and tear ducts Code 12130 (tomography) may be added to 12100 or 12110 or 12120 (orbits) or 12140 (dacrocystography). X-ray orbits less than three views X-ray of the orbits, three or more views, including foramina X-ray of the orbits for foreign body X-ray tomography of the orbits X-ray dacrocystography Ultrasound of the orbit/eye Ultrasound of the orbit/eye including doppler CT of the orbits single plane				20.96 30.40 41.26 62.40 100.60 110.30 74.02 3.56 5.30 3.56 4.30 11.20 5.13	4 055.55 5 882.10 7 983.40 12 073.78 19 465.09 21 341.95 14 322.13 688.82 1 025.50 688.82 832.01 2 167.09 992.60 2 122.59
1310 1320 1400 1410 1420 1430 2100 2110 2120 2130 22140 2220 2210 2300 2310	CT of the facial bones/soft tissue, pre and post contrast MR of the facial soft tissue MR of the facial soft tissue pre and post contrast MR of the facial soft tissue plus angiography, with contrast MR of the facial soft tissue plus angiography, with contrast MR angiography of the facial soft tissue Orbits, facrimal glands and tear ducts Code 12130 (tomography) may be added to 12100 or 12110 or 12120 (orbits) or 12140 (dacrocystography). X-ray orbits less than three views X-ray of the orbits, three or more views, including foramina X-ray of the orbits for foreign body X-ray tomography of the orbits X-ray dacrocystography Ultrasound of the orbit/eye Ultrasound of the orbit/eye including doppler CT of the orbits single plane CT of the orbits, more than one plane				20.96 30.40 41.26 62.40 100.60 110.30 74.02 3.56 5.30 3.56 4.30 11.20 5.13 10.97	4 055.55 5 882.10 7 983.40 12 073.78 19 465.09 21 341.95 14 322.13 688.82 1 025.50 688.82 3 2.01 2 167.09 992.60 2 122.59
1310 1320 1400 1410 1420 1430 2100 2110 2120 2130 2210 2200 2210 2300 2310	CT of the facial bones/soft tissue, pre and post contrast MR of the facial soft tissue MR of the facial soft tissue pre and post contrast MR of the facial soft tissue plus angiography, with contrast MR of the facial soft tissue plus angiography, with contrast MR angiography of the facial soft tissue Orbits, lacrimal glands and tear ducts Code 12130 (tomography) may be added to 12100 or 12110 or 12120 (orbits) or 12140 (dacrocystography). X-ray orbits less than three views X-ray of the orbits, three or more views, including foramina X-ray of the orbits for foreign body X-ray tomography of the orbits X-ray dacrocystography Ultrasound of the orbit/eye Ultrasound of the orbit/eye including doppler CT of the orbits single plane CT of the orbits, more than one plane CT of the orbits pre and post contrast single plane				20.96 30.40 41.26 62.40 100.60 110.30 74.02 3.56 5.30 3.56 4.30 11.20 5.13 10.97 15.70	4 055.55 5 882.10 7 983.40 12 073.76 19 465.09 21 341.96 14 322.13 688.82 1 025.50 688.82 832.01 2 167.09 992.60 2 122.69 3 037.79 3 983.96
1310 1320 1400 1410 1420 1430 2100 2110 2120 2130 22140 22200 2210 2330	CT of the facial bones/soft tissue, pre and post contrast MR of the facial soft tissue MR of the facial soft tissue pre and post contrast MR of the facial soft tissue plus angiography, with contrast MR of the facial soft tissue plus angiography, with contrast MR angiography of the facial soft tissue Orbits, tacrimal glands and tear ducts Code 12130 (tomography) may be added to 12100 or 12110 or 12120 (orbits) or 12140 (dacrocystography). X-ray orbits less than three views X-ray of the orbits, three or more views, including foramina X-ray of the orbits for foreign body X-ray tomography of the orbits X-ray dacrocystography Ultrasound of the orbit/eye Ultrasound of the orbit/eye including doppler CT of the orbits single plane CT of the orbits, more than one plane CT of the orbits pre and post contrast multiple planes				20.96 30.40 41.26 62.40 100.60 110.30 74.02 3.56 5.30 3.56 4.30 11.20 5.13 10.97 15.70 20.59	4 055.55 5 882.10 7 983.40 12 073.78 19 465.09 21 341.95 14 322.13 688.82 1 025.50 688.82 832.01 2 167.09 992.60 2 122.59 3 037.79 3 983.96 6 971.44
1310 1320 1400 1410 1420 1430 2100 2110 2120 2130 2214 2220 2221 2330 2330 2440	CT of the facial bones/soft tissue, pre and post contrast MR of the facial soft tissue pre and post contrast MR of the facial soft tissue plus angiography, with contrast MR of the facial soft tissue plus angiography, with contrast MR angiography of the facial soft tissue Orbits, lacrimal glands and tear ducts Code 12130 (tomography) may be added to 12100 or 12110 or 12120 (orbits) or 12140 (dacrocystography). X-ray orbits less than three views X-ray of the orbits, three or more views, including foramina X-ray of the orbits for foreign body X-ray tomography of the orbits X-ray dacrocystography Ultrasound of the orbit/eye Ultrasound of the orbit/eye including doppler CT of the orbits, inner than one plane CT of the orbits, more than one plane CT of the orbits pre and post contrast multiple planes MR of the orbits				20.96 30.40 41.26 62.40 100.60 110.30 74.02 3.56 5.30 3.56 4.30 11.20 5.13 10.97 15.70 20.59 36.03	4 055.55 5 882.10 7 983.40 12 073.78 19 465.09 21 341.95 14 322.13 688.82 1 025.50 688.82 832.01 2 167.09 992.60 2 122.69 3 037.79 3 983.96 6 971.44 7 681.55
1310 1320 1400 1410 1420 1430 2100 2110 2120 2130 2140 2200 2210 2300 2310 2320 2330 2400 2410	CT of the facial bones/soft tissue, pre and post contrast MR of the facial soft tissue pre and post contrast MR of the facial soft tissue pre and post contrast MR of the facial soft tissue plus angiography, with contrast MR angiography of the facial soft tissue Orbits, lacrimal glands and tear ducts Code 12130 (tomography) may be added to 12100 or 12110 or 12120 (orbits) or 12140 (dacrocystography). X-ray orbits less than three views X-ray of the orbits, three or more views, including foramina X-ray of the orbits for foreign body X-ray tomography of the orbits X-ray dacrocystography Ultrasound of the orbit/eye Ultrasound of the orbit/eye including doppler CT of the orbits single plane CT of the orbits, more than one plane CT of the orbits pre and post contrast multiple planes MR of the orbits MR of the orbitae, pre and post contrast				20.96 30.40 41.26 62.40 100.60 110.30 74.02 3.56 5.30 3.56 4.30 11.20 5.13 10.97 15.70 20.59 36.03 39.70	4 055.55 5 882.10 7 983.40 12 073.78 19 465.09 21 341.95 14 322.13 688.82 1 025.50 688.82 832.01 2 167.09 992.60 2 122.69 3 037.79 3 983.96 6 971.44 7 681.55 12 085.39
1310 1320 1400 1410 1420 1430 2100 2110 2120 2130 2200 2210 2300 2310 2320 2330 2400 2410	CT of the facial bones/soft tissue, pre and post contrast MR of the facial soft tissue pre and post contrast MR of the facial soft tissue pre and post contrast MR of the facial soft tissue plus angiography, with contrast MR angiography of the facial soft tissue Orbits, lacrimal glands and tear ducts Code 12130 (tomography) may be added to 12100 or 12110 or 12120 (orbits) or 12140 (dacrocystography). X-ray orbits less than three views X-ray of the orbits, three or more views, including foramina X-ray of the orbits for foreign body X-ray tomography of the orbits X-ray dacrocystography Ultrasound of the orbit/eye Ultrasound of the orbit/eye including doppler CT of the orbits single plane CT of the orbits, more than one plane CT of the orbits pre and post contrast multiple planes MR of the orbits, pre and post contrast Nuclear Medicine study — Dacrocystography				20.96 30.40 41.26 62.40 100.60 110.30 74.02 3.56 5.30 3.56 4.30 11.20 5.13 10.97 15.70 20.59 36.03 39.70 62.46	4 055.55 5 882.10 7 983.40 12 073.78 19 465.05 21 341.98 14 322.13 688.82 1 025.50 688.82 832.01 2 167.09 992.60 2 122.59 3 037.79 3 983.96 6 971.44 7 681.55 12 085.39 19 472.83
1310 1320 1400 1410 1420 1430	CT of the facial bones/soft tissue, pre and post contrast MR of the facial soft tissue pre and post contrast MR of the facial soft tissue pre and post contrast MR of the facial soft tissue plus angiography, with contrast MR angiography of the facial soft tissue Orbits, lacrimal glands and tear ducts Code 12130 (tomography) may be added to 12100 or 12110 or 12120 (orbits) or 12140 (dacrocystography). X-ray orbits less than three views X-ray of the orbits, three or more views, including foramina X-ray of the orbits for foreign body X-ray tomography of the orbits X-ray dacrocystography Ultrasound of the orbit/eye Ultrasound of the orbit/eye including doppler CT of the orbits single plane CT of the orbits, more than one plane CT of the orbits pre and post contrast multiple planes MR of the orbits MR of the orbitae, pre and post contrast				20.96 30.40 41.26 62.40 100.60 110.30 74.02 3.56 5.30 3.56 4.30 11.20 5.13 10.97 15.70 20.59 36.03 39.70 62.46 100.64	4 055.55 5 882.10 7 983.40 12 073.78 19 465.09 21 341.95 14 322.13 688.82 1 025.50 688.82 832.01

		025 - Nuclear Medicine		038	- Radiology
2440		U	R	2	R
3110 3120	X-ray of the paranasal sinuses, two or more views	-		3,66	708
3130	X-ray of the green physical and sinuses	-	-	4.30	832
3300	X-ray of the naso-pharyngeal soft tissue	-		2.74	530
3310	CT of the paranasal sinuses single plane, limited study	-	-	7.20	1 393
3320	CT of the paranasal sinuses, two planes, limited study	-	-	12.40	2 399
3320	CT of the paranasal sinuses, any plane, complete study	-		15.42	2 983
3330	CT of the paranasal sinuses, more than one plane, complete study CT of the paranasal sinuses, any plane, complete study; pre and	-		20.77	4 018
3340	post contrast CT of the paranasal sinuses, more than one plane, complete study;	-		34.74	6 721
3350	pre and post contrast				
3400	MR of the paranasal sinuses			41.01 60.27	7 935
3410	MR of the paranasal sinuses, pre and post contrast		1		11 661.
	Mandible, teeth and maxilla		- 1	96.59	18 689.
	Code 14110 (orthopantomogram) may be combined with 14100 (mandible) if two separate studies are performed.				
	Code 14110 (orthopantomogram) may be combined with 15100 and / or 15110 (TM joint) if complete separate studies are performed.				
	Code 14160 (tomography) may be combined with 14130 or 14140 or 14150 (teeth). Code 14160 (tomography) may be combined with 15100 and / or				
	15110 (TM joint) if complete separate studies are performed. Code 14330 and 14340 (Dental implants) may be combined if mandible and maxilla are examined at the same visit.				
4100	X-ray of the mandible	-	-		
4110	X-ray orthopantomogram of the jaws and teeth	-	•	3.66	708.
4120	X-ray maxillofacial cephalometry	-	-	4.06	785.
1130	X-ray of the teeth single quadrant	-	-	2.77	535
1140	X-ray of the teeth more than one quadrant	-	-	2.00	386
1150	X-ray of the teeth full mouth	-		2.53	489
1160	X-ray tomography of the teeth per side	-	-	3.62	700
1300	CT of the mandible	-	-	3.23	624
310	CT of the mandible, pre and post contrast	-	^	22.28	4 310
1320	CT mandible with 3D reconstructions	-]	-	41.26	7 983
1330	CT for dental implants in the mandible	- 1	-	30.40	5 882
1340	CT for dental implants in the maxilla	-		27.45	5 311
1400	MR of the mandible/maxilla	-	- 1	27.45	5 311
I 410	MR of the mandible/maxilla, pre and post contrast	-	-	63.80	12 344
	TM Joints			98.64	19 085
	Code 15100 (TM joint) and 15120 (tomography) may be combined.				
	Code 15110 (TM joint) and 15130 (tomography) may be combined. Code 15140 (arthrography) and 15120 (tomography) may be				
	Code 15150 (arthrography) and 15130 (tomography)may be				
	combined. Codes 15320 (CT arthrogram) and 15420 (MR arthrogram) include introduction of contrast (00140 may not be added).				
100	X-ray tempero-mandibular joint, left	-	•	ļ	
110	X-ray tempero-mandibular joint, right	w	- [3.56	688
120	X-ray tomography tempero-mandibular joint, left	-		3.56	688
130	X-ray tomography tempero-mandibular joint, right	-	-	4.30	832
140	X-ray arthrography of the tempero-mandibular joint, left	-	•	4.30	832
150	X-ray arthrography of the tempero-mandibular joint, right	-	-	15.41	2 981
200	Ultrasound tempero-mandibular joints, one or both sides	-	•	15.41	2 981
300	CT of the tempero-mandibular joints		-	6.56	1 269
310	CT of the tempero-mandibular joints plus 3D reconstructions	- 1	-	25.38	4 910
320	CT arthrogram of the tempero-mandibular joints	- 1	-	34.50	6 675
400	MR of the tempero-mandibular joints	-	-	35.96	6 957.
410	MR of the tempero-mandibutar joints, pre and post contrast	-		63.80	12 344.
420	MR arthrogram of the tempero-mandibular joints	-	-	100.84	19 511
	Mastoids and internal auditory canal] -	-	74.71	14 455
	Code 16100 (mastoids) and 16120 (tomography) may be combined.				
	Code 16110 (mastoids bilat) and 16130 (tomography) may be combined Code 16140 (IAM's) and 16150 (tomography) may be combined.				

			025 - Nuclear Medicine		038 - 1	Radiology
			U	R	U	R
16110	X-ray of the mastoids, bilateral		-		7.18	1 389.
16120	X-ray tomography of the petro-temporal bone, unilateral		-	_	4.30	832
16130	X-ray tomography of the petro-temporal bone, bilateral				8.60	1 664.
16140	X-ray internal auditory canal, bilateral				5.23	1 011.
16150	X-ray tomography of the internal auditory canal, bilateral	1			4.30	832
16300	CT of the mastoids			-		
16310	CT of the internal auditory canal		-		12.60	2 437
			-	-	21.47	4 154
16320	CT of the internal auditory canal, pre and post contrast		-	-	34.20	6 617
16330	CT of the ear structures, limited study		-	•	13.40	2 592
16340	CT of the middle and inner ear structures, high definition including all reconstructions in various planes					
				•	43.35	8 387
16400	MR of the internal auditory canals, limited study		*	-	43.56	8 428
16410	MR of the internal auditory canals, pre and post contrast, limited study				60.00	40.007
10410	MR of the internal auditory canals, pre and post contrast, complete			-	68.93	13 337
16420	study		-	-	102.64	19 859
16430	MR of the ear structures		_		64.40	12 460
16440	MR of the ear structures, pre and post contrast				102.64	19 859
	Sella turcica			_		000
	Code 17100 (sella) and 17110 (tomography) may be combined.		-			
17100	X-ray of the sella turcica				3.08	595
17110	X-ray tomography of the sella turcica			_	4.30	832
17300	CT of the sella turcica/hypophysis				17.45	3 376
17310	CT of the sella turcica/hypophysis, pre and post contrast	1 1		_	42.26	8 176
170.0	Salivary glands and floor of the mouth	1 1		-	42.20	0 1/0
	Neck		1 -			
			1		i i	
	Code 20120 (laryngography) includes fluoroscopy (00140 may not					
	be added). Code 20130 (speech) includes tomography and cinematography			i		
	(00140 may not be added).					
	Code 20450 (MR Angiography) may be combined with 10410 (MR				1 1	
	brain).		-	-		
		l i				
20100	X-ray of soft tissue of the neck		-		2.74	530
20110	X-ray of the larynx including tomography		-	-	9.39	1 816
20120	X-ray laryngography		-		8.28	1 602
	X-ray evaluation of pharyngeal movement and speech by screening	1 1				
20130	and / or cine with or without video recording		-		8.30	1 605
20200	Ultrasound of the thyroid		-	-	6.56	1 269
20210	Ultrasound of soft tissue of the neck		-	-	6.56	1 269
20220	Ultrasound of the carotid arteries, bilateral including B mode, pulsed and colour doppler				45.00	
20220	Ultrasound of the entire extracranial vascular tree including carotids,				15.00	2 902
	vertebral and subclavian vessels with B mode, pulse and colour	1			1 1	
20230	doppler		-	-	21.84	4 225
	Ultrasound study of the venous system of the neck including pulse					
20240	and colour Doppler		-	-	10.80	2 089
20300	CT of the soft tissues of the neck				18.25	3 531
20310	CT of the soft tissues of the neck, with contrast				38.15	7 381
20320	CT of the soft tissues of the neck, pre and post contrast		-		43.81	8 476
20330	CT angiography of the extracranial vessels in the neck				79.36	15 355
20340	intracranial vessels of the brain			1	107.50	20 800
	CT angiography of the extracranial vessels in the neck and				107.50	20 000
	intracranial vessels of the brain plus a pre and post contrast study					
20350	of the brain	1 1			124.43	24 075
20400	Mr of the soft tissue of the neck		_		63,60	12 30!
20410	MR of the soft tissue of the neck, pre and post contrast	1			102.04	19 743
20420	MR of the soft tissue of the neck and uncontrasted angiography				92.60	
	MR angiography of the extracranial vessels in the neck, without				\$2.00	1, 31,
20430	contrast		-		59.60	11 53
	MR angiography of the extracranial vessels in the neck, with	1 1				
20440	contrast		-		74.02	14 32
	MD					
20450	MR angiography of the extra and intracranial vessels with contrast		-	-	116.05	22 454
20450	MR angiography of the intra and extra cranial vessels plus brain,				405.45	
20460	without contrast		-		135.17	26 15
20470	MR angiography of the intra and extra cranial vessels plus brain, with contrast				150.00	20.40
			"		156.05	
20500	Arteriography of cervical vessels: carotid 1 - 2 vessels		-	-	44.43	1
20510	Arteriography of cervical vessels: vertebral 1 - 2 vessels		-		50.73	9 81
20520	Arteriography of cervical vessels: carotid and vertebral				77.63	15 02

		025 - Nuclear Medicine		038 - R	adiology
-		U	R	U	R
0540	Arteriography of aortic arch, cervical and intracranial vessels		-	108.87	21 065.26
0550	Venography of jugular and vertebral veins	-	-	48.95	9 471.3
	Thyroid (Nuclear Medicine)				
1900	Nuclear Medicine study - Thyroid, single uptake	9.68	1 872.98	-	-
1910	Nuclear medicine study - Thyroid, multiple uptake	14.69	2 842.37	-	-
1920	Nuclear medicine study - Thyroid imaging with uptake	17.72	3 428.64	-	-
1930	Nuclear medicine study - Thyroid imaging	12.72	2 461.19	-	
1940	Nuclear medicine study - Thyroid imaging with vascular flow	18.74	3 626,00	-	-
1950	Nuclear medicine study - Thyroid suppression/stimulation Nuclear medicine study - Tumour localisation planar, static	12.72 18.04	2 461.19	-	-
9920 19925	Nuclear medicine study - Turnour localisation planar, static, multiple	31,45	3 490.56	•	•
9930	Nuclear medicine study - Infection localisation planar, static, multiple	31.45	6 085.26	-	-
9935	Nuclear medicine study - Infection localisation planar, static, multiple	44.86	6 085.26 8 679.96	•	-
		44.00	8 6/9.96	105 07	20 494 7
29961	PET/CT scan of the soft tissue of the neck uncontrasted	-	-	105.87	20 484.7
29962	PET/CT scan of the soft tissue of the neck contrasted			111.69	21 610.9
	Thorax	- 1	-		
	Chest wall, pleura, lungs and mediastinum	~			
	Code 30140 (tomography) may be combined with 30100 or 30110	l			
	(chest) or 30150 or 30155 (ribs) or 30160 (thoracic inlet). Codes 30170 (Stemo-clavicular) and 30175 (tomography) may be				
	combined.				
	Code 30180 (stemum) and 30185 (tomography) may be combined.				
	Code 30340 (CT limited high resolution) may be combined with				
	30310 or 30320 or 30330 (CT chest), Motivation may be required.				
	Code 30350 (high resolution) is a stand alone study.				
	Code 30360, (CT chest for pulmonary embolism) is a complete				
	examination and includes the preceding uncontrasted CT scan of the chest, and may not be combined with 40330 or 40333 (CT	l i			
	abdomen and pelvis).				
	Code 30370 (CT pulmonary embolism plus CT venography) may				
	not be combined with 70230 (Doppler).				
30100	X-ray of the chest, single view			3.04	588.
30110	X-ray of the chest two views, PA and lateral			3.84	743.
30120	X-ray of the chest complete with additional views			4.24	820. 866.
30130	X-ray of the chest complete including fluoroscopy			4.48	832.
30140	X-ray tomography of the chest		-	4.30	926.
30150	X-ray of the ribs			4.79 6.42	1 242.
30155	X-ray of the chest and ribs X-ray of the thoracic inlet			2.56	495.
30160	X-ray of the sterno-clavicular joints				814.
30170				4.21 4.30	832.
30175	X-ray tomography of the sterno-clavicular joint X-ray of the sternum			4.21	814.
30180				4.21	832.
30185	X-ray tomography of the stemum Ultrasound of the chest wall, any region			6,56	1 269.
30200 30210				6.56	1 269.
	Ultrasound of the mediactical structures			6.56	1 269.
30220	Ultrasound of the mediastinal structures CT of the chest, limited study			9.50	1 838.
30300	CT of the chest uncontrasted			26.60	5 146.
30310	CT of the chest contrasted		-	42.43	8 209
30320				45.70	8 842
30330	CT of the chest, pre and post contrast CT of the chest, limited high resolution study	[11.20	2 167
30340	CT of the chest, imitted high resolution study			24.01	4 645
30355	and expiratory studies]		33.30	6 443
30360	CT of the chest for pulmonary embolism		:	57.12	11 052
30300	CT of the chest for pulmonary embolism with CT venography of			37.12	11032
30370	abdomen, pelvis and lower limbs	-		80.28	15 533
30400	MR of the chest	-	-	63.60	12 305
30410	MR of the chest with uncontrasted angiography	,		92.60	17 917
30420	MR of the chest, pre and post contrast	-	-	102.04	19 743
30900	Nuclear Medicine study - Lung perfusion	21.54	4 167,77		
30910	Nuclear Medicine study - Lung ventilation, aerosol	21.50	4 160.04		
30920	Nuclear Medicine study - Lung perfusion and ventilation	42.03	8 132.38	1	
	Nuclear Medicine study - Lung ventilation using radio-active gas	14.17	2 741.75	5	
30930					
	Nuclear Medicine study - Lung perfusion and ventilation using radio-	94.00	67404	,	
30930 30940		34.69	6 712.17	,	

			025 - Nuclear Medicine		038 - F	Radiology
			U	R	U	R
30960	Nuclear medine study - alveolar permeability		26.51	5 129.42		
	Stand alone code. Not to be combined with 30910.	1	-			
	Nuclear medicine study - quantitative evaluation of lung perfusion		6.02	4 404 04		
30970	and ventilation Stand alone code. Not to be combined with 30920.		6.02	1 164.81		0
30981	PET/CT scan of the chest uncontrasted				111.44	21 562
30982	PET/CT scan of the chest contrasted			- 1	117.42	22 719
30983	PET/CT scan of the chest pre and post contrast				148.32	28 698
30303	Oesophagus				140.02	20 030
	may not be added).					
31100	X-ray barium swallow	1			6.60	1 277
31105	Xray 3 phase dynamic contrasted swallow		_		12.60	2 437
31110	X-ray barium swallow, double contrast			-	7.92	1 532
	X-ray barium swallow with cinematography				10.07	1 948
31120			1 3	-	10.07	1 540
	Aorta and large vessels					
00000	Codes 32210 and 32220 (ivus) may be combined		-	•	4 20	812
32200	intervention, once per complete procedure			-	4.20	1 633
32210	Ultrasound intravascular (IVUS) first vessel	1		-	8.44	
32220	Ultrasound intravascular (IVUS) subsequent vessels		-	-	5.30	1 025
32300	CT angiography of the aorta and branches		-	-	79.08	15 301
32305	CT angiography of the thoracic and abdominal aorta and branches	1	i :		105.50	20 413
32310	CT angiography of the pulmonary vasculature			•	79.08	15 301
32400	MR angiography of the aorta and branches		-	-	78.50	15 188
32410	MR angiography of the pulmonary vasculature		-		105.27	20 368
32500	Arteriography of thoracic aorta		-	•	28.26	5 468
32510	Arteriography of bronchial intercostal vessels alone		-	-	50.15	9 703
32520	Arteriography of thoracic aorta, bronchial and intercostal vessels		-		67.43	13 047
32530	Arteriography of pulmonary vessels		-	-	63.27	12 242
32540	Arteriography of heart chambers, coronary arteries			-	44.27	8 56
32550	Venography of thoracic vena cava		-	•	28.38	5 49
32560	Venography of vena cava, azygos system		-	-	56,31	10 89
32570	Venography patency of A-port or other central line		-	-	19.64	3 80
	Heart		-	•		
	Codes 33300 (CT anatomy / function) and 33310 (CT Anglography)					
	may be done as stand alone studies or as additive studies if both are performed at the same time.		-	-		
	or 33210. This code is intended for paediatric and foetal cases only					
33200	Ultrasound study of the heart, including Doppler		-		8.20	1 58
33210	Ultrasound study of the heart trans-oesophageal		-		10.52	2 03
ĺ	Ultrasound intravascular imaging to guide placement of					
33220	intracoronary stent once per vessel	- 1	-		5.20	1 00
33300	CT anatomical/functional study of the heart			-	34.61	6 69
33310	CT angiography of heart vessels		-		81.28	15 72
33970	Nuclear Medicine study - Multi stage treadmill ECG test				6,66	1 28
34200	Mamma Ultrasound study of the breast				7.90	1 52
3,200	Abdomen and Pelvis					
	Abdomen/stomach/bowel					
	Code 40120 (tomography) may be combined with 40100 or 40105					
	or 40110 (abdomen).					
	Codes 40140 to 40190 (barium studies) include fluoroscopy (00140					
	may not be added).			1		i
	Code 40190 (intussusception) is a stand alone code and may not be combined with 40160 or 40165 (barium enema), (00140 may not					
	be added).			-		
40100	X-ray of the abdomen		-		3.32	64
40105	X-ray of the abdomen supine and erect, or decubitus		-		5.36	1
40110	X-ray of the abdomen multiple views including chest		-		8.10	1 56
40120	X-ray tomography of the abdomen		~		4.30	
40140	X-ray barium meal single contrast		-		8.87	171
40143	X-ray barium meal double contrast		-	-	11.99	
40147	X-ray barium meal double contrast with follow through		-		15.80	
40150	X-ray small bowel enteroclysis (meal)				25.45	
	intubation) may be added.					
40153	X-ray small bowel meal follow through single contrast			-	19.55	3 7
40157	X-ray small bowel meal with pneumocolon				25.63	
40160	X-ray large bowel enema single contrast				12.97	
40165	X-ray large bowel enema double contrast				19.63	
40170	X-ray guided gastro oesophageal intubation				1.60	
. 444 1 / 11	IV-ray animan daying negobilidagai ilimpannis		-		1.00	' 31

		025 - Nuclear Medicine		038 - F	Radiology
		U	R	U	R
40180	X-ray defaecogram		-	12.97	2 509.5
40190	X-ray guided reduction of intussusception	-		16.27	3 148.0
40200	Ultrasound study of the abdominal wall	-	-	5.54	1 071.9
40210	Ultrasound study of the whole abdomen including the pelvis	-	-	8.24	1 594.3
40300	CT study of the abdomen	-		26.41	5 110.0
40310	CT study of the abdomen with contrast			44.82	8 672.2
40313	CT study of the abdomen pre and post contrast	-		52.99	10 253.0
40320	CT of the pelvis	-	-	26.13	5 055,8
40323	CT of the pelvis with contrast		-	47.48	9 186.9
40327	CT of the pelvis pre and post contrast	-		53.87	10 423,3
40330	CT of the abdomen and pelvis	-		38.50	7 449.3
40333	CT of the abdomen and pelvis with contrast	-	-	62.17	12 029.2
40337	CT of the abdomen and pelvis pre and post contrast	-	-	67.43	13 047.0
40340	CT triphasic study of the liver, abdomen and pelvis pre and post contrast			74.11	14 339.5
40345	CT of the chest, abdomen and pelvis without contrast			70.12	13 567.5
40350	CT of the chest, abdomen and pelvis with contrast			88.35	17 094.8
	CT of the chest triphasic of the liver, abdomen and pelvis with				
40355	contrast	-	-	93.05	18 004.2
40360 40365	CT of the base of skull to symphysis publis with contrast CT colonoscopy	-	-	102.73 34.78	19 877.2 6 729.5
40000	Stand alone study, may not be added to any code between 40300	-	.	34.78	6 /29.5
	and 40360	-	-		
40400	MR of the abdomen	-		64.58	12 495.5
40410	MR of the abdomen pre and post contrast	-		100.84	19 511.5
40420	MR of the pelvis, soft tissue	-		64.58	12 495.5
40430	MR of the pelvis, soft tissue, pre and post contrast	-		102,04	19 743.7
40900	Nuclear Medicine study - Gastro oesophageal reflux and emptying	21.50	4 160.04	-	
40005	Nuclear Medicine study - Gastro oesophageal reflux and emptying				
40905 40910	multiple studies Nuclear Medicine study - Gastro intestinal protein loss	34.92	6 756.67	-	
40915	Nuclear Medicine study - Gastro intestinal protein loss multiple studies	21.50 34.92	4 160.04 6 756.67		
40920	Nuclear Medicine study – Acute GIT bleed static/dynamic	21.50	4 160.04		
40925	Nuclear medicine study Acute GIT bleed multiple studies	34.92	6 756,67		
40930	Nuclear medicine study - Meckel's localisation	20.77	4 018.79		
40935	Nuclear medicine study - Gastric mucosa imaging	20.77	4 018.79		
40940	Nuclear medicine study - colonic transit multiple studies	44.86	8 679.96	-	
	Stand alone code				
40951	PET/CT scan of the abdomen and pelvis uncontrasted			119.53	23 127.8
40952	PET/CT scan of the abdomen and pelvis contrasted	-	_	129,31	25 020.1
40953	PET/CT scan of the abdomen and pelvis pre and post contrast	.		140.50	27 185,3
	Liver, spleen, gall bladder and pancreas	-	•		
	Code 41110, 41120 and 41130 (cholangiography) include fluoroscopy (00140 may not be added).				
41100	X-ray ERCP including screening	-	•	10.00	
41105	X-ray ERCP reporting on images done in theatre		-	18.90	3 656.9
41110	X-ray cholangiography intra-operative	-		2.40	464.3
41120	X-ray T-tube cholanglography post operative	-		8.45	1 634.9
41130	X-ray transhepatic percutaneous cholangiography		-	14.05	2 718.5
41200	Ultrasound study of the upper abdomen	-	•	32.34	6 257.4
41300	CT of the abdomen triphasic study – liver	-		7.00	1 354.4
41400	MR study of the liver/pancreas		-	54.90	10 622.6
41410	MR study of the liver/pancreas MR study of the liver/pancreas pre and post contrast	-		64.78	12 534.3
41420	MRCP	1		100.84	19 511.
41430	MR study of the abdomen with MRCP			49.20	9 519.
41440	MR study of the abdomen pre and post contrast with MRCP		•	92.98 133.60	17 990.
41900	Nuclear Medicine study - Liver and spleen, planar views only	21.50	4460.04	133.60	25 850.
41905	Nuclear Medicine study - Liver and spleen, with flow study	27.53	4 160.04 5 326.78		
41910	Nuclear Medicine study - Liver and spleen, planar views SPECT	34.92	6 756.67	-	
	Nuclear Medicine study - Liver and spleen, with flow study and				
41915	SPECT Nuclear Medicine study - Hepatobiliary system planar	40.94	7 921.48	-	
41920	static/dynamic	21.50	4 160.04		
41925	Nuclear Medicine study – hepatobiliary tract including flow Nuclear medicine study – Hepatobiliary system planar,	26.51	5 129.42	-	
41930	static/dynamic multiple studies	34.92	6 756.67	-	
	Nuclear medicine study – Hepatobiliary tract including flow multiple				

			025 - Nuclear Medicine		038 - F	Radiology
			U	R	U	R
41940	Nuclear medicine study - Gall bladder ejection fraction		6.02	1 164.81	-	
41945	Nuclear medicine study – Biliary gastric reflux study		20.77	4 018.79	-	
	Renal tract		-		- 1	
42100	X-ray tomography of the renal tract	- 1	- 1		4.30	832.0
	Code 42100 (tomography) may not be added to 42110 or 42115					
	(IVP). Codes 42115 (IVP), 42120 (cystography), 42130 (urethography),					
	42140 (MCU), 42150 (retrograde), and 42160 (prograde) include	İ				
	fluoroscopy (00140 may not be added).		-	-		
42110	X-ray excretory urogram including tomography		-		24.86	4 810.1
	X-ray excretory urogram including tomography with micturating					
42115	study		-		32.86	6 358.0
42120	X-ray cystography		-	•	15.05	2 912.0
42130	X-ray urethrography		-		15.37	2 973.9
42140	X-ray micturating cysto-urethrography		-	-	19.30	3 734.
42150	X-ray retrograde/prograde pyelography X-ray retrograde/prograde pyelography reporting on images done in		-		12.53	2 424.
42155	theatre	1	-		2.41	466.
42160	X-ray prograde pyelogram – percutaneous				32,67	6 321.3
42200	Ultrasound study of the renal tract including bladder		- 1		7.42	1 435.
	Ultrasound doppler for resistive index in vessels of transplanted				1.72	1 400.
42205	kidney		-		3.80	735.
	0-4-100053-4-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-		1 [
	Code 42205 is a stand alone study and may not be added to 42200		-			
42210	Ultrasound study of the renal arteries including Doppler		1 -1		10.60	2 050.
42400	MR of the renal tract for obstruction		- [-	47.00	9 094.
42410	MR of the kidneys without contrast		-!	•	64.58	12 495.
42420	MR of the kidneys pre and post contrast				102.24	19 782,
42900	Nuclear Medicine study - Renal imaging, static (e.g. DMSA)		21.94	4 245.17		
42905	Nuclear Medicine study - Renal imaging, static (e.g. DMSA) with flow		27.96	5 409.98		
	Nuclear Medicine study - Renal imaging, static (e.g. DMSA) with			- 100000		
42910	SPECT		35.35	6 839.87		
42915	Nuclear Medicine study - Renal imaging, static (e.g. DMSA), with flow, with SPECT	1	44.07			
42915	Nuclear Medicine study - Renal imaging dynamic (renogram) and		41.37	8 004.68	1 1	
42920	vascular flow		26.51	5 129.42		
42930	Nuclear Medicine study - Renovascular study, baseline		26,51	5 129,42		
42940	Nuclear Medicine study – Renovascular study, with intervention		26.51	5 129.42	1	
42950	Nuclear medicine study - indirect voiding cystogram		6.02	1 164.81	1 1	
	Reproductive system					
43200	Ultrasound study of the pelvis transabdominal.				5.70	1 102.
43220	Ultrasound study of the testes. Aorta and vessels				7.38	1 427.
	Code 44400 (MR Angiography) may be combined with 40400 (MR		-	•	l i	
	abdomen).	i	-			
	Ultrasound study of abdominal aorta and branches including					
44200	doppler	1	-	•	18.32	3 544
44205	Ultrasound study of the IVC and pelvic veins including Doppler		-		14.00	2 708
	This is a stand alone code and may not be added to 44200.		-			0
44300	CT angiography of abdominal aorta and branches		-	-	76.72	14 844
	CT angiography of the abdominal aorta and branches and pre and	İ				
44305	post contrast study of the upper abdomen		-	-	94.32	18 249
44310	CT angiography of the pelvis	İ	-		78.64	15 216
44320	CT angiography of the abdominal aorta and pelvis		-	-	89.54	17 325
44325	CT angiography of the abdominal aorta and pelvis and pre and post				440.48	
	contrast study of the upper abdomen and pelvis		-	-	119.15	23 054
44330	CT portogram MR angiography of abdominal aorta and branches		-		74.40	14 395
44400			-		76,64	14 829
44500	Arteriography of abdominal aorta alone		-		28.12	5 440
44503	Arteriography of aorta plus coeliac, mesenteric branches		-	-	75.63	14 633
44505	Arteriography of aorta plus renal, adrenal branches		-		63.01	12 191
44507	Arteriography of aorta plus non-visceral branches		-	•	60.79	11 762
44510	Arteriography of coeffec, mesenteric vessels alone			-	64.35	12 451
44515	Arteriography of renal, adrenal vessels alone		-		49.49	
44517	Arteriography of internal and external line vessels alone				54.91	10 624
44520 44525	Arteriography of internal and external iliac vessels alone		-	-	56.72	
144525	Venography of internal and external iliac veins alone		-		62.11	12 017
44530	Corpora cavemosography				25.06	4 848

			025 - Nuclear Medicine		038 - R	adiology
			U	R	U	R
4540	Venography of inferior vena cava		-	-	26.12	5 053.
4543	Venography of hepatic veins alone		-	-	53.77	10 403.
4545	Venography of inferior vena cava and hepatic veins		-		68.91	13 333.
4550	Venography of lumbar azygos system alone		_		43.89	8 492.
4555	Venography of inferior vena cava and lumbar azygos veins		-	-	65.46	12 665
14560	Venography of renal, adrenal veins alone		-	-	43.99	8 511
14565	Venography of inferior vena cava and renal/adrenal veins		-		68.39	13 232
14570	Venography of spermatic, ovarian veins alone		-	-	40.39	7 815
14573	Venography of inferior vena cava, renal, spermatic, ovarian veins		1 1	-	73.99	14 316
4580	Venography indirect splenoportogram		-		48.67	9 417
44583	Venography direct splenoportogram			-	31.59	6 112
14587	Venography transhepatic portogram		-		66.75	12 915
	Soft Tissue	ł	-			
	Spine, Pelvis and Hips	i	_			
	Code 51340 (CT myelography, cervical), 52330 (CT myelography thoracic) and 53340 (CT myelography lumbar) are stand alone studies and may not be combined with the conventianta					
	myelography codes viz. 51160, 52150, 53160		- 1			
	General Code 50130 (Lumbar puncture) and 50140 (cisternal puncture) include fluoroscopy and introduction of contrast (00140 may not be			-		
	added).		-		7.00	
50100	X-ray of the spine scollosis view AP only		-	-	7.00	1 354
50105	X-ray of the spine scoliosis view AP and lateral			•	12.00	2 321
E0440	X-ray of the spine scoliosis view AP and lateral including stress views	- 1			18.54	3 587
50110		- 1	_		11.52	2 229
50120	X-ray bone densitometry	- 1		-		
50130	X-ray guided lumbar puncture		'		4.80	928
50140	X-ray guided disternal puncture disternogram		-		22.98	4 440
50300	CT quantitive bone mineral density			-	11.83	2 288
50500	Arteriogram of the spinal column and cord, all vessels		-1	•	127.23	24 617
50510	Venography of the spinal, paraspinal veins		- [•	58.45	11 309
	to 51110, 51120 (cervical spine), 51160 (myelography) and 51170 (discography). Code 51140 (tornography) may be combined with 51110 or 51120 (spine). Code 51160s (myelography) and 51170 (discography) include fluoroscopy and introduction of contrast (00140 may not be added). Code 51300 (CT) limited - limited to a single cervical vertebral body. Code 51310 (CT) regional study - 2 vertebral bodies and intervertebral disc spaces. Code 51320 (CT) complete study - an extensive study of the cervical spine. Code 51340 (CT myelography) – post myelographic study and includes all disc levels includes fluoroscopy and introduction of					
	includes all disc levels, includes fluoroscopy and introduction of contrast (00140 may not be added).					
51100	X-ray f the cervical spine, stress views only				4.14	80
51110	X-ray of the cervical spine, one or two views				3.01	58
51120	X-ray of the cervical spine, more than two views		-		4.28	
E4420	X-ray of the cervical spine, more than two views including stress				7.58	1 46
51130	Views					
51140	X-ray Tomography cervical spine				4.30	
51160	X-ray myelography of the cervical spine				27.46	
51170	X-ray discography cervical spine per level		-		25.17	
51300	CT of the cervical spine limited study		-	-	9.50	
51310	CT of the cervical spine – regional study		-		13.91	
51320	CT of the cervical spine – complete study		12	•	37.13	
51330	CT of the cervical spine pre and post contrast		-	-	58.85	11 3
51340	CT myelography of the cervical spine		-	-	47.19	91
51350	CT myelography of the cervical spine following myelogram		-	-	21.69	41
51400	MR of the cervical spine, limited study				44.40	8 5
51410	MR of the cervical spine and cranio-cervical junction		-		64.82	12 5
	MR of the cervical spine and cranio-cervical junction pre and post					
51420	contrast		-		102.14	197
51900	Nuclear Medicine study - Bone regional cervical		21.50	4 160.0	4	
51910	Nuclear Medicine study - Bone tomography regional cervical		13.41	2 594.7	0	
				1		1

			025 - Nuclear Medicine		038 - R	adiology
			U	R	U	R
	Thoracic			-		
	Code 52120 (tomography) may be combined with 52100 or 52110				- 1	
	(spine).					
	Code 52150 (myelography) includes fluoroscopy and introduction of		1 1	l		
	contrast (00140 may not be added). Code 52300 (CT) limited study – limited to a single thoracic					
	vertebral body.	1	1 1			
	Code 52305 (CT) regional study - 2 vertebral bodies and	1	1 1			
	intervertebral disc paces.		1 !			
	Code 52310 (CT) complete study - an extensive study of the					
	thoracic spine, Code 52330 (CT myelography) - post myelographic study and	1				
	includes all disc levels, fluoroscopy and introduction of contrast				- 1	
	(00140 may not be added).	1	-	-	- 1	
52100	X-ray of the thoracic spine, one or two views		-		3.21	621.1
2110	X-ray of the thoracic spine, more than two views		-		4.00	773.9
52120	X-ray tomography thoracic spine			-	4.30	832.
	X-ray of the thoracic spine, more that two views including stress					
52140	views		-	-	6.64	1 284.
52150	X-ray myelography of the thoracic spine		-		18.62	3 602.7
52300	CT of the thoracic spine limited study		-	-	9.50	1 838,
52305	CT of the thoracic spine regional study		-	-	13.91	2 691.
52310	CT of the thoracic spine complete study		~		35.78	6 923.
52320	CT of the thoracic spine pre and post contrast		-		58.85	11 386.
52330	CT myelography of the thoracic spine		-	-	48.09	9 304.
52340	CT myelography of the thoracic spine following myelogram		-	-	20.37	3 941.
52400	MR of the thoracic spine, limited study				46.60	9 016.
52410	MR of the thoracic spine		-		64.34	12 449.
52420	MR of the thoracic spine pre and post contrast		-		101.42	19 623.
52900	Nuclear Medicine study Bone regional dorsal		21.50	4 160.04	-	
52910	Nuclear Medicine study – Bone tomography regional dorsal	1	13.41	2 594.70	- 1	
52920	Nuclear Medicine study – with flow		6.02	1 164.81		
	Lumbar		0.02	1 104.01	1	
		1				
	Code 53100 (stress) is a stand alone study and may not be added		1 1			
	to 53110, 53120 (lumbar spine), 53160 (myelography) and 53170					
	(discography). Code 53140 (tomography) may be combined with 53110 or 53120					
	(spine).				- 1	
	Codes 53160 (myelography) and 53170 (discography) include		1 1			
	fluoroscopy and introduction of contrast (00140 may not be					
	added). Code 53300 (CT) limited study – limited to a single lumbar vertebral					
	body.					
	Code 53310 (CT) regional study - 2 vertebral bodies and				- 1	
	intervertebral disc spaces.					
	Code 53320 (CT) complete study - an extensive study of the lumbar spine,					
	Code 53340 (CT myelography) - post myelographic study and					
	includes all disc levels, fluoroscopy and introduction of contrast				1	
	(00140 may not be added).		- [
53100	X-ray of the lumbar spine stress study only		-	-	4.14	801
53110	X-ray of the lumbar spine, one or two views				3.56	688
53120	X-ray of the lumbar spine, more than two views		-1		4.46	862
	X-ray of the lumbar spine, more that two views including stress			8		
53130	views		- 1		7.52	1 455
53140	X-ray tomography lumbar spine		-[-	4.30	832
53160	X-ray myelography of the lumbar spine		-	-	23.94	4 632
53170	X-ray discography lumbar spine per level		~		25.17	4 870
53300	CT of the lumbar spine limited study		- 1	•	9.50	1 838
53310	CT of the lumbar spine - regional study		-	-	13.91	2 691
53320	Ct of the lumbar spine complete study		-		37,64	7 282
53330	CT of the lumbar spine pre and post contrast		-	-	58.85	11 386
53340	CT myelography of the lumbar spine		- [49.11	9 502
53350	CT myelography of the lumbar spine following myelogram				23.46	4 539
53400	MR of the lumbar spine, limited study				46.20	8 939
53410	MR of the lumbar spine	İ	-		64.32	12 445
53420	MR of the lumbar spine pre and post contrast		-		103.29	19 985
53900	Nuclear medicine study – Bone regional lumbar		21.50	4 160.04		000
53910	Nuclear medicine study – Bone tomography regional lumbar		13.41	2 594.70		
53920	Nuclear medicine study – with flow		6.02	1 164.81		

		025 - Nuclear Medicine		038 - R	adiology
		U	R	U	R
	Code 54120 (tomography) may be combined with 54100 (sacrum)			_	
	or 54110 (SI joints).				
	Code 54300 (CT) limited study - limited to single sacral vertebral	1 1		- 1	
	body. Code 54310 (CT) complete study - an extensive study of the sacral				
	spine.				
4100	X-ray of the sacrum and coccyx			3.58	692,6
4110	X-ray of the sacro-iliac joints			4.10	793.3
4120	X-ray tomography – sacrum and/or coccyx			4.30	832.0
4300	CT of the sacrum – limited study	-	-	7.60	1 470.5
4310	CT of the sacrum – complete study – uncontrasted			25.61	4 955.2
4320	CT of the sacrum with contrast	- [46.93	9 080.4
4330	CT of the sacrum pre and post contrast	-	-	52.97	10 249.
4400	MR of the sacrum			65.00	12 576.8
4410	MR of the sacrum pre and post contrast	- 1	-	101.04	19 550.2
	Pelvis	-			
	Codes 55110 (tomography) and 55100 (pelvis) may be combined.				
	Code 55300 (CT) limited study – limited to a small region of interest				
	of the pelvis eg. ascetabular roof or pubic ramus.	-			
55100	X-ray of the pelvis	_	•	3.66	708.
55110	X-ray tomography – pelvis	-	•	4.30	832.
55300	CT of the bony pelvis limited	-	-	9.50	1 838.
55310	CT of the bony pelvis complete uncontrasted	-	•	25.61	4 955.
55320	CT of the bony pelvis complete 3D recon	-	•	37.47	7 250.
55330	CT of the bony pelvis with contrast	-	-	46.93	9 080.
55340	CT of the bony pelvis – pre and post contrast	-		52.97	10 249.
55400	MR of the bony pelvis	-	-	65.00	12 576.
55410	MR of the bony peivis pre and post contrast	-	-	102.24	19 782.
55900	Nuclear medicine study – Bone regional pelvis	21.50	4 160.04		
55910	Nuclear medicine study – Bone tomography regional pelvis	13,41	2 594.70		
55920	Nuclear medicine study – with flow	6.02	1 164.81		
	Hips	-	-		
	Code 56130 (tomography) may be combined with 56100 or 56110				
	or 56120 (hip).				
	Code 56140 (stress) may be combined with 56100 or 56110 or 56120 (hip).				
	Code 56150 (arthrography) includes fluoroscopy and introduction of				
	contrast (00140 may not be added).				
	Code 56160 (introduction of contrast into hip joint) to be used with 56310 (CT hip) and 56410 (MR hip) and includes fluoroscopy. The				
	combination of 56150 and 56310 and 56410 is not supported				
	except in exceptional circumstances with motivation.				
	Code 56300 (CT) study limited to small region of interest eg part of femur head.				
EC400	V			2 10	615
56100 56110	X-ray of the left nip X-ray of the right hip			3.18	615
	X-ray pelvis and hips	i i i		3.18 6.02	1 164
56120	X-ray tomography — hip				
56130				4.30	832
56140	X-ray of the hip/s – stress study		-	4.38	847
56150	X-ray arthrography of the hip joint including introduction contrast	-	-	15.75	3 047
56160	X-ray guidance and introduction of contrast into hip joint only			7.41	1 433
56200	Ultrasound of the hip joints	-		6.50	1 257
56300	CT of hip - limited	_	-	9.50	1 838
56310	CT of hip - complete	-	-	27.37	5 295
56320	CT of hip - complete with 3D recon	-		39.78	7 697
56330	CT of hip with contrast	-		43.26	8 370
56340	CT of hip pre and post contrast	-		47.88	9 264
56400	MR of the hip joint/s, limited study	-	-	44.90	
56410	MR of the hip joint/s			64.10	12 402
56420	MR of the hip joint/s, pre and post contrast	-	-	101.64	19 666
56900	Nuclear medicine study – Bone regional pelvis	21.50	4 160.04		
56910	Nuclear medicine study – Bone limited static plus flow	27.53	5 326.78		
56920	Nuclear medicine study – Bone tomography regional	13.41	2 594.70		
	Upper limbs				
1					

		025 - Nuclear Medicine		038 - R	adiology
		U	R	U	R
	combined with other codes				
	combined with other codes. Code 60110 (tomography) may be combined with any one of the			- 1	
	defined regional x-ray studies of the upper limb. Motivation may be				
	required for more than one regional tomographic study per visit.				
	Code 60200 (U/S) may only be used once per visit.				
	Code 60300 (CT) limited study – limited to a small region of interest eq. part of humeral head.	1 1			
	Code 60400 (MR limited) may only be used once per visit.	-			
0100	X-ray upper limbs - any region - stress studies only			4.52	874.5
	X-ray upper limbs - any region - tomography		_	4.30	832.0
0110				7.38	1 427.9
0200	Ultrasound upper limb – soft tissue - any region Ultrasound of the peripheral arterial system of the left arm including	1 -1	- 1	7.50	1 421,5
0210	B mode, pulse and colour doppler	[-]	-	13.64	2 639.2
0210	Ultrasound of the peripheral arterial system of the right arm				
0220	including B mode, pulse and colour doppler	-		13.64	2 639,2
	Ultrasound peripheral venous system upper limbs including pulse				
0240	and colour doppler	-	-	17,26	3 339.6
60300	CT of the upper limbs limited study	-	-	9.50	1 838.1
30310	CT angiography of the upper limb	-	-	78.28	15 146.4
60400	MR of the upper limbs limited study, any region	-	-	44.80	8 668.3
60410	MR angiography of the upper limb	-	-	74.66	14 445.9
60500	Arteriogram of subclavian, upper limb arteries alone, unilateral	-		45.67	8 836.6
60510	Arteriogram of subclavian, upper limb arteries alone, bilateral		-	82.67	15 995.8
60520	Arteriogram of aortic arch, subclavian, upper limb, unilateral	.		56.75	10 980.5
				88.11	17 048.4
60530	Arteriogram of aortic arch, subclavian, upper limb, bilateral			26.12	5 053.9
60540	Venography, antegrade of upper limb veins, unilateral				
60550	Venography, antegrade of upper limb veins, bitateral	-		49.43	9 564.2
60560	Venography, retrograde of upper limb veins, unilateral	-	-	31,01	6 000.1
60570	Venography, retrograde of upper limb veins, bilateral	-	-	54.81	10 605.1
60580	Venography, shuntogram, dialysis access shunt		-	23.79	4 603.1
60900	Nuclear medicine study – Venogram upper limb	37.12	7 182.35		
	Shoulder		-		
	combined with 61300 and 61305 (CT), or 61400 and 61405 (MR). The combination of 61160 (arthrography) and 61300 and 61305 (CT) or 61400 and 61405 (MR) is not supported except in				
	exceptional circumstances with motivation.	-	-		
61100	X-ray of the teft clavicle	-		3.04	588,
61105	X-ray of the right clavicle		-	3.04	588.
61110	X-ray of the left scapula	-1		3.04	588.
61115	X-ray of the right scapula	1 1 -1		3.04	588.
61120	X-ray of the left acromio-clavicular joint			3.14	607.
	X-ray of the right acromio-clavicular joint			3.14	607.
61125				7.68	1 486.
61128	X-ray of acromio-clavicular joints plus stress studies bilateral				
61130	X-ray of the left shoulder		-	3.48	673.
61135	X-ray of the right shoulder	·		3.48	673.
61140	X-ray of the left shoulder plus subacromial impingement views	-		5.92	1 145
61145	X-ray of the right shoulder plus subacromial impingement views	-	-	5,92	1 145
61150	X-ray of the left subacromial impingement views only		-	3.24	626
61155	X-ray of the right subacromial impingement views only	-	-	3.24	626
61160	X-ray arthrography shoulder joint including introduction of contrast	-		15.83	3 062
61170	X-ray guidance and introduction of contrast into shoulder joint only	.		7.41	1 433
	Ultrasound of the left shoulder joint			6.50	
61200				6,50	
61210	Ultrasound of the right shoulder joint		1		
61300	CT of the left shoulder joint – uncontrasted			24.36	
61305	CT of the right shoulder joint – uncontrasted	-		24,36	1
61310	CT of the left shoulder – complete with 3D recon			37.66	
61315	CT of the right shoulder – complete with 3D recon	-		37.66	
61320	CT of the left shoulder joint - pre and post contrast	-		48.63	9 409
61325	CT of the right shoulder joint - pre and post contrast	-	-	48.63	9 409
61400	MR of the left shoulder			64.64	12 507
61405	MR of the right shoulder	-		64.64	12 507
61410	MR of the left shoulder pre and post contrast			101.04	
	MR of the right shoulder pre and post contrast			101.04	
163415					
61415	Humerus	-	U.		

		025 - Nuclear Medicine		038 - R	adiology
		U	R	U	R
2105	X-ray of the right humerus	_		2.94	568.8
2300	CT of the left upper arm	-		24.36	4 713.4
2305	CT of the right upper arm		-	24.36	4 713.4
2310	CT of the left upper arm contrasted		- 1	39.97	7 733.8
32315	CT of the right upper arm contrasted			39.97	7 733.8
52320	CT of the left upper arm pre and post contrast	-	-	48.58	9 399.7
32325	CT of the right upper arm pre and post contrast	-		48.58	9 399.7
62400	MR of the left upper arm	-		64.20	12 422.0
62405	MR of the right upper arm	-	- 1	64.20	12 422.0
62410	MR of the left upper arm pre and post contrast	-		102.04	19 743.7
62415	MR of the right upper arm pre and post contrast	-		102.04	19 743.7
62900	Nuclear medicine study – Bone limited/regional static	21.50	4 160.04		
62905	Nuclear medicine study Bone limited static plus flow	27.53	5 326.78	- 1	
62910	Nuclear medicine study – Bone tomography regional	13.41	2 594.70		
	Elbow Code 63120 (arthrography) includes fluoroscopy and introduction of contrast (00140 may not be added). Code 63130 (introduction of contrast) may be combined with 63300 and 63305 (CT) or 63400 and 63405 (MR). The combination of 63120 (arthrography) and 63300 and 63305 or 63400 and 63405 (MR) is not supported except in exceptional circumstances with motivation.		_		
63100	X-ray of the left elbow	-		3.14	607.5
63105	X-ray of the right elbow	-		3.14	607.
63110	X-ray of the left elbow with stress			4.34	839.
63115	X-ray of the right elbow with stress		-	4.34	839.
63120	X-ray arthrography elbow joint including introduction of contrast	-	-	15.89	3 074.
60400	X-ray guidance and introduction of contrast into elbow joint only			7.41	1 433.
63130				6.50	1 257.
63200	Ultrasound of the right albow joint			6,50	1 257.
63205	Ultrasound of the right elbow joint			24.36	4 713.
63300	CT of the left elbow CT of the right elbow			24.36	4713.
63305 63310	CT of the left elbow – complete with 3D recon	_		37.66	7 286.
63315	CT of the right elbow – complete with 3D recon			37.66	7 286.
63320	CT of the left elbow contrasted			39.97	7 733.
63325	CT of the right elbow contrasted			39.97	7 733.
63330	CT of the left elbow pre and post contrast			48.63	9 409.
63335	CT of the right elbow pre and post contrast			48.63	9 409.
	MR of the left elbow			64.64	12 507
63400 63405	MR of the right elbow			64.64	12 507
	MR of the left elbow pre and post contrast			101.04	19 550
63410	MR of the right elbow pre and post contrast	_		101.04	19 550
63415	Nuclear medicine study – Bone limited/regional static	21.50	4 160.04	101.04	10 000
63905	Nuclear medicine study – Bone limited static plus flow	27,53	5 326.78		
63910		13.41	2 594.70		
63915	Nuclear medicine study – Bone tomography regional Forearm	,3,41	2 004.70		
64400	X-ray of the left forearm			2.94	568
64100 64105	X-ray of the right forearm			2.94	568
	X-ray peripheral bone densitometry			1.96	379
64110 64300	CT of the left forearm			24.36	4 713
	CT of the right forearm			24.36	
64305	CT of the left forearm contrasted			39.97	7 733
64310	CT of the right forearm contrasted			39.97	
64315	CT of the left forearm pre and post contrast			48.58	
64320	CT of the right forearm pre and post contrast			48,58	
64325	MR of the left forearm			64.20	
64400				64.20	
64405	MR of the left forearm			98.04	
64410	MR of the left forearm pre and post contrast			98.04	
64415	MR of the right forearm pre and post contrast	21.50	4400.04		10 90
64900	Nuclear medicine study – Bone limited/regional static	27.53			
64905	Nuclear medicine study – Bone limited static plus flow			1	
64910	Nuclear medicine study – Bone tomography regional	13.41	2 594.70	' [

		025 - Nuclear Medicine		038 - R	tadiology
		U	R	U	R
	Code 65120 (finger) may not be combined with 65100 or 65105 (hands). Codes 65130 and 65135 (wrists) may be combined with 65140 or 65145 (scaphoid) respectively if requested and additional views done. Code 65160 (arthrography) includes fluoroscopy and the introduction of contrast (00140 may not be added). Code 65170 (contrast) may be combined with 65300 and 65305 (CT) or 65400 and 65405 (MR). The combination of 65160 (arthrography) and 65300 and 65305 or 65400 and 65405 is not				
5100	supported except in exceptional circumstances with motivation. X-ray of the left hand		-	2.00	505 D
55105				3.08	595.9
55110	X-ray of the right hand X-ray of the left hand – bone age		-	3.08	595,9
55120				3.08	595.9
	X-ray of the left welct	'		2.67	516.6
5130	X-ray of the left wrist		- 1	3.18	615.3
55135 55140	X-ray of the left ecaphoid	-		3.18	615.3
55140	X-ray of the left scaphoid X-ray of the right scaphoid	-		3.30	638.5
5145		-	-	3.30	638.5
55150 55155	X-ray of the left wrist, scaphoid and stress views X-ray of the right wrist, scaphoid and stress views			7,56	1 462.7
55160	X-ray arthrography wrist joint including introduction of contrast		-	7.56	1 462.7
55170	X-ray guidance and introduction of contrast into wrist joint only		- 1	15.93	3 082.3
55200	Ultrasound of the left wrist		-	7.41	1 433.7
35200 35210	Ultrasound of the right wrist		-	6.50	1 257.6
55210	CT of the left wrist and hand				1 257.6
55305	CT of the right wrist and hand			24.36 24.36	4 713.4
65310	CT of the left wrist and hand - complete with 3D recon				4 713.4
55315 55315	CT of the right wrist and hand - complete with 3D recon		•	37.66	7 286.8
65320	CT of the left wrist and hand contrasted			37.66 39.97	7 286.8 7 733.8
65325	CT of the right wrist and hand contrasted			39.97	7 733.8
65330	CT of the left wrist and hand pre and post contrast			48.63	9 409.4
65335	CT of the right wrist and hand pre and post contrast			48.63	9 409.4
65400	MR of the left wrist and hand			64.64	12 507.
65405	MR of the right wrist and hand			64.64	12 507.
65410	MR of the left wrist and hand pre and post contrast	-		101.04	19 550.2
65415	MR of the right wrist and hand pre and post contrast]		101.04	19 550.
65900	Nuclear Medicine study – bone limited/regional static	21.50	4 160.04	-	
65905	Nuclear Medicine study – bone limited static plus flow	27.53	5 326.78	-	
65910	Nuclear Medicine study - bone tomography regional	13,41	2 594,70	-	
	Soft Tissue			-	
69900	Nuclear medicine study – Tumour localisation planar, static Nuclear medicine study – Tumour localisation planar, static, multiple	20.74	4 012.98	-	
69905 69910	studies Nuclear medicine study – Tumour localisation planar, static and SPECT	35.17 34.15	6 805.04 6 607.68		
69915	Nuclear medicine study – Tumour localisation planar, static, multiple studies and SPECT	47.56	9 202.38	-	
69920	Nuclear medicine study – Infection localisation planar, static Nuclear medicine study – Infection localisation planar, static,	18.04	3 490.56	-	
69925 69930	multiple studies Nuclear medicine study – Infection localisation planar, static and SPECT	31.45	6 085.26 6 085.26		
69935	Nuclear medicine study – Infection localisation planar, static, multiple studies and SPECT	44.86	8 679.96	_	
69940	Nuclear medicine study – Regional lymph node mapping dynamic Nuclear medicine study – Regional lymph node mapping, static,	6.02	1 164.81	-	
69945	planar	24.10	4 663.11	-	
69950	Nuclear medicine study – Regional lymph node mapping, static, planar, multiple	37.51	7 257.81	-	
69955	Nuclear medicine study – Regional lymph node mapping SPECT Nuclear medicine study – Lymph node localisation with gamma	13.41	2 594.70	-	
69960	probe Lower Limbs	13.41	2 594.70	-	
	General				

				025 - Nuclear Medicine		038 - R	adiology
				U	R	U	R
						\neg	
		- 1					
	Code 70100 (stress) is a stand alone study and may not be						
	combined with other codes.			1	[- 1	
	Code 70110 (tomography) may be combined with any one of the defined regional x-ray studies of the lower limb. Motivation may be						
	required for more than one regional tomographic study per visit.						
	Code 70200 (U/S) may only be billed once per visit.	1					
	Code 70300 ((CT) limited study – limited to a small region of	- 1			- 1		
	interest eg part of condyle of the knee. Codes 70310 and 70320 (CT anglography) may not be combined.	- 1					
	Seeded Foot of and Foot of angles apply/ may flow of demander	i					
	Code 70400 (MR limited) may only be used once per visit.						
	Code 70410 and 70420 (MR angiography) may not be combined.			- 1	•		
0100	X-ray lower limbs - any region- stress studies only	1			- 1	4.52	874,
0110	X-ray lower limbs - any region-tomography	i		-		4.30	832.0
0120	X-ray of the lower limbs full length study			-	-	6.46	1 249.9
0200	Ultrasound lower limb - soft tissue - any region	- 1		-	.	7.38	1 427.
0040	Ultrasound of the peripheral arterial system of the left leg including B mode, pulse and colour Doppler					40.04	2 639.
0210	Ultrasound of the peripheral arterial system of the right leg including			_		13.64	2 639.
0220	B mode, pulse and colour Doppler			-		13.64	2 639.
	Ultrasound peripheral venous system lower limbs including pulse	i					
0230	and colour doppler for deep vein thrombosis			-	-	13.64	2 639.
	Ultrasound peripheral venous system lower limbs including pulse		80				
	and colour doppler in erect and supine position including all			1			
	compression and reflux manoeuvres, deep and superficial systems					40.00	
0240	bilaterally			-		19,66	3 804.
0300	CT of the lower timbs limited study			-	-	9.50	1 838,
0310	CT angiography of the lower limb			- 1	-	79.43	15 368.
70320	CT angiography abdominal aorta and outflow lower limbs			-		98.34	19 027
70400	MR of the lower limbs firnited study			- 1	-	46.40	8 977
70410	MR angiography of the lower limb			-	-	76.66	14 832
70420	MR angiography of the abdominal aorta and lower limbs			-	•	118.86	22 998
70500	Angiography of pelvic and lower limb arteries unilateral			-	-	40.59	7 853
70505	Angiography of pelvic and lower limb arteries bilateral			- 1	-	75.92	14 689
70510	Anglography of abdominal aorta, pelvic and lower limb vessels unilateral			1 -		61.23	11 847
	Angiography of abdominal aorta, pelvic and lower limb vessels					01.20	
70515	bilateral			-		85.66	16 574
70520	Angiography translumbar aorta with full peripheral study			-		45.68	8 838
70530	Venography, antegrade of lower limb veins, unilateral			-	-0	25.46	4 926
70535	Venography, antegrade of lower limb veins, bilateral			-	*	49.43	9 564
70540	Venography, retrograde of lower limb veins, unilateral			-		31.17	6 031
70545	Venography, retrograde of lower limb veins, bilateral			-	-	56.79	10 988
70560	Lymphangiography, lower limb, unilateral			-		51.04	9 875
70565	Lymphangiography, lower limb, bilateral			-		83.97	16 247
70900	Nuclear medicine study Venogram lower limb			37.12	7 182.35		
	Femur			-	-		
71100	X-ray of the left femur			-		2.94	568
71105	X-ray of the right femur			-	-	2.94	568
71300	CT of the left femur		i	_		24.52	4744
71305	CT of the right femur			-		24.52	4744
71310	CT of the left upper leg contrasted				-	41.83	8 093
71315	CT of the right upper leg contrasted			-	-	41.83	8 093
71320	CT of the left upper leg pre and post contrast				-	49.71	9 618
71325	CT of the right upper leg pre and post contrast			-	_	49.71	9 618
71400	MR of the left upper leg			-	-	64.80	12 538
71405	MR of the right upper leg					64.80	12 538
71410	MR of the left upper leg pre and post contrast					102.04	19 743
71415	MR of the right upper leg pre and post contrast			-		102.04	19 74
71900	Nuclear Medicine study – bone limited/regional static			21.50	4 160.04	102.04	.5,4
71905	Nuclear Medicine study – Bone limited static plus flow			27.53	5 326.78		
71910	Nuclear Medicine study – Bone tomography regional			13.41	2 594.70		
, 1310	Table a model of day - Done to mography regional		1	10.41	2 034.70	1	1

			025 - Nuc Medicine			038 - F	Radiolog
			U		R	U	R
	Codes 72140 and 72145 (patella) may not be added to 72100, 72105, 72110, 72115, 72130, 72135 (knee views) Code 72160 (arthrography) includes fluoroscopy and introduction of contrast (00140 may not be added). Code 72170 (introduction of contrast) may be combined with 72300 and 72305 (CT) or 72400 and 72405 (MR). The combination of 72160 (arthrography) and 72300 and 72305 (CT) or 72400 and						
	72405 (MR) is not supported except in exceptional circumstances						
70400	with motivation.			-	-		
72100 72105	X-ray of the left knee one or two views X-ray of the right knee one or two views	1			-	2.77	53
72110	X-ray of the left knee, more than two views			- 11		3.32	53 64
72115	X-ray of the right knee, more than two views	- 1			1	3.32	64
72120	X-ray of the left knee including patella			-	-	4.62	89
72125	X-ray of the right knee including patella		1	-		4.62	89
72130	X-ray of the left knee with stress views			-		5.82	1 12
72135	X-ray of the right knee with stress views	- 1		-	-	5.82	1 12
72140	X-ray of left patella			-	-	2.77	53
72145	X-ray of right patella			-	-	2.77	53
72150	X-ray both knees standing – single view	ı	l	-	.	2.80	54
72160	X-ray arthrography knee joint including introduction of contrast			~		15.81	3 05
72170	X-ray guidance and introduction of contrast into knee joint only	- 1		-	1-	7.41	1 43
72200	Ultrasound of the left knee joint			-	•	6.50	1 25
72205	Ultrasound of the right knee joint			-		6.50	1 25
72300	CT of the left knee			-	-	24.52	474
72305	CT of the right knee			-		24.52	474
72310	CT of the left knee complete study with 3D reconstructions			-	-	35.93	6 95
72315	CT of the right knee complete study with 3D reconstructions			-	-	35.93	6 95
72320	CT of the left knee contrasted			-	-	41.83	8 09
72325	CT of the right knee contrasted			-	-	41.83	8 09
72330	CT of the left knee pre and post contrast			-	-	49.76	9 62
72335	CT of the right knee pre and post contrast			-	-	49.76	9 62
72400	MR of the left knee			-	•	64.10	12 40
72405	MR of the left knee		i	-	-	64.10	12 40
72410	MR of the left knee pre and post contrast			-		100.84	19 5
72415 72900	MR of the right knee pre and post contrast Nuclear Medicine study – Bone limited/regional static			21.50	4 160.04	100,84	19 5
72905	Nuclear Medicine study – Bone limited static plus flow	i		27.53	5 326.78		
72910	Nuclear Medicine study – Bone tomography regional			13.41	2 594.70		
/2010	Lower Leg			-	2 004.70		
73100	X-ray of the left lower leg			_		2.94	5
73105	X-ray of the right lower leg			- [2.94	5
73300	CT of the left lower leg			-		24.52	47
73305	CT of the right lower leg			-		24.52	47
73310	CT of the left lower leg contrasted			-		41.83	8.0
73315	CT of the right lower leg contrasted			-		41.83	8 0
73320	CT of the left lower leg pre and post contrast			- 1		49.71	96
73325	CT of the right lower leg pre and post contrast			-		49.71	96
73400	MR of the left lower leg			- [64.20	12 4
73405	MR of the right lower leg			-		64.20	12 4
73410	MR of the left lower leg pre and post contrast			-		102.04	197
73415	MR of the right lower leg pre and post contrast			-		102.04	197
73900	Nuclear Medicine study – bone limited/regional static			21.50	4 160.04		
73905	Nuclear Medicine study – bone limited static plus flow			27.53	5 326.78		
73910	Nuclear Medicine study bone tomography regional			13.41	2 594.70		
	Ankle and Foot Code /4145 (toe) may not be combined with /4120 or /4125 (foot).			-			
	Code 71450 (sesamoid bones) may be combined with 74120 or 74125 (foot) if requested. Codes 74120 and 74125 (foot) may only be combined with 74130 and 74125 (response) if specifically requested.						
	and 74135 (calcaneus) if specifically requested. Code 74160 (arthrography) includes fluoroscopy and introduction of contrast (00140 may not be added). Code 74170 (introduction of contrast) may be combined with 74300						
	and 74305 (CT) or 74400 and 74405 (MR). The combination of						
	74160 (arthrography) and 74300 and 74305 (CT) or 74400 and			-	-		
74100	X-ray of the left ankle			-		3.32	
	N 411 14						
74105 74110	X-ray of the right ankle X-ray of the left ankle with stress views			-	-	3.32 4.52	

			025 - Nuclear Medicine		038 - 1	Radiology
			U	R	U	R
4120	X-ray of the left foot		-		2.80	541.7
4125	X-ray of the right foot		-	-	2.80	541.7
4130	X-ray of the left calcaneus				2.74	530.1
4135	X-ray of the right calcaneus				2.74	530.1
4140	X-ray of both feet standing - single view		-		2.80	541.7
4145	X-ray of a toe		-		2.67	516.6
4150	X-ray of the sesamoid bones one or both sides				2.80	541.7
4160	X-ray arthrography ankle joint including introduction of contrast				15.91	3 078.4
4170	X-ray guidance and introduction of contrast into ankle joint				7.41	1 433.7
4210	Ultrasound of the left ankle				6.50	1 257.6
4215	Ultrasound of the right ankle			,	6.50	1 257.6
4220	Ultrasound of the left foot				6.50	1 257.0
4225	Ultrasound of the right foot		1 1		6.50	
4290	Ultrasound bone densitometry		1 1	-		1 257.6
4300	CT of the left ankle/foot				2.04	394.
4305				- 1	24.52	4 744.
4310	CT of the left ankle/foot		-	-	24.52	4 744.
	CT of the left ankle/foot – complete with 3D recon		1 -1		37.81	7 315.
4315	CT of the right ankle/foot complete with 3D recon	İ	-	-	37.81	7 315.
4320	CT of the left ankle/foot contrasted		-	,	41.83	8 093,
4325	CT of the right ankle/foot contrasted	ĺ	-		41.83	8 093.
4330	CT of the left ankle/foot pre and post contrast		-	-	49.71	9 618.
4335	CT of the right ankle/foot pre and post contrast	1	-	•	49.71	9 618.
4400	MR of the left ankle		-		64.10	12 402.
4405	MR of the right ankle	[- 1	-	64.10	12 402.
4410	MR of the left ankle pre and post contrast			-	100.64	19 472.
4415	MR of the right ankle pre and post contrast	- 1	-	-	100.64	19 472.
4420	MR of the left foot		-	-	64.20	12 422,
4425	MR of the right foot		-		64.20	12 422.
4430	MR of the left foot pre and post contrast		-	-	102.04	19 743.
4435	MR of the right foot pre and post contrast		-	-	102.04	19 743.
4900	Nuclear Medicine study - Bone limited/regional static		21.50	4 160.04		
4905	Nuclear Medicine study - Bone limited static plus flow	1	27.53	5 326.78		
74910	Nuclear Medicine study Bone tomography regional		13.41	2 594,70		
	Soft Tissue					
79900	Nuclear Medicine study – Tumour localisation planar, static Nuclear Medicine study – Tumour localisation planar, static, multiple		20.74	4 012.98	-	
9905	studies Nuclear Medicine study – Tumour localisation planar, static and		35.17	6 805.04	-	
79910	SPECT		34.15	6 607.68	- 1	
79915	Nuclear Medicine study – Tumour localisation planar, static, multiple studies & SPECT		47.66	0.202.20		
79920	Nuclear Medicine study – Infection localisation planar, static		47.56	9 202.38	1	
3320	Nuclear Medicine study – Infection localisation planar, static Nuclear Medicine study – Infection localisation planar, static,		18.43	3 566.02	1	
79925	multiple studies Nuclear Medicine study – Infection localisation planar, static and		31.84	6 160.72	-	
79930	SPECT Nuclear Medicine study – Infection localisation planar, static,		31.84	6 160.72	-	
79935	multiple studies and SPECT		45.25	8 755.42	-	
79940	Nuclear Medicine study – Regional lymph node mapping dynamic Nuclear Medicine study – Regional lymph node mapping, static,		6.02	1 164.81	-	
79945	planar Nuclear Medicine study – Regional lymph node mapping, static,		24.10	4 663,11	~	
79950 79955	planar, multiple studies Nuclear Medicine study ~ Regional lymph node mapping and SPECT		37.51	7 257.81	1	
79960	Nuclear Medicine study – Lymph node localisation with gamma probe		13.41	2 594.70 2 594.70		
	Intervention		13.41	2 334.70		

	Codes 80600, 80605, 80610, 80620, 80630, 81660, 81680, 82600, 84660, 85640, 85645, 86610, 85615, 86620, 86630, (aspiration / biopsy / ablations etc) may be combined with the relevant guidance codes (fluoroscopy, ultrasound, CT, MR) as previously described. The machine codes 00510, 00520, 00530, 00540, 00550, 00560 may not be combined with these codes. It ultrasound guidance (00230) is used for a procedure which also attracts one of the machine codes (00510, 00520, 00530, 00540, 00550, 00560), it may not be billed for separately. Codes 80640, 80645, 87682, 87683 include fluoroscopy. Machine fees may not be added. All other interventional procedures are complete unique procedures describing a whole comprehensive procedure and combinations of different codes will only be supported when motivated. Percutaneous abscess, cyst drainage, any region Fine needle aspiration biopsy, any region Turmour/cyst ablation chemical		U	R	U	R
0600 0605 0610 0620 0630	84660, 85640, 85645, 86610, 86615, 86620, 86630, (aspiration / biopsy / ablations etc) may be combined with the relevant guidance codes (fluoroscopy, ultrasound, CT, MR) as previously described. The machine codes 00510, 00520, 00530, 00540, 00550, 00560 may not be combined with these codes. If ultrasound guidance (00230) is used for a procedure which also attracts one of the machine codes (00510, 00520, 00530, 00540, 00550, 00560), it may not be billed for separately. Codes 80640, 80645, 87682, 87683 include fluoroscopy. Machine fees may not be added. All other interventional procedures are complete unique procedures describing a whole comprehensive procedure and combinations of different codes will only be supported when motivated. Percutaneous abscess, cyst drainage, any region Fine needle aspiration biopsy, any region Turmour/cyst ablation chemical			-		
0600 0605 0610 0620 0630 0640	84660, 85640, 85645, 86610, 86615, 86620, 86630, (aspiration / biopsy / ablations etc) may be combined with the relevant guidance codes (fluoroscopy, ultrasound, CT, MR) as previously described. The machine codes 00510, 00520, 00530, 00540, 00550, 00560 may not be combined with these codes. If ultrasound guidance (00230) is used for a procedure which also attracts one of the machine codes (00510, 00520, 00530, 00540, 00550, 00560), it may not be billed for separately. Codes 80640, 80645, 87682, 87683 include fluoroscopy. Machine fees may not be added. All other interventional procedures are complete unique procedures describing a whole comprehensive procedure and combinations of different codes will only be supported when motivated. Percutaneous abscess, cyst drainage, any region Fine needle aspiration biopsy, any region Turmour/cyst ablation chemical			-		
0600 0605 0610 0620 0630 0640	84660, 85640, 85645, 86610, 86615, 86620, 86630, (aspiration / biopsy / ablations etc) may be combined with the relevant guidance codes (fluoroscopy, ultrasound, CT, MR) as previously described. The machine codes 00510, 00520, 00530, 00540, 00550, 00560 may not be combined with these codes. If ultrasound guidance (00230) is used for a procedure which also attracts one of the machine codes (00510, 00520, 00530, 00540, 00550, 00560), it may not be billed for separately. Codes 80640, 80645, 87682, 87683 include fluoroscopy. Machine fees may not be added. All other interventional procedures are complete unique procedures describing a whole comprehensive procedure and combinations of different codes will only be supported when motivated. Percutaneous abscess, cyst drainage, any region Fine needle aspiration biopsy, any region Turmour/cyst ablation chemical			-		
0600 0605 0610 0620 0630 0640	biopsy / ablations etc) may be combined with the relevant guidance codes (fluoroscopy, ultrasound, CT, MR) as previously described. The machine codes 00510, 00520, 00530, 00540, 00550, 00560 may not be combined with these codes. If ultrasound guidance (00230) is used for a procedure which also attracts one of the machine codes (00510, 00520, 00530, 00540, 00550, 00560), it may not be billed for separately. Codes 80640, 80645, 87682, 87683 include fluoroscopy. Machine fees may not be added. All other interventional procedures are complete unique procedures describing a whole comprehensive procedure and combinations of different codes will only be supported when motivated. Percutaneous abscess, cyst drainage, any region Cutting needle, trochar biopsy, any region Tumour/cyst ablation chemical			-		
0600 0605 0610 0620 0630	codes (fluoroscopy, ultrasound, CT, MR) as previously described. The machine codes 00510, 00520, 00530, 00540, 00550, 00560 may not be combined with these codes. It ultrasound guidance (00230) is used for a procedure which also attracts one of the machine codes (00510, 00520, 00530, 00540, 00550, 00560), it may not be billed for separately. Codes 80640, 80645, 87682, 87683 include fluoroscopy. Machine fees may not be added. All other interventional procedures are complete unique procedures describing a whole comprehensive procedure and combinations of different codes will only be supported when motivated. Percutaneous abscess, cyst drainage, any region Fine needle aspiration biopsy, any region Cutting needle, trochar biopsy, any region Tumour/cyst ablation chemical			-		
0600 0605 0610 0620 0630	The machine codes 00510, 00520, 00530, 00540, 00550, 00560 may not be combined with these codes. It ultrasound guidance (00230) is used for a procedure which also attracts one of the machine codes (00510, 00520, 00530, 00540, 00550, 00560), it may not be billed for separately. Codes 80640, 80645, 87682, 87683 include fluoroscopy. Machine fees may not be added. All other interventional procedures are complete unique procedures describing a whole comprehensive procedure and combinations of different codes will only be supported when motivated. Percutaneous abscess, cyst drainage, any region Fine needle aspiration biopsy, any region Cutting needle, trochar biopsy, any region Tumour/cyst ablation chemical			-		
0600 0605 0610 0620 0630	may not be combined with these codes. If ultrasound guidance (00230) is used for a procedure which also attracts one of the machine codes (00510, 00520, 00530, 00540, 00550, 00560), it may not be billed for separately. Codes 80640, 80645, 87682, 87683 include fluoroscopy. Machine fees may not be added. All other interventional procedures are complete unique procedures describing a whole comprehensive procedure and combinations of different codes will only be supported when motivated. Percutaneous abscess, cyst drainage, any region Fine needle aspiration blopsy, any region Cutting needle, trochar biopsy, any region Tumour/cyst ablation chemical			-		
0600 0605 0610 0620 0630	attracts one of the machine codes (00510, 00520, 00530, 00540, 00550, 00560), it may not be billed for separately. Codes 80640, 80645, 87682, 87683 include fluoroscopy. Machine fees may not be added. All other interventional procedures are complete unique procedures describing a whole comprehensive procedure and combinations of different codes will only be supported when motivated. Percutaneous abscess, cyst drainage, any region Fine needle aspiration biopsy, any region Cutting needle, trochar biopsy, any region Tumour/cyst ablation chemical			-		
0600 0605 0610 0620 0630	00550, 00560), it may not be billed for separately. Codes 80640, 80645, 87682, 87683 include fluoroscopy. Machine fees may not be added. All other interventional procedures are complete unique procedures describing a whole comprehensive procedure and combinations of different codes will only be supported when motivated. Percutaneous abscess, cyst drainage, any region Fine needle aspiration biopsy, any region Cutting needle, trochar biopsy, any region Tumour/cyst ablation chemical			-		
0600 0605 0610 0620 0630	Codes 80640, 80645, 87682, 87683 include fluoroscopy. Machine fees may not be added. All other interventional procedures are complete unique procedures describing a whole comprehensive procedure and combinations of different codes will only be supported when motivated. Percutaneous abscess, cyst drainage, any region Fine needle aspiration blopsy, any region Cutting needle, trochar biopsy, any region Tumour/cyst ablation chemical			-		
0600 0605 0610 0620 0630	fees may not be added. All other interventional procedures are complete unique procedures describing a whole comprehensive procedure and combinations of different codes will only be supported when motivated. Percutaneous abscess, cyst drainage, any region Fine needle aspiration biopsy, any region Cutting needle, trochar biopsy, any region Tumour/cyst ablation chemical		-	-		
0600 0605 0610 0620 0630	All other interventional procedures are complete unique procedures describing a whole comprehensive procedure and combinations of different codes will only be supported when motivated. Percutaneous abscess, cyst drainage, any region Fine needle aspiration biopsy, any region Cutting needle, trochar biopsy, any region Tumour/cyst ablation chemical			-		
0605 0610 0620 0630	different codes will only be supported when motivated. Percutaneous abscess, cyst drainage, any region Fine needle aspiration blopsy, any region Cutting needle, trochar biopsy, any region Tumour/cyst ablation chemical			-		
0605 0610 0620 0630	Percutaneous abscess, cyst drainage, any region Fine needle aspiration biopsy, any region Cutting needle, trochar biopsy, any region Tumour/cyst ablation chemical			-		
0605 0610 0620 0630	Fine needle aspiration biopsy, any region Cutting needle, trochar biopsy, any region Tumour/cyst ablation chemical		-		1	
0610 0620 0630 0640	Cutting needle, trochar biopsy, any region Turnour/cyst ablation chemical	- 1		-	9.37	1 813.0
0620 0630 0640	Turnour/cyst ablation chemical			-	4.22	816.5
0630 0640		- 1			6.36	1 230.6
0630 0640					25.37	4 908.8
0640	Tumour ablation radio frequency, per lesion		1 .		21.21	4 103.9
		- 1		1		
)645	Insertion of CVP fine in radiology suite		~		8.99	1 739.4
	Peripheral central venous line insertion			-	12.12	2 345,1
0650	Infiltration of a peripheral joint, any region		-	-	6.40	1 238.3
	May be combined with relevant guidance (fluoroscopy, ultrasound,					
	CT and MR). May not be combined with machine codes 00510,		1			
	00520, 00530, 00540, 00550, 00560 or 86610 (facet joint or SI joint) or arthrogram codes.					
	Neuro intervention		-	-		
1600	Intracranial aneurysm occlusion, direct		-	•	214.52	41 507.4
1605	Intracranial arteriovenous shunt occlusion	1	-	-	254.82	49 305.
1610	Dural sinus arteriovenous shunt occlusion	- 1	-	-	264.33	51 145.
1615	Extracranial arteriovenous shunt occlusion		~	-	157.28	30 432.
1620	Extracranial arterial embolisation (head and neck)		-	-	163.12	31 562,
1625	Caroticocavernous fistula occlusion		-		192.29	37 206.
1630	Intracranial angioplasty for stenosis, vasospasm				126.92	24 557.
1632	Intracranial stent placement (including PTA)				133.72	25 873.
1635	Temporary balloon occlusion test	1	_	-	83.42	16 140.
	Code 81635 does not include the relevant preceding diagnostic study and may be combined with codes 10500, 10510, 10530,				1 1	
	10540, 10550.					
	Permanent carotid or vertebral artery occlusion (including occlusion					
1640	test)		-		178.18	34 476.
1645	Intracranial aneurysm occlusion with balloon remodelling		-		216.35	41 861.
1650	Intracranial aneurysm occlusion with stent assistance				230.45	44 589.
1655	Intracranial thrombolysis, catheter directed				58.94	11 404.
1000	Code 81655 may be combined with any of the other neuro	1	1 -	1	30,84	11 404,
	interventional codes 81600 to 81650		_			
1660	Nerve block, head and neck, per level				7.66	1 482.
					1 1	
11665	Neurolysis, head and neck, per level				20.14	3 896.
11670	Nerve block, head and neck, radio frequency, per level				19.04	3 684
31680	Nerve block, coeliac plexus or other regions, per level		-	-	9.28	1 795
	Thorax					
32600	Chest drain insertion		-	1 -	8.82	1 706
32605	Trachial, bronchial stent insertion	1 1			30.36	5 874
	Gastrointestinal	1 1	-			
33600	Oesophageal stent insertion	i I			31.22	6 040
33605	GIT balloon dilation				24.36	4 713
		1 1				
33610	GIT stent insertion (non-oesophageal)				32.02	6 195
33615	Percutaneous gastrostorny, jejunostomy		,	-	25.36	4 906
	Hepatobiliary		'	1 -		
84600	Percutaneous biliary drainage, external		-	-	33.98	6 574
84605	Percutaneous external/internal biliary drainage			+ +	37.21	7 199
84610	Permanent biliary stent insertion				51.22	9 910
84615	Drainage tube replacement				20.22	1
84620	Percutaneous bite duct storie or foreign object removal				49.98	
84625	Percutaneous gall bladder drainage				29.58	
84630	Percutaneous gallstone removal, including drainage				69,25	
84635	Transjugular liver biopsy			1 -	24.93	
84640	Transjugular intrahepatic Portosystemic shunt				119.47	23 116
84645	Transhepatic Portogram including venous sampling, pressure studies				81.89	15 844

			025 - Nuclear Medicine		038 - R	adiology
			U	R	U	R
4650	Transhepatic Portogram with embolisation of varices		-		100.81	19 505.
34655	Percutaneous hepatic tumour ablation		-	-	15,68	3 033.
34660	Percutaneous hepatic abscess, cyst drainage		-		13.20	2 554.
34665	Hepatic chemoembolisation		-		59.44	11 501.
34670	Hepatic arterial infusion catheter placement		-	-	60.30	11 667
	Urogenital					
35600	Percutaneous nephrostomy, external drainage		= 1		29.97	5 798
85605	Percutaneous double J stent insertion including access	- 1	-1	-	40.82	7 898
		-	1 1			
85610	Percutaneous renal stone, foreign body removal including access	-	-	-	66.79	12 923
85615	Percutaneous nephrostomy tract establishment				29.27	5 663
85620	Change of nephrostomy tube		-1 -1	-	15.90	3 076
85625	Percutaneous cystostomy		-	-	16.52	3 196
85630	Urethral balloon dilatation		-		14.24	2 755
85635	Urethral stent insertion		-		31,22	6 040
85640	Renal cyst ablation		-		11.92	2 306
85645	Renal abscess, cyst drainage				15.16	2 933
85655	Fallopian tube recanalisation		-		45.06	8 718
20000	Spinal					
86600	Spinal vascular malformation embolisation			-	275.16	53 240
	-				22.30	4 314
86605	Vertebroplasty per level				9.54	1 845
86610	Facet joint block per level, uni- or bilateral Code 86610 may only be billed once per level, and not per left and		1		3.54	104
	right side per level		-		i 1	
86615	Spinal nerve block per level, uni- or bilateral			_	8.16	1 57
86620	Epidural block				9.42	1 82
					18.32	3 54
86625	Chemonucleolysis, including discogram				11.60	2 24
86630	Spinal nerve ablation per level Vascular			-	11.00	2 24
	following the initial procedure, 87650 (thrombolysis). If a balloon angioplasty and / or stent placement is performed at more that one defined anatomical site at the same sitting the relevant codes may be combined. However multiple balloon dilatations or stent placements at one defined site will only attract one procedure code.			_		
				1	56.56	10 94
87600	Percutaneous transluminal angioplasty: aorta, IVC			-	55.76	10 78
87601	Percutaneous transluminal angioplasty: iliac			_		
87602	Percutaneous transluminal angioplasty: femoropopliteal				60.16	
87603	Percutaneous transluminal angioplasty: subpopliteal		1		73.34	14 19
87604	Percutaneous transluminal angioplasty: brachiocephalic				67.12	
87605	Percutaneous transluminal angioplasty: subclavian, axillary		1 1		60.16	1
87606	Percutaneous transluminal angioplasty: extracranial carotid		-	1	71.62	
87607	Percutaneous transluminal angioplasty: extracranial vertebral		-		73.30	
87608	Percutaneous transluminal angioplasty: renal	15.	-		87.69	
87609	Percutaneous transluminal angioptasty: coeliac, mesenteric		-	-	87.69	
87620	Aorta stent-graft placement			-	120.75	
87621	Stent insertion (including PTA): aorta, IVC		-		73.87	
87622	Stent insertion (including PTA): iliac		-	-	76.37	
87623	Stent insertion (including PTA): femoropopliteal		-		77.97	15 0
87624	Stent insertion (including PTA); subpopliteal		-		84.55	16 3
87625	Stent insertion (including PTA): brachiocephalic				98.47	190
87626	Stent insertion (including PTA): subclavian, axillary		-	-	86.69	167
87627	Stent insertion (including PTA); extracranial carotid		-	-	106.99	20 7
87628	Stent insertion (including PTA): extracranial vertebral		-	-	100.55	19 4
87629	Stent insertion (including PTA): renal			-	98.59	190
87630	Stent insertion (including PTA): coeliac, mesenteric				98.59	
87631	Stent-graft placement: iliac				76.3	
1	Stent-graft placement: femoropopliteal				77.9	
87632					98.4	
87633	Stent-graft placement; brachiocephalic				82.7	
87634	Stent-graft placement: subclavian, axillary					
87635	Stent-graft placement: extracranial carotid				120.4	
87636	Stent-graft placement; extracranial vertebral				114.7	
87637	Stent-graft placement: renal			1 .	98.5	
87638	Stent-graft placement: coellac, mesenteric			-	98.5	
87650	Thrombolysis in angiography suite, per 24 hours				45.8	2 8

			-	Medical or Oncologist	and C	pecialists Seneral titioner	ľ	Anaesthe	etic
		\perp	Ü	R	U	R	U	R	T
20.	RADIATION ONCOLOGY The amounts in this section are calculated according to the Radiation Oncology unit values (unless otherwise specified)								
20.10	Chemotherapy								
	Chemotherapy treatment (not in chemotherapy facilities)		ĺ						
	Note: When patients are not treated in chemotherapy facilities, items 0213, 0214 and 0215 are used instead of items 5790-5795								
	The amounts in this section are calculated according to the Clinical Procedure unit values								
0213	Treatment with cytostatic agents: Administering of chemotherapy: Intramuscular or subcutaneous: Per injection. For use by providers who do not make use of recognised chemotherapy facilities and/or who are not primarily responsible for managing the chemotherapy treatment. For use by medical practiioners who do not make use of recognised chemotherapy facilities or are not responsible for managing the chemotherapy treatment (Applicable for RMA clients)		5	156.05	5	156.05			
0214	Intravenous treatment with cytostatic agents: Administering of chemotherapy: Intravenous bolus technique: Per injection. For use by providers who do not make use of recognised chemotherapy facilities and/or who are not primarily responsible for managing the chemotherapy treatment For use by medical practioners who do not make use of recognised chemotherapy facilities or are not responsible for managing the chemotherapy treatment. (Applicable for RMA clients)		9	280.89	9	280.89			
0215	Intravenous treatment with cytostatic agents: Administering of chemotherapy: Intravenous infusion technique: Per injection. For use by providers who do not make use of recognised chemotherapy facilities and/or who are not primarily responsible for managing the chemotherapy treatment For use by medical practitioners who do not make use of recognised chemotherapy facilities or are not responsible for managing the chemotherapy treatment. (Applicable for RMA clients)		14	436.94	14	436.94			
5782	Isotope therapy: Administration of low dose surface applicators up to five applications. Typically an out patient procedure. Material is not included		77.81	2 428,45	62.25	1 942.76			
5783	Infusional pharmacotherapy: Item to be used for the treatment of non cancerous conditions with bolus or infusional pharmacotherapy per treatment day (consultations to be code		42.65	1 331.11	42.65	1 331.11			
5790	separately) Non Infusional Chemotherapy: Global Fee for the management of and for related services delivered in the treatment of cancer with oral chemotherapy or hormonal therapy (per cycle), intramuscular (IMI), suboutaneous, intrathecal or bolus chemotherapy or oncology related drug administration per treatment day - for exclusive use by doctors with appropriate oncology training (consultations to be charged separately)		42,95	1 340.47	42.95	1 340.47			

			-	Medical or Oncologist	and C	pecialists Seneral titioner	,	Anaesth	etic
		-	Ù T	R	υĪ	R	U	R	T
20.	RADIATION ONCOLOGY Non infusional Chemotherapy Facility Fee: A facility where oncology medicines are procured or scripted for oral chemotherapy, intramuscular (IMI), subcutaneous, intrathecal or bolus chemotherapy, per treatment day. This fee is chargeable by doctors with appropriate oncology training who owns or rents the facility, and by others e.g. hospitals or clinics that provide the services as per the appropriate billing structure. Said facilities are to be accredited under the auspices of SASMO and/or SASCRO (to be used in conjunction with item 5790) - only one of the parties are to charge this fee		24.49	764.33	24.49	764.33			
5792	Non Infusional Chemotherapy Facility Fee: A facility where oncology medicines are purchased, stored and dispensed during oral chemotherapy or hormonal therapy (per cycle), intramuscular (IMI), subcutaneous, intrathecal or bolus chemotherapy per treatment day. This fee is chargeable by doctors with appropriate oncology training who owns or rents the facility, and by others e.g. hospitals or clinics that provide the services as per the appropriate billing structure. These facilities are to be accredited under the auspices of SASMO and/or SASCRO (to be used in conjunction with item 5790) - only one of the parties are to charge this fee		30.61	955.34	30.61	955.34			
5793	Infusional Chemotherapy: Global fee for the management of and for services delivered during infusional chemotherapy per treatment day for exclusive use by doctors with appropriate oncology training using recognised chemotherapy facilities (consultations to be charged separately)		159.47	4 977.06	127.58	3 981.77			
5794	Infusional Chemotherapy Facility Fee: A facility where oncology medicines are procured, stored, admixed and administered, and in which appropriately-trained medical, nursing and support staff are in attendance. This fee is chargeable by doctors with appropriate oncology training who owns or rents the facility, and by others e.g. hospitals or clinics that provide the services as per the appropriate billing structure. Said facilities are to be accredited under the auspices of SASMO and/or SASCRO (to be used in conjunction with item 5793) - only one of the parties are to charge this fee		90.03	2 809.84	90.03	2 809.84			
5795	Infusional Chemotherapy Facility Fee: A facility where encology medicines are purchased, stored, dispensed, admixed and administered and in which appropriately-trained medical, nursing and support staff are in attendance. This fee is chargeable by doctors with appropriate encology training who owns or rents the facility, and by others e.g. hospitals or clinics that provide the services as per the appropriate billing structure. These facilities are to be accredited under the auspices of SASMO and/or SASCRO (to be used in conjunction with item 5793) - only one of the parties are to charge this fee		112.54	3 512.37	112.54	3 512.37			
20.11 20.11.1 5801	Radiation Therapy Manual Radiotherapy Planning Procedures Manual Radiotherapy Planning Procedures: No Simulation, Limited Graphic Planning, Single Volume of Interest - PROFESSIONAL		42.56	1 328.30					
5601	COMPONENT Manual Radiotherapy Planning Procedures: No Simulation, Limited Graphic Planning, Single Volume of Interest -TECHNICAL COMPONENT		99.32	3 099.78					
5802	Manual Radiotherapy Planning Procedures: No Simulation, Limited Graphic Planning, Multiple Volumes of Interest - PROFESSIONAL COMPONENT		56.18	1 753.38					
5602	Manual Radiotherapy Planning Procedures: No Simulation, Limited Graphic Planning, Multiple Volumes of Interest - TECHNICAL, COMPONENT		131.10	4 091.63					

				Medical or Oncologist	and	Specialists General ctitioner		Anaest	netic
		+	U	R	U	R	Ü	R	Т
0. 803	RADIATION ONCOLOGY Manual Radiotherapy Planning Procedures: No Simulation, Limited Graphic Planning, Special Technique - PROFESSIONAL COMPONENT		76.62	2 391.31					
603	Manual Radiotherapy Planning Procedures: No Simulation, Limited Graphic Planning, Special Technique - TECHNICAL COMPONENT		178.77	5 579.41					
0.11.2 808	Conventional Radiotherapy Planning Procedures Conventional Radiotherapy Planning: Simulation, Limited Graphic Planning, Single Volume of Interest - PROFESSIONAL COMPONENT		170.26	5 313.81					
808	Conventional Radiotherapy Planning: Simulation, Limited Graphic Planning, Single Volume of Interest - TECHNICAL COMPONENT		397.27	12 398.80					
5809	Conventional Radiotherapy Planning: Simulation, Limited Graphic Planning, Multiple Volumes of Interest - PROFESSIONAL COMPONENT		238.36	7 439.22					
5609	Conventional Radiotherapy Planning: Simulation, Limited Graphic Planning, Multiple Volumes of Interest - TECHNICAL COMPONENT		556.18	17 358.38					
5810	Conventional Radiotherapy Planning: Simulation, Limited Graphic Planning, Special Technique - PROFESSIONAL COMPONENT		297.95	9 299.02					
5610	Conventional Radiotherapy Planning: Simulation, Limited Graphic Planning, Special Technique - TECHNICAL COMPONENT		695.22	21 697.82					
20.11.3	Three Dimensional Radiotherapy Planning Procedures								
5820	Three Dimensional Radiotherapy Planning Procedures: 3-Dimensional Simulation and Graphic Planning, Single Volume of Interest - PROFESSIONAL COMPONENT (excludes imaging costs for CT and MRI)		240.23	7 497.68					
5620	Three dimensional radiotherapy planning procedures: 3-dimensional simulation and graphic planning, single volume of interest - TECHNICAL COMPONENT (excludes imaging costs for CT and MRI)		977.20	30 498.41					
5821	Three Dimensional Radiotherapy Planning Procedures: 3-Dimensional Simulation and Graphic Planning, Multiple Volumes of Interest - PROFESSIONAL COMPONENT (excludes imaging costs for CT and MRI)	ı	407.75	12 725.88					
5621	Three dimensional radiotherapy planning procedures: 3-dimensional simulation and graphic planning, multiple volumes of interest - TECHNICAL COMPONENT (excludes imaging costs for CT and MRI)		1 368.07	42 697.46					
5822	Three Dimensional Radiotherapy Planning Procedures: 3-Dimensional Simulation and Graphic Planning, Special Technique - PROFESSIONAL COMPONENT (excludes imaging costs for CT and MRI)	1	554.33	17 300.64					
5622	Three dimensional radiotherapy planning procedures: 3-dimensional simulation and graphic planning, special technique - TECHNICAL COMPONENT (excludes imaging costs for CT and MRI)		1 710.09	53 371.91					
20.11.4	Intensity Modulated Radiotherapy Planning Procedures								
5823	Intensity Modulated Radiotherapy Planning Procedures: Intensity Modulated Radiotherapy Simulation, Inverse Planning, Radical Cours PROFESSIONAL COMPONENT (excludes imaging costs for CT and MRI)		642.92	20 065.53					
5623	Intensity modulated radiotherapy (IMRT) planning procedures: Intens modulated radiotherapy simulation, inverse planning, radical course-TECHNICAL COMPONENT (excludes imaging costs for CT and MR		1 916.8	59 823,64					
5825	Intensity Modulated Radiotherapy Planning Procedures: Intensity Modulated Radiotherapy Simulation, Inverse Planning, Booster Volumes (not for use with other MRT planning codes) - PROFESSIONAL COMPONENT (excludes imaging costs for CT and MRI)	d	232.1	7 246.34					

		- 1	Specialist Medical or Radiation Oncologist		Radiation Oncologist and General Practitioner					itic
		#	Ü	R	U	R	U	R	T	
20. 5625	RADIATION ONCOLOGY Intensity modulated radiotherapy (IMRT) planning procedures: Intensity modulated radiotherapy simulation, inverse planning, booster volumes (not for use with other IMRT planning codes) - TECHNICAL COMPONENT (excludes imaging costs for CT and MRI)		958.40	29 911.66						
5826	Intensity Modulated Radiotherapy Planning Procedures: Intensity Modulated Radiotherapy Simulation, Inverse Planning, CT Scan with Magnetic Resonance Imaging or other Similar Imaging Fusion Techniques - PROFESSIONAL COMPONENT (excludes imaging costs for CT and MRI)		753.35	23 512.05						
5626	Intensity modulated radiotherapy (IMRT) planning procedures: Intensity modulated radiotherapy simulation, inverse planning, CT scan with magnetic resonance imaging or other similar imaging fusion techniques - TECHNICAL COMPONENT (excludes imaging costs for CT and MRI)		2 174.48	67 865.52						
20.11.5 5834	Kilovolt Radiation Treatment Kilovoltage Radiation Treatment: Weekly Treatment, Kilovolt or Similar per week or part thereof - PROFESSIONAL COMPONENT		49.08	1 531.79						
5634	Kilovoltage Radiation Treatment: Weekly Treatment, Kilovolt or Similar per week or part thereof - TECHNICAL COMPONENT		114.52	3 574.17						

			-	Medical or Oncologist	and	Specialists General ctitioner	,	Anaesthe	idestrictic	
		+	U I	R	U	R	U	R	Τ	
0.11.6	RADIATION ONCOLOGY Short course radiation treatment Short Course Radiation Treatment: Short course treatment, Single		-							
635	Volume of Interest - PROFESSIONAL COMPONENT Short Course Radiation Treatment: Short course treatment, Single		246.73	7 700.44						
836	Volume of Interest - TECHNICAL COMPONENT Short Course Radiation Treatment; Short course treatment, Multiple Volumes of Interest - PROFESSIONAL COMPONENT		148.04	4 620.33						
636	Short Course Radiation Treatment: Short course treatment, Multiple Volumes of Interest - TECHNICAL COMPONENT		345.41	10 780.25						
	Short Course Radiation Treatment: Short course Treatment, Special Technique - PROFESSIONAL COMPONENT		190.33	5 940.20						
	Short Course Radiation Treatment: Short course Treatment, Special Technique - TECHNICAL COMPONENT		44 4.11	13 860.67						
	Weekly radiation treatment sessions Conventional Techniques		i							
	Weekly Radiation Treatment Sessions - Conventional Techniques: Weekly Treatment, Single Volume of Interest - PROFESSIONAL COMPONENT		193.86	6 050.37						
	Weekly Radiation Treatment Sessions - Conventional Techniques: Weekly Treatment, Single Volume of Interest - TECHNICAL COMPONENT		452.33	14 117.22						
5840	Weekly Radiation Treatment Sessions - Conventional Techniques: Weekly Treatment, Multiple Volumes of Interest - PROFESSIONAL COMPONENT		246.73	7 700.44						
5640	Weekly Radiation Treatment Sessions - Conventional Techniques: Weekly Treatment, Multiple Volumes of Interest - TECHNICAL COMPONENT		575.69	17 967.28						
5841	Weekly Radiation Treatment Sessions - Conventional Techniques: Weekly Treatment, Special Technique - PROFESSIONAL COMPONENT		317.22	9 900.44						
5641	Weekly Radiation Treatment Sessions - Conventional Techniques: Weekly Treatment, Special Technique - TECHNICAL COMPONENT		740,18	23 101.02						
20.11.7.2	Advanced Techniques									
5849	Weekly Radiation Treatment Sessions - Advanced Techniques: Weekly Treatment, Multi Leaf Collimators, Single Volume of Interest - PROFESSIONAL COMPONENT		236.24	7 373.05						
5649	Weekly Radiation Treatment Sessions - Advanced Techniques: Weekly Treatment, Multi Leaf Collimators, Single Volume of Interest - TECHNICAL COMPONENT		551.21	17 203.26						
5850	Weekly Radiation Treatment Sessions - Advanced Techniques: Weekly Treatment, Multi Leaf Collimators, Multiple Volumes of Interest - PROFESSIONAL COMPONENT		330.73	10 322.08						
5650	Weekly Radiation Treatment Sessions - Advanced Techniques: Weekly Treatment, Multi Leaf Collimators, Multiple Volumes of Interest - TECHNICAL COMPONENT		771.71	24 085.07						
5851	Weekly Radiation Treatment Sessions - Advanced Techniques: Weekly Treatment, Multi Leaf Collimators, Special Technique - PROFESSIONAL COMPONENT		425.23	13 271.43						
5651	Weekly Radiation Treatment Sessions - Advanced Techniques: Weekly Treatment, Multi Leaf Collimators, Special Technique - TECHNICAL COMPONENT		992.19	30 966.25						
5854	Weekly Radiation Treatment Sessions - Advanced Techniques: Weekly Treatment, Intensity Modulated Radiotherapy - PROFESSIONAL COMPONENT		348.87	10 888.23						
5654	Weekly Radiation Treatment Sessions - Advanced Techniques: Weekly Treatment, Intensity Modulated Radiotherapy - TECHNICAL COMPONENT		814.03	25 405.88						
5855	Weekly Radiation Treatment Sessions - Advanced Techniques; Weekly Treatment, Total Body Radiotherapy or Similar - PROFESSIONAL COMPONENT		826.83	25 805.36						
5655	Weekly Radiation Treatment Sessions - Advanced Techniques: Weekly Treatment, Total Body Radiotherapy or Similar - TECHNICAL COMPONENT		1 929,26	60 212.20						

		Pat	hologist	and	Specialists General ctioners
		U	R	U	R
21.	PATHOLOGY				
	Notes: For fees for Histology and Cytology refer to items 4561 to 4595 under section 22: Anatomical Pathology				
	The amounts in this section are calculated according to the Clinical Pathology unit values				
21.1	Haematology				
3705	Alkali resistant haemoglobin	4.5	132.84	3	88.56
3709	Antiglobulin test (Coombs' or trypsinzied red cells)	3.65	107.75	2.45	72.32
3710	Antibody titration	7.2	212.54	4.8	141,70
3711	Ameth count	2.25	66.42	1.5	44.28
3712	Antibody identification	8.45	249,44	5.65	166.79
3713	Bleeding time (does not include the cost of the simplate device)	6.94	204.87	4.63	136.68
3715	Buffy Layer examination	19.9	587.45	13.27	391.73
3716	Mean Cell Volume	2.25	66.42	1.5	44.28
3717	Bone marrow cytological examination only	19.9	587.45	13.27	391.73
3719	Bone marrow: Aspiration	8.4	247.97	5.6	165.31
3720	Bone marrow trephine biopsy	32.6	962.35	21.7	640.58
3721	Bone marrow aspiration and trephine biopsy (excluding histological examination)	36.8	1 086.34	24.5	723.24
3722	Capillary fragility: Hess	2.02	59.63	1.35	39.85
3723	Circulating anticoagulants	5.85	172.69	3.9	115.13
3724	Coagulation factor inhibitor assay	57.56	1 699.17	38.37	1 132.68
3726	Activated protein C resistance	26	767.52	17.3	510.70
3727	Coagulation time	3.16	93.28	2.11	62.29
3728	Anti-factor Xa Activity	53.6	1 582.27	35.73	1 054.75
3729	Cold agglutinins	3.6	106.27	2.4	70.85
3730 3731	Protein S: Functional	37.5	1 107.00	25	738.00
3734	Compatability for blood transfusion	3.6	106.27	2.4	70.85
3739	Protein C (chromogenic) Erythrocyte count	30.29	894.16	20,19	596.01
3740	Factors V and VII: Qualitative	2.25	66.42 212.54	1.5	44.28
3741	Coagulation factor assay: functional	7.2 9.45	278.96	4.8 6.3	141.70 185.98
3742	Coagulation factor assay: Immunological	4.5	132.84	0.3	185.98 88.56
3743	Erythrocyte sedimentation rate	2.5	73,80	1.67	49.30
3744	Fibrin stabilising factor (urea test)	4.5	132.84	3	88.56
3746	Fibrin monomers	2.7	79.70	1.8	53.14
3748	Plasminogen Activator Inhibitor (PAI-t)	65.95	1 946,84	43.97	1 297,99
3750	Tissue Plasminogen Activator (tPA)	67.79	2 001.16	45.19	1 334.01
3751	Osmotic fragility (screen)	2.25	66.42	1.5	44.28
3753	Osmotic fragility (before and after incubation)	18	531.36	12	354.24

		Pati	nologist	Other Specialist and General Practioners		
		0	R	U	R	
3754	ABO Reverse Group	5.5	162.36	3.67	108.34	
3755	Full blood count (including items 3739, 3762, 3783, 3785, 3791)	10.5	309.96	7	206.64	
3756	Full cross match	7.2	212.54	4.8	141.70	
3757	Coagulation factors (quantitative)	32.2	950.54	21.47	633.79	
3758	Factor VIII related antigen	60.46	1 784.78	40.31	1 189.95	
3759	Coagulation factor correction study	11.72	345.97	7.81	230.55	
3761	Factor XIII related antigen	61.11	1 803,97	40.74	1 202.64	
3762	Haemoglobin estimation	1.8	53.14	1.2	35.42	
3763	Contact activated product essay	16.2	478.22	10.8	318.82	
3764	Grouping: A B- and O-antigens	3.6	106,27	2.4	70.85	
3765	Grouping; Rh antigens	3.6	106.27	2.4	70.85	
3766	PIVKA	43.49	1 283.82	28.99	855.78	
3767	Euglobulin lysis time	25.58	755.12	17.05	503.32	
3768	Haemoglobin A2 (column chromatography)	15	442.80	10	295.20	
3769	HB Electrophoresis	26.82	791.73	17.88	527.82	
3770	Haernoglobin-\$ (solubility test)	3.6	106.27	2.4	70.85	
3773	Ham's acidified serum test	8	236.16	5.33	157.34	
3775	Heinz bodies	8	236,16	5.33	157.34	
3776	Haemosiderin in urinary sediment	2.25	66.42	1.5	44.28	
3777	DELETED 2009: Heparin estimation					
3781	Heparin tolerence	7.2	212.54	4.8	141.70	
3783	Leucocyte differential count	6.2	183.02	4.15	122.51	
3785	Leucocytes: total count	1.8	53.14	1.2	35.42	
3786	QBC malaria concentration and fluorescent staining	25	738.00	16.7	492.98	
3787	LE-cells	8.3	245.02	5.55	163.84	
3789	Neutrophil alkaline phosphatase	28	826.56	18.7	552.02	
3791	Packed cell volume: Haernatocrit	1.8	53.14	1.2	35.42	
3792	Plasmodium falciparum: Monoclonal immunological identification	9	265.68	6	177.12	
3793	Plasma haemoglobin	6.75	199.26	4.5	132.84	
3794	Platelet Sensitivities	18,64	550.25	12.43	366.93	
3795	Platelet aggregation per aggregant	12.14	358.37	8.09	238.82	
3796	Platelet antibodies: agglutination	5.4	159.41	3.6	106.27	
3797	Platelet count	2.25	66.42	1.5	44.28	
3799	Platelet adhesiveness	4,5	132.84	3	88.56	
3801	Prothrombin consumption	5.85	172.69	3.9	115.13	
3803	Prothrombin determination (two stages)	5.85	172.69	3.9	115.13	
3805	Prothrombin index	6	177.12	4	118.08	
3806	Therapeutic drug level: Dosage	4.5	132.84	3	88.56	
3807	Recalcification time	2.25	66,42	1.5	44.28	
3809	Reticulocyte count	3	88.56	2	59.04	
3811	Sickling test	2.25	66.42	1.5	44.28	
3814	Sucrose lysis test for PNH	3,6	106,27	2.4	70.85	

		Pati	nologist	Other S	Specialists
					General
				Prac	tioners
		Uj	R	U	R
3816	T and B-cells EAC markers (limited to ONE marker only fof CD4/8 counts)	21.1	622.87	14.07	415.35
3820	Thrombe-Elastogram	26	767.52	17.33	511.58
3825 3829	Fibrinogen titre	3.6	106.27	2.4	70.85
3830	Glucose 6-phosphate-dehydragenase: Qualitative Glucose 6-phosphate-dehydrogenase: quantitative	8 16	236.16 472.32	5.33 10.7	157.34 315.86
3832	Red cell pyruvate kinase: quantitative	16	472.32	10.7	315.86
3834	Red cell Rhesus phenotype	9.9	292.25	6.6	194.83
3835	Haemoglobin F in blood smear	5.85	172.69	3.9	115.13
3837	Partial thromboplastin time	5.85	172.69	3.9	115.13
3841	Thrombin time (screen)	5.85	172.69	3,9	116.13
3843 3847	Thrombin time (serial) Haemoglobin H	7.65	225.83	5.1	150.55
3851	Fibrin degeneration products (diffusion plate)	2.25 10.35	66.42 305.63	1.5 6.9	44.28 203,69
3853	Fibrin degeneration products (latex slide)	4.5	132.84	3	88.56
3854	XDP (Dimer test or equivalent latex slide test)	8.5	250.92	5.67	167.38
3856	D-Dimer	27.52	812.39	18.35	541.69
3855	Hemagglutination inhibition	9.9	292.25	6.6	194.83
3858	Heparin Removal	28.88	852.54	19.25	568.26
'21.2	Microscopic examinations	[]		_	
3863	Autogenous vaccine	12.6	371.95	8.4	247.97
3864	Entomological examination	20.7	611.06	13.8	407.38
3865 3867	Parasites in blood smear	5.6	165.31	3.73	110.11
3867	Miscellaneous (body fluids, urine, exudate, fungi, Pusscrapings, etc.)	4.9	144.65	3.3	97.42
3868	Fungus identification	8.3	245.02	5.5	162.36
3869	Faeces (including parasites)	4.9	144.65	3.27	96.53
3872	Automated urine microscopy	8.72	257.41	5.81	171.51
3873 3874	Transmission electron microscopy Scanning electron microscopy	85 100	2 509.20 2 952.00	57 67	1 682,64 1 977,84
	,	700	_ 001.00	0,	1 917.04
3875	Inclusion bodies	4.5	132.84	3	88.56
3878	Crystal identification polarised light microscopy	4.5	132.84	3	88.56
3879 3880	Compylobacter in stool: fastidious culture	9.9	292,25	6.6	194.83
3881	Antigen detection with polyclonal antibodies Mycobacteria	4.5 3	132.84 88.56	3 2	88,56 59.04
3882	Antigen detection with monoclonal antibodies	10.8	318.82	7.2	212.54
3883	Concentration techniques for parasites	3	88,56	2	59.04
3884	Dark field. Phase- or interference contrast microscopy. Nomarski or Fontana	6.3	185.98	4.2	123.98
3885	Cytochemical stain	5.45	160.88	3.65	107.75
21.3	Bacteriology (culture and biological examination				
3886	DELETED 2009: Antibiotic MIC per organism per antibiotic			1	
3887	Antibiotic susceptibility test, per organism	8	236.16	5.33	157.34
3889	Clostridium difficile toxin: Moncclonal immunological	12.4	366,05	8.27	244.13
3890 3891	Antibiotic assay of tissues and fluids Blood culture; aerobic s	13.9 5.85	410.33	9.27	273.65
3892	Blood culture: anaerobic	5.85	172.69 172.69	3.9 3.9	115.13 115.13
3893	Bacteriological culture; miscellaneous	6.3	185.98	4.2	123.98
3894	Radiometric blood culture	10.8	318.82	7.2	212.54
3895	Bacteriological culture: fastidious organisms	9.9	292.25	6.6	194.83
3896	In vivo culture: bacteria	16	472.32	10.65	314.39
3897	In vivo culture: virus	16	472.32	10.65	314.39
3898 3899	Bacterial exotoxin production (in vitro assay) Bacterial exotoxin production (in vivo assay)	4.5	132.84	3	88.56
3901	Fungal culture	20.7 4.5	611.06 132.84	13.8 3	407.38 88,56
3903	Antibiotic level: biological fluids	11.7	345.38	7.8	230.26
3905	Identification of virus or rickettsia	20.7	611.06	13.8	407.38
3906	Identification: chlamydia	16	472.32	10.65	314.39
3907	Culture for staphylococcus aureus [Discontinued 2020]	1	Į.		
3908	Anaerobic culture: comprehensive	9.9	292.25	6.6	194.83
3909 3911	Anaerobic culture: limited procedure B-Lactamase	4.5	132.84	3	88.56
3911	Mycobacterium culture	4.5 4.5	132.84 132.84	3	88.56 88.56
3917	Mycoplasma culture: limited	2.25	66.42	1.5	44.28
3918	Mycoplasma culture: comprehensive	9.9	292.25	6.6	194.83
3919	Identification of mycobacterium	9,9	292.25	6.6	194.83
3920	Mycobacterium: antibiotic sensitivity	9.9	292.25	6.6	194.83
3921	Antibiotic synergistic study	20.7	611.06	13.8	407.38
3922	Viable cell count	1.35	39.85	0.9	26,57
3923	Staph ID Abr (Yeast ID)	3.15	92.99	2.1	61.99
3924 3925	Biochemical ident of bacterium: extended Serological ident of bacterium; abridged	12.5	369.00	8.33	245.90
3926	Serological ident of bacterium; extended	3.15 10.2	92.99 301.10	2.1 6.8	61.99 200.74
3927	Grouping of streptococci	7.3	215.50	4.85	143.17
•	•				

		Pat	Pathologist (Specialists General ctioners
		U	R	U	R
3928	Antimicrobic substances	3.8	112.18	2.5	73.80
3929	Radiometric mycobacterium identification	14	413.28	9.3	274.54
3930	Radiometric mycobacterium antibiotic sensitivity	25	738.00	16.7	492.98

		Pat	hologist	Other Specialis and General Practioners	
		U	R	U	Ř
4652	Rapid automated bacterial identification per organism	15	442.80	10	295.20
4653	Rapid aotomated antibiotic susceptibility per organism	17	501.84	11.33	334.46
4654	Rapid automated MIC per organism per antibiotic	17	501.84	11.33	334.46
4655	Mycobacteria: MIC determination - E Test	16.50	487.08	11.00	324,72
4656	Mycobacteria: Identification HPLC	35.00	1 033,20	23.33	688.70
4657	Mycobacteria: Liquefied, consentrated, fluorochrome stain	9.90	292.25	6.60	194.83
21.4	Serology				
3932	HIV Elisa Type I and II (Screening tests only)	14.1	416.23	9.4	277.49
3933	IgE: Total; EMIT or ELISA	11.7	345,38	7.8	230.26
3934	Auto antibodies by labelled antibodies	16	472.32	10.65	314.39
3938	Precipitatin test per antigen	4.5	132.84	3	88.56
3939	Agglutination test per antigen	5.5	162.36	3.67	108,34
3940	Haemagglutinationtest: per antigen	9.9	292.25	6.6	194.83
3941	Modified Coombs' test for brucellosis	4.5	132.84	3	88.56
3942	Hepatitis Rapid Viral Ab	12.24	361.32	8.16	240.88
3943	Antibody titer to bacterial exotoxin	3.6	106.27	2.4	70.85
3944	lgE: Specific antibody titer: ELISA/EMIT: per Ag	12.4	366.05	8.27	244.13
3945	Complement fixation test	5.85	172,69	3,9	115,13
3946	IgM: Specific antibody titer; ELISA or EMIT; per Ag	14.05	414.76	9.37	276.60
3947	C-reactive protein	3.6	106.27	2.4	70.85
3948	IgG: Specific antibody titer: ELISA/EMIT: per Ag	12.95	382.28	8.63	254.76
3949	Qualitative Kahn, VDRL or other flocculation	2.25	66,42	1.5	44.28
3950	Neutrophii phagocytosis	25.2	743,90	16.8	495.94
3951	Quantitative Kahn. VDRL or other flocculation	3.6	106.27	2.4	70.85
3952	Neutrophil chemotaxis	67.95	2 005.88	45.3	1 337.26
3953	Tube agglutination test	4.15	122.51	2.76	81.48
3955	Paul Bunnell: presumptive	2.25	66.42	1.5	44.28
3956	Infectious Mononucleasis latex slide test (Monospot or equivalent)	8.5	250.92	5.67	167.38
3957	Paul Bunnell: Absorption	4.5	132.84	3	88.56
4601	Panel typing: Antibody detection: Class 1	36	1 062.72	24	708.48
4602	Panel typing: Antibody detection: Class II	44	1 298.88	29.3	864.94
4607	Cross matching T-cells (per tray)	18	531.36	12	354.24
4608	Cross matching B-cells	38	1 121.76	25.3	746.86
4609	Cross matching T- & B-cells	48	1 416.96	32	944.64
4610	Helicobacter pylori antigen test	34.6	1 021.39	23.07	681.03
4613	Anti-Gm1 Antibody Assay	75	2 214.00	50	1 476.00

			hologist	and	Specialists General ctioners
		U	R	U	R
4614	HIV Ab - Rapid Test	12	354.24	8	236.16
3959	Rose Waaler Agglutination test	4.5	132.84	3	88.56
3961	Slide agglutination test	2.63	77.64	1.75	51.66
3962	Rebuck skin window	5.4	159.41	3.6	106.27
3963	Serum complement level: each component	3.15	92,99	2.1	61.99
3967	Auto-antibody: Sensitised erythrocytes	4.5	132.84	3	88.56
3969	Western blot technique	74	2 184.48	49	1 446.48
3971	Immuno-diffusion test: per antigen	3.15	92.99	2.1	61.99
3973	Immuno electrophoresis: per immune serum	9.45	278.96	6.3	185.98
3975	Indirect immuno-fluorescence test (Bacterial, viral, parasitic)	12	354.24	8	236.16
3977	Counter immuno-electrophoresis	6.75	199.26	4.5	132.84
3978	Lymphocyte transformation	51.7	1 526.18	34.5	1 018,44
3980	Bilharzia Ag Serum/Urine	14.5	428.04	9.67	285.46
21.5	Skin tests For skin-prick allergy tests, please refer to items 0218 to 0221 in the Integumentary Section				
21,6	Biochemical tests: Blood				
3991	Abnormal pigments: qualitative	4.5	132.84	3	88.56
3993	Abnormal pigments: quantitative	9	265.68	6	177.12
3995	Acid phosphatase	5.18	152.91	3.45	101.84
3996	Serum Amyloid A	8.28	244.43	5.52	162,95
3997	Acid phosphatase fractionation	1.8	53.14	1.2	35.42
3998	Amino acits: Quantitative (Post derivatisation HPLC)	78.12	2 306.10	52.08	1 537.40
3999	Albumin	4.8	141.70	3.2	94.46
4000	Alcohol	12.4	366.05	8.27	244.13
4001	Alkaline phosphatase	5.18	152.91	3.45	101.84
4002	Alkaline Phosphatase-iso-enzymes	11.7	345.38	7.8	230.26
4003	Ammonia: enzymatic	7.71	227.60	5.14	151.73
4004	Ammonia: monitor	4.5	132.84	3	88.56
4005	Alpha-1-antitrypsin	7.2	212.54	4.8	141.70
4006	Amylase	5.18	152.91	3.45	101.84
4007	Arsenic in blood, hair or nails	36.25	1 070.10	24.17	713.50
4008	Bilirubin – Reflectance	4.77	140.81	3.18	93.87
4009	Bilirubin: total	4.77	140.81	3.18	93.87
4010	Bilirubin: conjugated	3.62	106.86	2.41	71.14
4014	Cadmium; atomic absorp	18.12	534,90	12.08	356.60
4016	Calcium: fonized	6.75	199,26	4.5	132.84
4017	Calcium: spectrophotometric	3.62	106.86	2.41	71.14
4018	Calcium: atomic absorption	7.25	214.02	4.83	142.58
4019	Carotene	2.25	66.42	1.5	44.28
4023	Chloride	2.59	76.46	1.73	51.07
4026	LDL cholesterol (chemical determination)	6.9	203.69	4.6	135,79
4027	Cholesterol total	5.34	157.64	3.56	105.09

		Path	nologist	Other S	Specialists
				and	General
		ļ.		Prac	ctioners
		1			
		U	R	U	R
1029	Cholinesterase; serum or erythrocyte; each	7.48	220.81	4.99	147.30
1030	Cholinesterase phenotype (Dibucaine or fluoride each)	9	265.68	6	177.12
1031	Total CO2	5.18	152.91	3.45	101.84
1032	Creatinine	3.62	106.86	2.41	71.14
1035	CSF-Albumin	9.45	278.96	6.3	185.98
1036	CSF-lgG Index	22.05	650.92	14.7	433.94
1040	Homocysteine (random)	15.3	451.66	10.2	301.10
4041	Homocysteine (after Methionine load)	18.1	534.31	12.06	356.01
1042	D-Xylose absorption test; two hours	13.15	388.19	8.75	258.30
4045	Fibrinogen: quantitative	3.6	106.27	2.4	70.85
4047	Hollander test	24.75	730.62	16.5	487.08
4049	Glucose tolerance test (2 specimens)	8.97	264.79	5.98	176.53
4050	Glucose strip-test with photometric reading	1.8	53.14	1.2	35.42
4051	Galactose	11.25	332.10	7.5	221.40
4052	Glucose tolerance test (3 specimens)	13.17	388.78	8.78	259.19
4053	Glucose tolerance test (4 specimens)	17.37	512.76	11.58	341.84
4057	Glucose Quantitative	3.62	106.86	2.41	71.14
4061	Glucose tolerance test (5 specimens)	21.56	636,45	14.37	424.20
4063	Fructosamine	7.2	212.54	4.8	141.70
4064	Glycated haemoglobin: chromatography/HbA1C	14.25	420.66	9.5	280,44
4067	Lithium; flame ionisation	5.18	152,91	3.45	101.84
4068	Lithium: atomic absorption	7.48	220.81	4.99	147.30
4071	fron	6.75	199,26	4.5	132.84
4073	Iron-binding capacity	7.65	225.83	5.1	150.55
4076	Carboxy haemoglobin (6x per 24 hrs)	19.1	563.83	12.73	375.79
4078	Oximetry analysis: MetHb, COHb, O2Hb, RHb, SulfHb	6.75	199,26	4.5	132.84
4079	Ketones in plasma: qualitative	2.25	66.42	1.5	44.28
4081	Drug level-biological fluid: Quantitative	10.8	318.82	7.2	212,54
4086	Plasma Lactate				
4085	Lipase				1
4091	Lipoprotein electrophoresis	9	265.68	6	177.12
4093	Osmolality: Serum or urine	6.75	199.26	4.5	132.84
4094	Magnesium: Spectrophotometric	3.62	106.86	2.41	71.14
4095	Magnesium: Atomic absorption	7.25	214.02	4.83	142.58
4096	Mercury: Atomic absorption	18.12	534.90	12.08	356.60
4098	Copper: Atomic absorption	18.12	534.90	12.08	356.60
4105	Protein electrophoresis	9	265.68	6	177.12
4106	IgG sub-class 1.2. 3 or 4: Per sub-class	20	590.40	13.2	389.66
4109	Phosphate	3.62	106.86	2.41	71.14

			nologist	Other Specialists and General Practioners		
		Ü	R	U	R	
4111	Phospholipids	3.15	92.99	2.1	61.99	
4113	Potassium	3.62	106.86	2.41	71.14	
4114	Sodium	3.62	106.86	2.41	71.14	
4117	Protein; total	3.11	91.81	2.07	61.11	
1121	pH. pC0 ₂ or p0 ₂ each	6.75	199.26	4.5	132.84	
1123	Pyruvic acid	4.5	132.84	3	88.56	
1125	Salicylates	4.5	132.84	3	88.56	
4126	Secretin-pancreozymin responds	26.1	770.47	17.4	513.65	
4127	Caeruloplasmin	4.5	132.84	3	88.56	
1128	Phenylalannine: Quantitative	11.25	332.10	7.5	221.40	
1129	Glutamate dehydrogenase (GDH)	5.4	159.41	3.6	106.27	
1130	Aspartate amino transferase (AST)	5.4	159.41	3.6	106.27	
4131	Alanine amino transferase (ALT)	5.4	159.41	3.6	106.27	
4132	Cretine kinase (CK)	5.4	159.41	3.6	106.27	
1133	Lactate dehidrogenase (LD)	5.4	159.41	3.6	106.27	
4134	Gamma glutamyl transferase (GGT)	5.4	159.41	3.6	106.27	
4135	Aldolase	5.4	159.41	3.6	106.27	
4136	Angiotensin converting enzyme (ACE)	9	265.68	6	177,12	
4137	Lactate dehydrogenase isoenzyme	10.8	318.82	7.2	212.54	
4138	CK-MB; immunoinhibition/precipetation	10.8	318.82	7.2	212.54	
4139	Adenosine deaminase	5.4	159,41	3.6	106.27	
4142	Red cell enzymes: each	7.8	230.26	5.2	153.50	
4143	Serum/plasma enzymes: each	5.4	159.41	3.6	106.27	
4144	Transferrin	11.7	345.38	7.8	230.26	
4146	Lead: atomic absorption	15	442.80	10	295.20	
4151	Urea	3.62	106.86	1	71.14	
4152	CK-MB		366.05	2.41	244.13	
4102 4154		12.4		8.27		
4154 4155	Myoglobin quantitative: Monoclonal immunological Uric acid	12.4	366.05	8.27	244.13	
		3.78	111.59	2.52	74.39	
4157	Vitamin A-saturation test	15.3	451.66	10.2	301.10	
4158	Vitamin E (tocopherol)	3.6	106.27	2.4	70.85	
4159	Vitamin A	6.3	185.98	4.2	123.98	
4160	Vitamin C (ascorbic acid)	2.25	66,42	1.5	44.28	
4161	Trop T	20	590.40	13.33	393.50	
4171	Sodium + potassium + cloride + C02 + urea	15.84	467.60	10.56	311,73	
4172	ELIZA or EMIT technique	12.42	366.64	8.28	244.43	
4181	Quantitative protein estimation: Mancini method	7.76	229.08	5.17	152.62	
4182	Quantitative protein estimation: nephelometer	8.28	244.43	5.52	162.95	
4183	Quantitative protein estimation: labelled antibody	12.42	366,64	8.28	244.43	
4185	Lactose	10.8	318.82	7.2	212.54	
4187	Zinc; atomic absorption	18.12	534.90	12.08	356,60	

		Pati	nologist	and	Specialists General ctioners
		u	R	U	R
21.7 4188	Biochemical tests: Urine Urine dipstick, per stick (irrespective of the number of tests on stick)	1.5	44.28	1	29.52
4189	Abnormal pigments	4.5	132.84	3	88.56
4193 4194	Alkapton test: homogentisic acid Amino acids: quantitative (Post derivatisation HPLC)	4.5 78.12	132.84 2 306.10	3 52.08	88.56 1 637.40
4195	Amino laevulinic acid	18	531.36	12	354.24
4197	Amylase	5.18	152.91	3.45	101.84
4199	Ascorbic acid	2.25	66.42	1.5	44.28
4201 4203	Bence-Jones protein Phenol	2.7 3.6	79.70 106.27	1.8 2.4	53.14 70.85
4204	Calcium: atomic absorption	7.25	214.02	4.83	142.58
4205	Calcium: spectrophotometric	3.62	106.86	2.41	71.14
4206	Calcium: absorption and excretion studies	25	738.00	16.7	492.98
4209 4211	Lead: atomic absorption Bile pigments; qualitative	15 2.25	442.80 66.42	10 1.5	295.20 44.28
4213	Protein: quantitative	2.25	66.42	1.5	44.28
4216	Mucopolysaccharides: qualitative	3.6	106.27	2.4	70.85
4217	Oxalate/Citrate: enzymatic each	9.38	276.90	6.25	184.50
4218 4219	Glucose: quantitative	2.25	66.42	1.5	44.28
4219	Steroids: chromatography (each) Creatinine	7.2 3.62	212.54 106.86	2.41	141.70 71.14
4223	Creatinine clearance	7.65	225.83	5.1	150.55
4227	Electrophoreses: qualitative	4.5	132.84	3	88.56
4229	Uric acid clearance	7.65	225.83	5.1	150.65
4231 4232	Metabolites HPLC (High Pressure Liquid Chromatography) Metabolites (Gaschromatography/Mass spectrophotometry)	37.50 46.80	1 107.00 1 381.54	25.00 31.20	738.00 921.02
4233	Pharmacological/Drugs of abuse: Metobolites HPLC (High Pressure Liquid Chromatography)	37.50	1 107.00	25.00	738.00
4234	Pharmacological/Drugs of abuse: Metobolites (Gaschromatography/Mass spectrophotometry)	46.80	1 381.54	31.20	921.02
4237 4239	5-Hydroxy-indole-acetic acid: screen test	2.7	79.70	1.8	53,14
4241	5-Hydroxy-indole-acetic acid: quantitative DELETED 2009: Indican or indole: qualitative	6.75	199.26	4.5	132.84
4247	Ketones: excluding dip-stick method	2.25	66.42	1.5	44.28
4248	Reducing substances	1.8	53.14	1.2	35.42
4251 4253	Metanephrines: column chromatography Aromatic amines (gas chromatography/mass spectrophotometry)	22.05 27	650.92 797.04	14.7 18	433.94 531.36
4254	Nitrosonaphtol test for tyrosine	2.25	66.42	1.5	44.28
4262 4263	Micro Albumin-Qualitative	4.5	132.84	3	88,56
4265	pH: Excluding dip-stick method Thin layer chromatography: one way	0.9 6.75	26.57 199.26	0.6 4.5	17.71 132.84
4266	Thin layer chromatography: two way	11.25	332.10	7.5	221.40
4267	Total organic matter screen: Infrared	31.25	922.50	20.83	614.90
4268	Organic acids: quantitative: GCMS	109.38	3 228.90	72.92	2 152.60
4269 4271	Phenylpyruvic acid: ferric chloride Phosphate excretion index	2.25 22.05	66,42 650,92	1.5 14.7	44.28 433.94
4272	Porphobilinogen qualitative screen: urine	5	147.60	3.33	98.30
4273	Porphobilinogen/ALA: quantitative each	15	442.80	10	295.20
4283	Magnesium: spectrophotometric	3.62	106.86	2.41	71.14
4284	Magnesium: atomic absorption	7.25	214.02	4.83	142.58
4285 4287	Identification of carbohydrate Identification of drug: qualitative	7.65 4.5	225.83 132.84	5.1	150.55 88.56
4288	Identification of drug: quantitative	10.8	318.82	7.2	212.54
4293	Urea clearance	5.4	159.41	3,6	106.27
4297	Copper: spectrophotometric	3.62	106.86	2.41	71.14
4298 4300	Copper: Atomic absorption Indican or Indole: Qualitative	18.12 3.15	534.90 92.99	12.08	356.60 61.99
4301	Chloride	2.59	76.46	1.73	51.07
4307	Ammonium chloride loading test	22.05	650.92	14.7	433.94
4309	Urobilonogen: quantitative	6.75	199.26	4.5	132.84
4313 4315	Phosphates Potassium	3.62	106.86	2.41	71.14 71.14
4316	Sodium	3.62 3.62	106.86 106.86	2.41	71.14
4319	Urea	3.62	106.86	2.41	71.14
4321	Uric acid	3.62	106.86	2.41	71.14
4322	Fluoride	5.18	152.91	3.45	101.84
4323 4325	Total protein and protein electrophoreses VMA: quantitative	11.25 11.25	332.10 332.10	7.5 7.5	221.40 221.40
4327	Immunofixation: Total Protein, IgG, IgA, IgM, Kappa, Lambda	46.88	1 383.90	31.25	922.50
4335	Cystine: quantitative	12.6	371.95	8.4	247.97
4336	Dinitrophenal hydrazine test: ketoacids	2.25	66.42	1.5	44.28
4337	Hydroxyproline: quantitative	18.9	567.93	12.6	371.95

		Pat	nologist	Other Specialis and General Practioners	
		U	R	Ü	R
21.8	Biochemical tests: Faeces				
4339	Chloride	2.59	76.46	1.73	51.07
4343	Fat: qualitative	3.15	92.99	2.1	61.99
4345	Fat: quantitative	22.05	650,92	147	433.94
4347	pH	0.9	26.57	0.6	17.71
4351	Occult blood: chemical test	2.25	66.42	1.5	44.28
4352	Occult blood (monocional antibodies)	10	295.20	6.67	196,90
4357	Potassium	3.62	106.86	2.41	71.14
4358	Sodium	3.62	106.86	2.41	71.14
4361	Stercobilin	2.25	66.42	1.5	44.28
4363	Stercobilinogen: quantitative	6.75	199.26	4.5	132.84
21.9	Biochemical tests: Miscellaneous				
4370	Vancomycin, Phenytoin, Theophylline	12.4	366.05	8.27	244.13
4371	Amylase in exudate	5.18	152.91	3.45	101.84
4374	Trace metals in biological fluid: Atomic absorption	18.13	535.20	12.08	356.60
4375	Calcium in fluid: Spectrophotometric	3.62	106.86	2.41	71.14
4376	Calcium in fluid: Atomic absorption	7.25	214.02	4.83	142.58
4388	Gastric contents: Maximal stimulation	27	797.04	18	531.36
4389	Gastric fluid: Total acid per specimen	2.25	66.42	1.5	44.28
4391	Renal calculus: Chemistry	5.4	159.41	3.6	106.27
4392	Renal calculus: Crystallography	16.25	479.70	10.8	318.82
4393	Saliva: Potassium	3.62	106.86	2.41	71.14
4394	Saliva: Sodium	3.62	106.86	2.41	71.14
4395	Sweat: Sodium	3.62	106.86	2.41	71.14
4396	Sweat: Potassium	3.62	106.86	2.41	71.14
4397	Sweat: Chloride	2.59	76.46	1.73	51.07
4399	Sweat collection by iontophoresis (excluding collection material)	4.5	132.84	3	88.56
4400	Triptophane loading test	22.05	650.92	14.7	433.94
21.10	Cerebrospinal fluid				
4401	Cell count	3.45	101.84	2.3	67.90
4407	Cell count. protein. glucose and chloride	7.65	225.83	5.1	150.55
4409	Chloride	2.59	76.46	1.73	51.07
4415	Potassium	3.62	106.86	2.41	71.14
4416	Sodium	3.62	106.86	2.41	71.14
4417	Protein: Qualitative	0.9	26.57	0.6	17.71
4419	Protein: Quantitative	3.11	91.81	2.07	61.11
4421	Clucose	3.62	106.86	2.41	71.14
4423	Urea	3.62	106.86	2.41	71.14
4425	Protein electrophoresis	12.6	371.95	8.4	247.97
4434	Bacteriological DNA identification (PCR)	75	2 214.00	50	1 476.00

		Pathologist		Other Specialists and General Practioners	
		U	R	Ū	R
1.12	Isotopes				
1451	HCG: Monoclonal immunological; Quantitative	12.4	366.05	8.27	244.13
1458	Micro-albuminuria: radio-isotope method	12.42	366.64	8.3	245.02
1459 1463	Acetyl choline receptor antibody C6 complement functional essay	158.12	4 667.70 1 328.40	105.41	3 111.70 885.60
1466	Beta-2-microglobulin	45 12.42	366,64	30 8.28	244,43
1469	S-S100	20	590.40	13.33	393,50
1452	Bone-Specific Alk. Phosphatase	20	590.40	13.33	393.50
1479	Vitamin B12-absorption: Shilling test	11.7	345.38	7.8	230.26
1480	Serotonin	18.75	553.50	12.5	369.00
1482	Free thyroxine (FT4)	17.48	516.01	11.65	343.91
1484 1485	Thyroid profile (only with special motivation) Insulin	37.8 12.42	1 115.86 366.64	24.72 8.28	729.73 244.43
4488	NT Pro BNP	47.04	1 388,62	33,35	984.49
4491	Vitamin B12	12.42	366.64	8.28	244.43
4493	Drug concentration: quantitative	12.42	366.64	8.28	244.43
4497	Carbohydrate deficient transferrin	29.06	857.85	19.37	571.80
4499	Cortisol	12.42	366.64	8.28	244.43
4500	DHEA sulphate	12.42	366.64	8.28	244.43
4507	Thyrotropin (TSH)	19.6	578.59	13.07	385.83
4509 4511	Free tri-iodothyronine (FT3) Renin activity	17.48	516.01 557.93	11.65	343.91
4511 4516	Follitropin (FSH)	18.9 12.42	557.93 366.64	12.6 8.28	371.95 244.43
4517	Lutropin (LH)	12.42	366.64	8.28	244.43
4522	Alpha-Feto protein	12.42	366,64	8.28	244.43
4523	ACTH	21.74	641.76	14.49	427.74
4524	Free PSA	14.49	427.74	9.66	285.16
4527	Gastrin	12.42	366.64	8.28	244.43
4528	Ferritin	12.42	366.64	8.28	244.43
4530	Antiplatelet antibodies	15.3	451.66	10.2	301.10
4531 4532	Hepatitis: per antigen or antibody Transcobalamine	14.49	427.74 366.64	9.66	285.16
4532 4533	Folic acid	12.42 12.42	366.64	8.28 8.28	244.43 244.43
4536	Erythrocyte folate	17.48	516.01	11.65	343.91
4537	Prolactin	12.42	366.64	8.28	244.43
4538	Procalcitonin: Qualitative	32	944.64	21.33	629,66
4539	Procalcitonin: Quantitative	46	1 357,92	30.67	905.38
21.13	After hour service and travelling fees (applicable to pathologists only) Miscellaneous				
4544	Attendance in theatre	27	797,04	1	
4547	After hour service: (Monday to Friday) 17:00 to 08:00. Saturday 13:00 to Monday 08:00 and public holidays	Tariff/Tai ief + 50%	Tariff/Tarief + 50%		-
4549	Minimum fee for after hour service	6.3	185.98	1	-
4551	Fees not detailed in the above Pathology Schedule (section 21) are obtainable from the National Pathology Group of the SAMA, and will be based on the fee for a comparable service in the Tariff of fees	1			
22. I	ANATOMICAL PATHOLOGY				
1	The amounts in this section are calculated according to the Anatomical Pathology unit values				
22.1	Exfoliative cytology				
4561	Sputum and all body fluids: First unit	13.4	390.48	8.9	259.35
4563	Sputum and all body fluids: Each additional unit	7.8	227.29	5.2	151.53
4564	Performance of fine-needle aspiration for cytology	15	437.10		
22.2	Histology	1			
4567	Histology per sample/specimen each	20	582.80	13.3	387.56
4571 4575	Histology per additional block each	11.6	338,02 661,48	7.7	224.38 440.01
4577	Histology and frozen section in laboratory Histology and frozen section in theatre	22.7 90	2 622.60	15.1 60	1 748.40
4578	Second and subsequent frozen sections, each	20	582.80	13.4	390.48
4579	Attendance in theatre - no frozen section performed	26.3	766.38	17.5	509.95
4582	Serial step sections (including 4567)	23.3	678.96	15.6	454,58
4584	Serial step sections per additional block each	13.5	393.39	9	262.26
4587	Histology consultation	10.1	294.31	6.7	195.24
4589	Special stains	6.7	195.24	4.5	131.13
4591	Immuno-fluorescence/studies	20.7	603.20	13.8	402.13
4593 4650	Electron microscopy Autogenous vaccine	94 8	2 739.16 233.12	63 5.22	1 835.82 155.32
4651	Entomological examination	13.9	405.05	5.33 9.27	155.32 270.13
		15.5	700.00	3.27	1 2,0.13

3		Specialist		General practition	
		บ	R	υ	R
	IV. TRAVELLING EXPENSES				
	Refer to General Rule P				
P.	Travelling fees (a) Where, in cases of emergency, a practitioner was called out from his residence or rooms to a patient's home or the hospital, travelling fees can be charged according to the section on travelling expenses (section IV) if more than 16 kilometres in total had to be travelled				
	(b) If more than one patient are attended to during the course of a trip, the full travelling expenses must be divided between the relevant patients				
	(c) A practitioner is not entitled to charge for any travelling expenses or travelling time to his rooms				
	(d) Where a practitioner's residence is more than 8 kilometres away from a hospital, no travelling fees may be charged for services rendered at such hospitals, except in cases of emergency (services not voluntarily scheduled)				
	(e) Where a practitioner conducts an itinerant practice, he is not entitled to charge fees for travelling expenses except in cases of emergency (services not voluntarily scheduled)				
	When in cases of emergency (refer to general rule P), a doctor has to travel more than 16 kilometres in total to visit an employee, travelling costs can be charged and shall be calculated as follows				
	Consultation, visit or surgical fee PLUS				
5001 5003	Cost of public transport and travelling time \underline{or} item 5003 R4.12 per km for each kilometre travelled in own car; 19 kmtotal = 19 x R4.12 = R78.28 (no travelling time)				
	Travelling time (Only applicable when public transport is used)				
5005	Specialist 18,00 clinical procedure units per hour or part thereof	18	510.66		
5007	General Practitioner: 12,00 clinical procedure units per hour or part thereof		1	12	340,44
5009	After hours: Specialist: 27,00 clinical procedure units per hour or part thereof	27	765.99		
5011	After hours: General Practitioners: 18,00 clinical procedure units per hour or part thereof			18	510.66
5013	Travelling fees are not payable to practitioners who assisted at operations on cases referred to surgeons by them				
5015	Travelling expenses may be charged from the medical practitioner's residence for calls received at night or during weekends in cases where travelling fees are allowed	,			

COIDA Tariff for Medical Practitioners

THE UNIT VALUES FOR THE VARIOUS GROUPS AND SECTIONS AS FROM 1 APRIL 2022 ARE AS FOLLOWS:

	Groups and Sections	Unit Value
1.	Consultation Services codes 0146 & 0109	R 28.37
	Consultation Services: codes 0181; 0182; 0183, 0184, 0186, 0151	R 28.90
2.	Clinical procedures	R 28.37
3.	Anaesthetics	R 132.56
4.	Radiology & MRI	R 29.67
5.	Radiation Oncology	R 31.21
6.	Ultrasound	R 28.03
7.	Computed Tomography	R 28.51
8.	Clinical Pathology	R 29.52
9.	Anatomical Pathology	R 29.14
10	5 Digit Radiology (SP)	R 193.49

Note: The unit value and amounts published in the tariff iVAT Exclusive

SYMBOLS USED IN THIS PUBLICATION

	8
٠	Per service (specify)
ß	Per service
Φ	Per consultation

COIDA & RSSA INDICATIONS FOR MRI OF INJURY ON DUTY PATIENTS.

Select the appropriate injury, modality and indication to be used in conjuction with a MRI.

Annexure A --- MRI motivation form.

Annexure B - COIDA & RSSA indication for MRI.

Annexure C Indications for plexus and peripheral nerve block.

Annexure D - System format.

Annexure: A The Department of Labour: Compensation Fund

MRI Motivation Form for Employee's Injured on Duty Claim Number: Employee's Name:

This form should preferably be typed.

ANNEXURE: B

COIDA & RSSA- Indications for MR Imaging of Injury on Duty Patients

Select the appropriate injury, modality and indication. To be used in conjunction with a MRI / CT motivation. Refer also to the document "Guidelines for Imaging of MRI and other studies for Injury on Duty Patients"

☐ Head Injury - A	Acute (1) (Acute regarded as within first week of date of injury)
□ CT	 □ Reduced level of consciousness (1.i.a) □ Seizures (1.i.b) □ Neurological deficit (1.i.c) □ Skull or facial bone fractures (1.i.d)
☐ Head + Cervica	Il Spine Injury – Acute (2)
□ст	Head as above (2.i) CT Spine (bone or joint injury) depending on result spine x-ray (2.ii)
☐ MRI – in s	selected cases following a CT (2.iii)
☐ Head Injury –	Sub acute
☐ MRI	☐ Rotational axonal injury (2.d) ☐ Chronic subdural haemorrhage
☐ Head Injury - l	ong term sequela (3)
☐ CT	☐ If convulsions present in semi acute phase, do CT first (3.b)
☐ MRI	☐ Epilepsy (contrast and additional sequences often required) (3.a) ☐ Long term structural changes (3.c)
☐ Spine – Acute	
□ ст	☐ Bone or joint injury (4.i)
□MRI	☐ Cord compression (5.i) ☐ Neurological signs (nerve root) (5.ii) ☐ Vertebral body fracture (selected cases) (5.iii)
☐ Spine – sub ac	ute and long term sequela
☐ MRI	☐ Cord injury (6.i) ☐ Disc herniation (6.ii) ☐ Post operative assessment (selected cases) (6.iii)
☐ Chest / Body I	njury (7)
□ст	Sternal fracture
☐ Extremities	
☐ CT	Complicated fractures and dislocations (10)
☐ MRI	 ☐ Muscle distal biceps insertion (9) ☐ Cartilage, tendons, labrum, soft tissue of, joints (8.iii.a) ☐ Planning repair of joints (8.iii.b) ☐ Knee, elbow, ankle (usually no contrast) (8.iii.d) ☐ Shoulder, wrist, hip (usually with contrast) (8.iii.c)

The numbers after the indications refer to the document "Guidelines for Imaging of MRI and other studies for Injury on Duty Patients". The above indications are not exhaustive, and are merely a selection of the more common indications.

ANNEXURE: C

Item 2800 and 2802 as part of anaesthesia

2800 – Plexus nerve block 2802 – Peripheral nerve block

The motivation for the use of one of these codes in addition to that for the "normal" anaesthesia is that it controls post operative pain and minimises the use of pain injections / medication and encourages early mobilisation.

It is reasonable if the injury / surgery is of sufficient nature to expect much pain post operatively, such as in the fracture of a long bone that was surgically reduced and fixated.

It is however not reasonable in cases of a simple fracture to a hand bone / foot bone or uncomplicated amputation of a finger / toe or other simple procedures.

Examples of claims where the use is reasonable:

- open reduction / internal fixation of a femur / tibia fibula / humerus / radius ulna
- total knee replacement / total hip replacement

Examples where the use of the codes is not reasonable:

- one fracture in the hand / foot treated surgically
- amputation finger / toe or part of finger / toe
- arthroscopy of the ankle / knee / shoulder

The use of this codes could also be reasonable were a "crushed foot" injury because of many fractures and multiple procedures in one operation.

Item 2800 and 2802 as part of treatment

There also are instances where the use of the codes is part of the treatment (no surgery performed and is not part of general anaesthesia as such). This is why the codes were put into the tariff structure in the first place.

Multiple rib fractures are treated with a nerve block for pain management and that would be acceptable.

COMPEASY ELECTRONIC INVOICING FILE LAYOUT

Field	Description	Max length	Data Type
ВАТСН	HEADER		
1	Header identifier = 1	1	Numeric
2	Switch internal Medical aid reference number	5	Alpha
3	Transaction type = M	1	Alpha
4	Switch administrator number	3	Numeric
5	Batch number	9	Numeric
6	Batch date (CCYYMMDD)	8	Date
7	Scheme name	40	Alpha
8	Switch internal	1	Numeric
DETAII	LINES		
1	Transaction identifier = M	1	Alaba
2	Batch sequence number	10	Alpha Numeric
3	Switch transaction number	10	Numeric
4	Switch internal	3	
5	CF Claim number	20	Numeric
6	Member surname	20	Alpha
7	Member surriame	4	Alpha
8	Member first name	20	Alpha
9	BHF Practice number	15	Alpha
10	Switch ID	3	Alpha
11	Patient reference number (account number)	10	Numeric
12	Type of service	10	Alpha
13	Service date (CCYYMMDD)		Alpha
14	Quantity / Time in minutes	8 7	Date
15	Service amount		Decimal
16	Discount amount	15	Decimal
17	Description	15	Decimal
18	Tariff	30	Alpha
10	Taliii	10	Alpha
Field	Description	Max length	Data Type
19	Service fee	1	Numeric
20	Modifier 1	5	Alpha
21	Modifier 2	5	Alpha
22	Modifier 3	5	Alpha
23	Modifier 4	5	Alpha
24	Invoice Number	10	Alpha
25	Practice name	40	Alpha
26	Referring doctor's BHF practice number	15	Alpha
27	Medicine code (NAPPI CODE)	15	Alpha
28	Doctor practice number -sReferredTo	30	Numeric
29	Date of birth / ID number	13	Numeric
30	Service Switch transaction number - batch number	20	Alpha

31	Hospital indicator	1	Alpha
32	Authorisation number	21	Alpha
33	Resubmission flag	5	Alpha
34	Diagnostic codes	64	Alpha
35	Treating Doctor BHF practice number	9	Alpha
36	Dosage duration (for medicine)	4	Alpha
37	Tooth numbers		Alpha
38	Gender (M ,F)	1	Alpha
39	HPCSA number	15	Alpha
10	Diagnostic code type	1	Alpha
41	Tariff code type	1	Alpha
42	CPT code / CDT code	8	Numeric
43	Free Text	250	Alpha
44	Place of service	2	Numeric
45	Batch number	10	Numeric
46	Switch Medical scheme identifier	5	Alpha
47	Referring Doctor's HPCSA number	15	Alpha
48	Tracking number	15	Alpha
49	Optometry: Reading additions	12	Alpha
50	Optometry: Lens	34	Alpha
51	Optometry: Density of tint	6	Alpha
52	Discipline code	7	Numeric
53	Employer name	40	Alpha
54	Employee number	15	Alpha
J	Employee number		, upito
Field	Description	Max length	Data Type
55	Date of Injury (CCYYMMDD)	8	Date
56	IOD reference number	15	Alpha
57	Single Exit Price (Inclusive of VAT)	15	Numeric
58	Dispensing Fee	15	Numeric
59	Service Time	4	Numeric
60			
61			
62	•		
63			D /
64	Treatment Date from (CCYYMMDD)	8	Date
65	Treatment Time (HHMM)	4	Numeric
66	Treatment Time (ULIMAN)	8	Date Numeric
67	Treatment Time (HHMM) Surgeon BHF Practice Number	4 15	Alpha
68 69	Anaesthetist BHF Practice Number	15	Alpha
US	Assistant BHF Practice Number	15	Alpha
		1	Alpha
70	Hospital Tariff Type		
70 71	Hospital Tariff Type Per diem (Y/N)	1	
70 71 72	Per diem (Y/N)		Alpha Numeric
70 71		1	Alpha
70 71 72 73 74	Per diem (Y/N) Length of stay Free text diagnosis	1 5	Alpha Numeric
70 71 72 73	Per diem (Y/N) Length of stay Free text diagnosis	1 5	Alpha Numeric
70 71 72 73 74 TRAII	Per diem (Y/N) Length of stay Free text diagnosis	1 5 30	Alpha Numeric Alpha
70 71 72 73 74	Per diem (Y/N) Length of stay Free text diagnosis LER Trailer Identifier = Z	1 5 30	Alpha Numeric Alpha Alpha