Triple billion targets policy solutions matrix





**Updated December 2023** 

Reference Number: WHO/DDI/DFI/2024.1

© WHO 2024. Some rights reserved. This work is available under the CC BY-NC-SA 3.0 IGO license.

## About the policy solutions matrix

The data and analytics presented in the Triple Billion Dashboard offer a starting point for further discussion and action. Whether using the data to identify and set priorities around particular health issues or to track trends over time, moving towards implementation of evidence-based solutions (policies, strategies, or interventions) is needed to accelerate progress beyond business as usual.

**Objective:** the Triple Billion Targets Policy Solutions Matrix has been developed to help bridge the step from data to delivery by collating some of the latest information on policies, strategies, and/or interventions that have been developed by technical programmes for achieving measurable impact to improve health.

**How to use:** the matrix is organized with rows for each outcome indicator, and includes the relevant SDG/Billion targets; the primary columns include links to key resources that point to:

- Global strategy & guidance includes overarching frameworks, global action plans, and roadmaps
- Policy recommendations & monitoring includes policy-related options and reporting on global trends over time
- Technical packages & other tools includes specific recommended interventions and other tools for implementation

Please note that the policy solutions matrix is <u>not exhaustive</u> but provides an initial snapshot of resources for taking action.

Billion	SDG / WHA	Indicator short-name	Indicator	Global strategy & guidance	Policy recommendations & monitoring	Technical packages	Other tools
НРОР	SDG 2.2.1	Childhood stunting	Prevalence of stunting in children under 5	Comprehensive implementation plan on maternal, infant and young child nutrition	Global Database on the		
НРОР	SDG 2.2.2	Childhood wasting	Prevalence of wasting in children under 5	Global Action Plan on Child Wasting	Nutrition Action	Global Nutrition Targets 2025: Wasting Policy Brief	Global Targets Tracking Tool
НРОР	SDG 2.2.2	Childhood overweight	Prevalence of overweight in children under 5	Comprehensive implementation plan on maternal, infant and young child nutrition	Nutrition Data Portal	Global Nutrition Targets 2025: childhood overweight policy brief	
НРОР	SDG 3.4.2	Suicide mortality	Suicide mortality rate (per 100 000 population)	Comprehensive Mental Health Action Plan 2013-2030	National Suicide Prevention Strategies: Progress, Examples and Indicators  Preventing suicide: a global imperative	mhGAP Intervention	Helping Adolescents Thrive Toolkit  Practice manual for establishing and maintaining surveillance systems for suicide attempts and self-harm
НРОР	SDG 3.6.1	Road safety	Road traffic mortality rate (per 100 000 population)	Global Plan for the Decade of Action for Road Safety 2021-2030	Towards the 12 voluntary global targets for road safety	SAVE Lives	
НРОР	SDG 3.5.2	Alcohol consumption	Total alcohol per capita consumption in adults	Global strategy to reduce the harmful use of alcohol	Global status report on alcohol and health  Population-wide	SAFER Technical Package	surveillance systems for suicide attempts and self-harm  Unrecorded alcohol: what the evidence tells us  Addressing and
TIFUF	309 3.3.2	Alcohol consumption	aged 15+ (litres of pure alcohol)	Global Alcohol Action Plan (2022-2030)	interventions for reducing alcohol consumption	Addressing alcohol consumption and socioeconomic inequalities	managing conflicts of interest in alcohol control policies
HPOP/ UHC	SDG 3.8.1.11 SDG 3.a.1	Tobacco use prevalence	Age-standardized prevalence of current tobacco use among persons aged 15 years and older	Framework Convention on Tobacco Control	Report on the Global Tobacco Epidemic 2023	MPOWER	Technical manual on tobacco tax policy and administration

Billion	SDG / WHA	Indicator short-name	Indicator	Global strategy & guidance	Policy recommendations & monitoring	Technical packages	Other tools
НРОР	SDG 4.2.1			Nurturing Care for early childhood development			
			being)	Childhood	Health Policy Survey	Global Scales for Early Development (GSED)	- platform
HPOP	SDG 5.6.1	Intimate partner violence (F)	Proportion of women (15-49) subjected to violence by current or former intimate partner	Global plan of action to strengthen the role of the health system within a national multisectoral response to address interpersonal violence	Addressing Violence against women in health and multisectoral policies: a global status report	RESPECT women – Preventing violence against women	
HPOP/ UHC	SDG 6.2.1	Basic sanitation	Proportion of population using safely managed sanitation services, including a handwashing facility with soap and water	SDG6 Acceleration	UN-Water Global Analysis and Assessment of Sanitation and Drinking- Water (GLAAS)	Compendium of Guidance on Health and Environment	Improvement Tool (WASH FIT)  Benefits of action to
НРОР	SDG 6.1.1	Safely managed water	Proportion of population using safely managed drinking water services (%)	Framework			
НРОР	SDG 7.1.2	Clean household fuels	Proportion of population with primary reliance on clean fuels (%)	Guidelines for indoor air quality – household fuel combustion	Household Energy Policy Repository	Clean Household Energy Solutions Toolkit (CHEST)	reduce household air pollution (BAR-HAP)
HPOP	SDG 11.6.2	Ambient air quality (PM 2.5)	Annual mean concentrations of fine particulate matter (PM2.5) in urban areas	Air Quality Guidelines 2021		Compendium of Guidance on Health and Environment	
HPOP	SDG 16.2.1	Violence against children	Proportion of children (aged 1-17) experiencing physical or psychological aggression	Accelerating implementation of SDG Target 16.2	Global Status Report on Preventing Violence Against Children 2020	_INSPIRE - 7 strategies for ending violence against children	


Billion	SDG / WHA	Indicator short-name	Indicator	Global strategy & guidance	Policy recommendations & monitoring	Technical Packages	Other tools
НРОР	WHA66.10	Child/adolescent obesity	Prevalence of obesity among children and adolescents (aged 5-19)		Priority actions on ending childhood obesity	Essential nutrition actions: mainstreaming nutrition through the life-course	Global Database on the
НРОР	WHA66.11	Adult obesity	Prevalence of obesity among adults (aged 18+)	Global Action Plan for the Prevention and Control of NCDs 2013- 2020	Noncommunicable Diseases Progress Monitor 2022	BEST BUYS' AND OTHER RECOMMENDED INTERVENTIONS FOR THE PREVENTION AND CONTROL OF NONCOMMUNICABLE DISEASES	
НРОР	WHA66.10	Trans fat policy	Best practice policy implemented for industrially produced trans fatty acids (Y/N)	Countdown to 2023: WHO Report on Global Transfat Elimination	TFA Country Score Card	DEDI ACE Dackago	REPLACE modules and other useful resources
UHC	SDG 3.8.1	Average Service Coverage	Coverage of essential health services (defined as the average coverage of essential services based on tracer interventions that include reproductive, maternal, newborn and child health, infectious diseases, non-communicable diseases and service capacity and access, among the general and the most disadvantaged population)	UHC2030 Global Compact	Tracking UHC: Global Monitoring Reports	UHC Compendium: health interventions for Universal Health Coverage	UHC Service Package Delivery & Implementation Platform (SPDI) Health Financing Progress Matrix
UHC	SDG 3.8.2	Financial hardship	Proportion of population with large household expenditures on health as a share of total household expenditures or income	The World Health Report 2010  Developing a National Health Financing Strategy: A Reference Guide	Tracking UHC: Global Monitoring Reports Health Financing Progress Matrix	UHC Indicators SDG (3.8.1 and 3.8.1.2 and related) consultation process overview	Health financing country diagnostic: a foundation for national strategy development
UHC	SDG 3.8.1.12	Hospital beds density	Hospital access - total number of hospital beds per 10 000 population				

Billion	SDG / WHA	Indicator short-name	Indicator	Global strategy & guidance	Policy recommendations & monitoring	Technical packages	Other tools
				Global strategy on human resources for health: Workforce 2030	National Health Workforce Accounts		
				Working for Health 2022-2030 Action Plan	Guideline on health policy and system support to optimize	National health workload staffing mean handbook  National health analysis  National health workforce accounts: implementation guide  National health framework	Workload indicators of staffing need (WISN)
UHC	SDG 3.c.1 SDG 3.8.1.13	Health worker density	Health worker density and distribution	The WHO Global Strategic Directions for Nursing and Midwifery	community health worker programmes		Health labour market analysis guidebook
				(2021-2025) Guidelines on health workforce accounts:	Global competency framework for UHC		
				on the International Recruitment of Health Personnel	attraction, recruitment and retention in rural and remote areas		
			Percentage of people living with HIV currently receiving ART among the estimated number of adults and children living with HIV.	Consolidated Guidelines on HIV			
UHC	SDG 3.3.1	HIV ART coverage		Prevention, Testing, Treatment, Service Delivery and Monitoring		AIDS Free Toolkit	
UHC	SDG 3.3.2	TB treatment coverage	Number of new and relapse cases that were notified and treated in a given year, divided by the estimated number of incident TB cases in the same year, expressed as a percentage.	The End TB strategy	Global TB Report	Implementing the end TB Strategy	
UHC	SDG 3.3.3	ITN use	Percentage of population in malaria-endemic areas who slept under an ITN the previous night [only for countries with moderate to high transmission in sub–Saharan Africa]	GLOBAL TECHNICAL STRATEGY FOR MALARIA 2016–2030	World Malaria Report	Guidelines for Malaria	
UHC	SDG 3.7.1	Demand for family planning satisfied with modern methods	The percentage of women of reproductive age (15–49 years) who desire either to have no (additional) children or to postpone the next child and who are currently using a modern contraceptive method.	Family Planning Guidance	Global SRMNCAH Policy Survey Database	Training Resource Package for Family Planning	7

Billion	SDG / WHA	Indicator short-name	Indicator	Global strategy & guidance	Policy recommendations & monitoring	Technical packages	Other tools
UHC	SDG 3.8.1.2	Antenatal care coverage (+4 contacts)	Percentage of women aged 15–49 years with a live birth in a given time period who received antenatal care, four times or more times from any provider.	Every Newborn Action Plan Every Newborn Coverage Targets and Milestones Ending preventable maternal mortality (EPMM)	Recommendations on maternal health Global SRMNCAH Policy Survey Database	Antenatal and Postnata Care Guidelines	
UHC	SDG 3.8.1.3	DPT3 immunization coverage	Percentage of infants receiving three doses of diphtheria-tetanus pertussis containing vaccine	Immunization Agenda 2030	Implementing the Immunization Agenda 2030		
UHC	SDG 3.8.1.4	Care seeking for suspected child pneumonia	Percentage of children under 5 years of age with suspected pneumonia (cough and difficult breathing NOT due to a problem from a blocked nose) in the two weeks preceding the survey taken to an appropriate health facility or provider.	The Global Strategy for Women's Children's and Adolescents' Health (2016-2030)  The integrated Global Action Plan for Pneumonia and Diarrhoea (GAPPD)	Child Health and Well Being Dashboard Global SRMNCAH Policy Survey Database	Integrated Management of Childhood Illness (IMCI)	Child Health Task Force
UHC	SDG 3.8.1.10	Mean fasting blood glucose (mmol/l)	Age-standardized prevalence of raised blood glucose/diabetes among persons aged 18+ years or on medication for raised blood glucose (defined as fasting plasma glucose value ≥ 7.0 mmol/L (126 mg/dL) or on medication for raised blood glucose among adults aged 18+ years)	Global Diabetes Compact	Noncommunicable Diseases Progress Monitor 2022	Package of Essential NCD (PEN) Interventions for PHC	
UHC	WHA 66.10	Prevalence of raised blood pressure	Age-standardized prevalence of raised blood pressure among persons aged 18+ years (defined as systolic blood pressure of >140 mmHg and/or diastolic blood pressure >90 mmHg) and mean systolic blood pressure	Global Action Plan for the Prevention and Control of NCDs 2013- 2020	Noncommunicable Diseases Progress Monitor 2022 Global Report on Hypertension 2023 Global Report on Sodium Intake Reduction Sodium Country Scorecard	HEARTS Technical Package (2016) SHAKE the Salt Habit	BEST BUYS' AND OTHER RECOMMENDED INTERVENTIONS FOR THE PREVENTION AND CONTROL OF NONCOMMUNICABLE DISEASES

Billion	SDG / WHA	Indicator short-name	Indicator	Global strategy & guidance	Policy recommendations & monitoring	Technical packages	Other tools
UHC / HEP	SDG 3.8.1.16	IHR core capacity index (Emergency Preparedness Indicator)	International Health Regulations (IHR) core capacity index	Multisectoral Preparedness Coordination Framework		NAPHS for all: a 3 step strategic framework for national action plan for health security	
HEP		Emergency prevent indicator	Vaccine coverage for epidemic prone diseases	Immunization Agenda 2030	Implementing the Immunization Agenda 2030		
HEP		Polio	Polio 3 – routine	Polio Eradication Strategy 2022-2026	Polio endgame strategy 2019-2023		
HEP		Measles	Measles (MCV1) – routine	Measles outbreak strategic responsive plan 2021-2023			
HEP		Yellow fever	Yellow Fever - routine and campaign	A global strategy to eliminate yellow fever epidemics 2017-2026			
HEP		Meningitis	Meningitis - routine and campaign	Defeating meningitis by 2030: a global road map (2020)	,		
HEP		Cholera	Cholera - Campaign	Ending Cholera: A global roadmap to 2030	)		
HEP		Emergency detect notify & respond indicator	IHR event detection, notification, and response (Timeliness)	Operational planning guidance to support country preparedness and response			

## The policy solutions matrix is <u>not exhaustive</u>, but provides an initial snapshot of resources for taking action.



Objective: to accelerate progress and achieve impact

